

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
15 February 2001 (15.02.2001)

PCT

(10) International Publication Number
WO 01/11029 A1

- (51) International Patent Classification⁷: C12N 9/52, 15/82, C07K 14/24, C12N 15/11
- (74) Agent: STUART, Donald, R.; Dow AgroSciences LLC, 9330 Zionsville Road, Indianapolis, IN 46268 (US).
- (21) International Application Number: PCT/US00/22237
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (22) International Filing Date: 11 August 2000 (11.08.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60,148,356 11 August 1999 (11.08.1999) US
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant: DOW AGROSCIENCES LLC [US/US]; 9330 Zionsville Road, Indianapolis, IN 46268 (US).
- (72) Inventors: PETELL, James, K.; 16825 Meyer Lane, Grass Valley, CA 95949 (US). MERLO, Donald, J.; 11845 Durbin Drive, Carmel, IN 46032 (US). HERMAN, Rod, A.; 11153 West 500 South, New Ross, IN 47968 (US). ROBERTS, Jean, L.; 26035 State Road 19, Arcadia, IN 46030 (US). GUO, Lining; 3212 Summit Ridge Loop, Morrisville, NC 27560 (US). SCHAFER, Barry, W.; 1429 Lighthouse Point, Cicero, IN 46034 (US). SUKHAPINDA, Kitisri; 4748 Ashwood Court, Zionsville, IN 46077 (US). MERLO, Ann, Owens; 11845 Durbin Drive, Carmel, IN 46032 (US).
- Published:**
- With international search report.
 - Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 01/11029 A1

(54) Title: TRANSGENIC PLANTS EXPRESSING PHOTORHABDUS TOXIN

(57) Abstract: Novel polynucleotide sequences that encode insect toxins TcdA and TcbA have base compositions that differ substantially from the native genes, making them more similar to plant genes. The new sequences are suitable for use for high expression in both monocots and dicots. Transgenic plants with a genome comprising a nucleic acid of SEQ ID NO: 3 or SEQ ID NO:4 are insect resistant.

TRANSGENIC PLANTS EXPRESSING PHOTORHABDUS TOXIN

BACKGROUND OF THE INVENTION

As reported in WO98/08932, protein toxins from the genus *Photorhabdus* have been shown to have oral toxicity against insects. The toxin complex produced by *Photorhabdus luminescens* (W-14), for example, has been shown to contain ten to fourteen proteins, and it is known that these are produced by expression of genes from four distinct genomic regions: *tca*, *tcb*, *tcc*, and *tcd*. WO98/08932 discloses nucleotide sequences for the native toxin genes.

Of the separate toxins isolated from *Photorhabdus luminescens* (W-14), those designated Toxin A and Toxin B are especially potent against target insect species of interest, for example corn rootworm. Toxin A is comprised of two different subunits. The native gene *tcdA* (SEQ ID NO:1) encodes protoxin TcdA (see SEQ ID NO:1). As determined by mass spectrometry, TcdA is processed by one or more proteases to provide Toxin A. More specifically, TcdA is an approximately 282.9 kDA protein (2516 aa) that is processed to provide TcdAii, an approximately 208.2 kDA (1849 aa) protein encoded by nucleotides 265-5811 of SEQ ID NO:1, and TcdAiii, an approximately 63.5 kDA (579 aa) protein encoded by nucleotides 5812-7551 of SEQ ID NO:1.

Toxin B is similarly comprised of two different subunits. The native gene *tcbA* (SEQ ID NO:2) encodes protoxin TcbA (see SEQ ID NO:2). As determined by mass spectrometry, TcbA is processed by one or more proteases to provide Toxin B. More specifically, TcbA is an approximately 280.6 kDA (2504 aa) protein that is processed to provide TcbAii, an approximately 207.7 kDA (1844 aa) protein encoded by nucleotides 262-5793 of SEQ ID NO:2 and TcbAiii, an approximately 62.9 kDA (573 aa) protein encoded by nucleotides 5794-7512 of SEQ ID NO:2.

The native *tcdA* and *tcbA* genes are not well suited for high level expression in plants. They encode multiple destabilization sequences, mRNA splice sites, polyA addition sites and other possibly detrimental sequence motifs. In addition, the codon compositions are not like those of plant genes. WO98/08932 gives general guidance on how the toxin genes could be reengineered to more efficiently expressed in the cytoplasm of plants, and describes how plants can be transformed to incorporate the *Phototrhabdus* toxin genes into their genomes.

SUMMARY OF THE INVENTION

In a preferred embodiment, the invention provides novel polynucleotide sequences that encode TcdA and TcbA. The novel sequences have base compositions that differ substantially from the native genes, making them more similar to plant genes. The new sequences are suitable for use for high expression in both monocots and dicots, and this feature is designated by referring to the sequences as the "hemicot" criteria, which is set forth in detail hereinafter. Other important features of the sequences are that potentially deleterious sequences have been eliminated, and unique restriction sites have been built in to enable adding or changing expression elements, organellar targeting signals, engineered protease sites and the like, if desired.

In a particularly preferred embodiment, the invention provides polynucleotide sequences that satisfy hemicot criteria and that comprise a sequence encoding an endoplasmic reticulum signal or similar targeting sequence for a cellular organelle in combination with a sequence encoding TcdA or TdbA.

More broadly, the invention provides engineered nucleic acids encoding functional *Phototrhabdus* toxins wherein the sequences satisfy hemicot criteria.

The invention also provides transgenic plants with genomes comprising a novel sequence of the invention that imparts functional activity against insects.

5 BRIEF DESCRIPTION OF SEQUENCES

SEQ ID NO:1 is the native *tcdA* DNA sequence together with the corresponding encoded amino acid sequence for TcdA.

10 SEQ ID NO:2 is the native *tcbA* DNA sequence together with the corresponding encoded amino acid sequence for TcbA.

SEQ ID NO:3 is an artificial sequence encoding TcdA that is suitable for expression in monocot and dicot plants.

15 SEQ ID NO:4 is an artificial sequence encoding TdbA that is suitable for expression in monocot and dicot plants.

SEQ ID NO:5 is an artificial hemicot sequence that encodes the 21 amino acid ER signal peptide of 15 kDa zein from Black Mexican Sweet maize.

20 SEQ ID NO:6 is an artificial hemicot sequence that encodes for the full-length native TcdA protein (amino acids 22-2537) fused to the modified 15 kDa zein endoplasmic reticulum signal peptide (amino acids 1-21).

25 DETAILED DESCRIPTION

The native *Photorhabdus* toxins are protein complexes that are produced and secreted by growing bacteria cells of the genus *Photorhabdus*. Of particular interest are the proteins produced by the species *Photorhabdus*
30 *luminescens*. The protein complexes have a molecular size of approximately 1,000 kDa and can be separated by SDS-PAGE gel analysis into numerous component proteins. The toxins contain no hemolysin, lipase, type C phospholipase, or nuclease activities. The toxins
35 exhibit significant toxicity upon ingestion by a number of insects.

A unique feature of *Photorhabdus* is its bioluminescence. *Photorhabdus* may be isolated from a variety of sources. One such source is nematodes, more particularly nematodes of the genus *Heterorhabditis*.

- 5 Another such source is from human clinical samples from wounds, see Farmer et al. 1989 J. Clin. Microbiol. 27 pp. 1594-1600. These saprophytic strains are deposited in the American Type Culture Collection (Rockville, MD) ATCC #s 43948, 43949, 43950, 43951, and 43952, and are
10 incorporated herein by reference. It is possible that other sources could harbor *Photorhabdus* bacteria that produce insecticidal toxins. Such sources in the environment could be either terrestrial or aquatic based.

The genus *Photorhabdus* is taxonomically defined as a
15 member of the Family *Enterobacteriaceae*, although it has certain traits atypical of this family. For example, strains of this genus are nitrate reduction negative, yellow and red pigment producing and bioluminescent. This latter trait is otherwise unknown within the
20 *Enterobacteriaceae*. *Photorhabdus* has only recently been described as a genus separate from the *Xenorhabdus* (Boemare et al., 1993 Int. J. Syst. Bacteriol. 43, 249-255). This differentiation is based on DNA-DNA hybridization studies, phenotypic differences (e.g.,
25 presence (*Photorhabdus*) or absence (*Xenorhabdus*) of catalase and bioluminescence) and the Family of the nematode host (*Xenorhabdus*; *Steinernematidae*, *Photorhabdus*; *Heterorhabditidae*). Comparative, cellular fatty-acid analyses (Janse et al. 1990, Lett. Appl. Microbiol 10, 131-135; Suzuki et al. 1990, J. Gen. Appl. Microbiol., 36, 393-401) support the separation of
30 *Photorhabdus* from *Xenorhabdus*.

Currently, the bacterial genus *Photorhabdus* is comprised of a single defined species, *Photorhabdus*
35 *luminescens* (ATCC Type strain #29999, Poinar et al., 1977, Nematologica 23, 97-102). A variety of related

strains have been described in the literature (e.g., Akhurst et al. 1988 J. Gen. Microbiol., 134, 1835-1845; Boemare et al. 1993 Int. J. Syst. Bacteriol. 43 pp. 249-255; Putz et al. 1990, Appl. Environ. Microbiol., 56, 5 181-186).

The following toxin producing *Photorhabdus* strains have been deposited:

strain	accession number	date of deposit
W-14	ATCC 55397	March 5, 1993
WX1	NRRL B-21710	April 29, 1997
WX2	NRRL B-21711	April 29, 1997
WX3	NRRL B-21712	April 29, 1997
WX4	NRRL B-21713	April 29, 1997
WX5	NRRL B-21714	April 29, 1997
WX6	NRRL B-21715	April 29, 1997
WX7	NRRL B-21716	April 29, 1997
WX8	NRRL B-21717	April 29, 1997
WX9	NRRL B-21718	April 29, 1997
WX10	NRRL B-21719	April 29, 1997
WX11	NRRL B-21720	April 29, 1997
WX12	NRRL B-21721	April 29, 1997
WX14	NRRL B-21722	April 29, 1997
WX15	NRRL B-21723	April 29, 1997
H9	NRRL B-21727	April 29, 1997
Hb	NRRL B-21726	April 29, 1997
Hm	NRRL B-21725	April 29, 1997
HP88	NRRL B-21724	April 29, 1997
NC-1	NRRL B-21728	April 29, 1997
W30	NRRL B-21729	April 29, 1997
WIR	NRRL B-21730	April 29, 1997
B2	NRRL B-21731	April 29, 1997
ATCC 43948	ATCC 55878	November 5, 1996
ATCC 43949	ATCC 55879	November 5, 1996
ATCC 43950	ATCC 55880	November 5, 1996
ATCC 53951	ATCC 55881	November 5, 1996
ATCC 43952	ATCC 55882	November 5, 1996
DEPI	NRRL B-21707	April 29, 1997
DEP2	NRRL B-21708	April 29, 1997
DEP3	NRRL B-21709	April 29, 1997
P. zealandrica	NRRL B-21683	April 29, 1997
P. hepialus	NRRL B-21684	April 29, 1997
HB-Arg	NRRL B-21685	April 29, 1997
HB Oswego	NRRL B-21686	April 29, 1997
Hb Lewiston	NRRL B-21687	April 29, 1997
K-122	NRRL B-21688	April 29, 1997
HMGD	NRRL B-21689	April 29, 1997
Indicus	NRRL B-21690	April 29, 1997
GD	NRRL B-21691	April 29, 1997
PWH-5	NRRL B-21692	April 29, 1997
Megidis	NRRL B-21693	April 29, 1997
HF-85	NRRL B-21694	April 29, 1997
A. Cows	NRRL B-21695	April 29, 1997
MP1	NRRL B-21696	April 29, 1997
MP2	NRRL B-21697	April 29, 1997
MP3	NRRL B-21698	April 29, 1997
MP4	NRRL B-21699	April 29, 1997
MP5	NRRL B-21700	April 29, 1997
GL98	NRRL B-21701	April 29, 1997
GL101	NRRL B-21702	April 29, 1997
GL138	NRRL B-21703	April 29, 1997
GL155	NRRL B-21704	April 29, 1997
GL217	NRRL B-21705	April 29, 1997
GL257	NRRL B-21706	April 29, 1997

All strains were deposited in accordance with the terms of the Budapest Treaty. Strains having

accession numbers prefaced by "ATTC" were deposited on the indicated date in the American Type Culture Collection, 12301 Parklawn Drive, Rockville, MD 20852 USA. Strains prefaced by "NRRL" were

5 deposited on the indicated date in the Agricultural Research Service Patent Culture Collection (NRRL), National Center for Agricultural Utilization Research, ARS-USDA, 1815 North University St., Peoria IL 61604 USA.

10 The present invention provides hemicot nucleic acid sequences encoding toxins from any *Photorhabdus* species or strain that produces a toxin having functional activity. Hemicot nucleic acid sequences encoding proteins homologous to such toxins are also encompassed
15 by the invention.

Several terms that are used herein have a particular meaning and are defined as follows:

By "functional activity" it is meant herein that the protein toxins) function as insect control agents in that
20 the proteins are orally active, or have a toxic effect, or are able to disrupt or deter feeding, which may or may not cause death of the insect. When an insect comes into contact with an effective amount of toxin delivered via transgenic plant expression, formulated protein
25 compositions), sprayable protein compositions), a bait matrix or other delivery system, the results are typically death of the insect, or the insects do not feed upon the source which makes the toxins available to the insects.

30 By "homolog" it is meant an amino acid sequence that is identified as possessing homology to a reference *Photorhabdus* toxin polypeptide amino acid sequence.

By "homology" it is meant an amino acid sequence that has a similarity index of at least 33% and/or an
35 identity index of at least 26% to a reference *Photorhabdus* toxin polypeptide amino acid sequence, as

scored by the GAP algorithm using the B10sum 62 protein scoring matrix Wisconsin Package Version 9.0, Genetics Computer Group GCG), Madison, WI).

By "identity" is meant an amino acid sequence that
5 contains an identical residue at a given position,
following alignment with a reference *Photorhabdus* toxin
polypeptide amino acid sequence by the GAP algorithm.

By the use of the term "*Photorhabdus* toxin" it is
meant any protein produced by a *Photorhabdus*
10 microorganism strain which has functional activity
against insects, where the *Photorhabdus* toxin could be
formulated as a sprayable composition, expressed by a
transgenic plant, formulated as a bait matrix, delivered
via baculovirus, or delivered by any other applicable
15 host or delivery system.

By the use of the term "toxic" or "toxicity" as used
herein it is meant that the toxins produced by
Photorhabdus have "functional activity" as defined
herein.

By "substantial sequence homology" is meant either:
a DNA fragment having a nucleotide sequence sufficiently
similar to another DNA fragment to produce a protein
having similar biochemical properties; or a polypeptide
having an amino acid sequence sufficiently similar to
25 another polypeptide to exhibit similar biochemical
properties.

As with other bacterial toxins, the rate of mutation
of the bacteria in a population causes many related
toxins slightly different in sequence to exist. Toxins
30 of interest here are those which produce protein
complexes toxic to a variety of insects upon exposure, as
described herein. Preferably, the toxins are active
against *Lepidoptera*, *Coleoptera*, *Homoptera*, *Diptera*,
Hymenoptera, *Dictyoptera* and *Acarina*. The inventions
35 herein are intended to capture the protein toxins
homologous to protein toxins produced by the strains

herein and any derivative strains thereof, as well as any protein toxins produced by *Photorhabdus*. These homologous proteins may differ in sequence, but do not differ in function from those toxins described herein.

- 5 Homologous toxins are meant to include protein complexes of between 300 kDa to 2,000 kDa and are comprised of at least two 2) subunits, where a subunit is a peptide which may or may not be the same as the other subunit. Various protein subunits have been identified and are taught in the Examples herein. Typically, the protein subunits are between about 18 kDa to about 230 kDa; between about 160 kDa to about 230 kDa; 100 kDa to about 160 kDa; about 80 kDa to about 100 kDa; and about 50 kDa to about 80 kDa.

- As discussed above, some *Photorhabdus* strains can be isolated from nematodes. Some nematodes, elongated cylindrical parasitic worms of the phylum Nematoda, have evolved an ability to exploit insect larvae as a favored growth environment. The insect larvae provide a source of food for growing nematodes and an environment in which to reproduce. One dramatic effect that follows invasion of larvae by certain nematodes is larval death. Larval death results from the presence of, in certain nematodes, bacteria that produce an insecticidal toxin which arrests larval growth and inhibits feeding activity.

- Interestingly, it appears that each genus of insect parasitic nematode hosts a particular species of bacterium, uniquely adapted for symbiotic growth with that nematode. In the interim since this research was initiated, the name of the bacterial genus *Xenorhabdus* was reclassified into the genus *Photorhabditis* characterized as being symbionts of *Heterorhabditis* nematodes while *Xenorhabdus* species are symbionts of the *Steinernema* species. This change in nomenclature is reflected in this specification, but in no way should a

change in nomenclature alter the scope of the inventions described herein.

The peptides and genes that are disclosed herein are named according to the guidelines recently published in
 5 the Journal of Bacteriology "Instructions to Authors" p. i-xii Jan. 1996), which is incorporated herein by reference.

Transformation methods useful in carrying out the invention are well known, and are described, for example,
 10 in W098/08932.

Hemicot tcdA and tcbA

SEQ ID NO: 3 is the nucleotide sequence for an engineered tcdA gene in accordance with the invention.
 SEQ ID NO: 4 is the nucleotide sequence for an engineered
 15 tcbA gene in accordance with the invention.

The following Tables 1 and 2 identify significant features of the engineered tcdA and tcbA genes.

Table 1
tcdA

Feature	nucleotides of SEQ ID NO:3
<i>NcoI</i>	1-6
<i>HindIII</i>	48-53
<i>KpnI</i>	246-254
sequence encoding TcbAii	267-5798
<i>NheI</i>	333-338
<i>BglII</i>	1215-1220
<i>ClaI</i>	2604-2609
<i>PstI</i>	4015-4020
<i>AgeI</i>	5088-5093
<i>MunI</i>	5598-5603
<i>XbaI</i>	5778-5783
sequence encoding TcbAiii	5799-7517
<i>AflIII</i>	5853-5858
<i>SphI</i>	6439-6444
<i>SfuI</i>	7392-7397
<i>SacI</i>	7519-7524
<i>XhoI</i>	7522-7527
<i>StuI</i>	7528-7533
<i>NotI</i>	7533-7538

20

Table 2
tcbA

Feature	nucleotides of SEQ ID NO:5
<i>NcoI</i>	1-6
<i>HindIII</i>	48-53

<i>KpnI</i>	246-251
sequence encoding <i>TcbAii</i>	267-5798
<i>NheI</i>	333-338
<i>BglII</i>	1215-1220
<i>ClaI</i>	2604-2609
<i>PstI</i>	4015-4020
<i>AgeI</i>	5088-5093
<i>MunI</i>	5598-5603
<i>XbaI</i>	5778-5783
sequence encoding <i>TcbAiii</i>	5799-7517
<i>AflIII</i>	5853-5858
<i>SphI</i>	6439-6444
<i>SfuI</i>	7392-7397
<i>SacI</i>	7519-7524
<i>SfuI</i>	7392-7397
<i>SacI</i>	7519-7524
<i>XhoI</i>	7522-7527
<i>StuI</i>	7528-7533
<i>NotI</i>	7535-7540

It should be noted that the proteins encoded by the plant-optimized *tcdA* (SEQ ID NO:3) and *tcbA* (SEQ ID NO:5) differ from the native proteins by the addition of an Ala residue at position #2. This modification was made to accommodate the *NcoI* site which spans the ATG start codon.

The following Table 3 compares the codon composition of the engineered *tcdA* gene of SEQ ID NO:3 and engineered *tcbA* gene of SEQ ID NO:5 with the codon compositions of the native genes, the typical dicot genes, and maize genes.

Table 3

amino acid	codon	% in SEQ ID NO:3	% in <i>tcdA</i>	% in SEQ ID NO:5	% in <i>tcbA</i>	% in dicot	% in maize
Ala	GCT	62	21	69	41	42	24
	GCC	26	32	27	17	27	34
	GCA	11	25	4	22	25	18
	GCG	0	21	0	21	6	24
Arg	AGG	48	0	60	2	25	26
	CGC	22	36	18	16	11	24
	AGA	20	11	15	6	30	15
	CGT	11	39	7	57	21	11
	CGG	0	7	0	13	4	15
	CGA	0	8	0	6	8	9
Asn	AAC	100	32	100	33	55	68
	AAT	0	68	0	67	45	32
Asp	GAC	67	22	70	25	42	63

amino acid	codon	% in SEQ ID NO:3	% in <i>tcdA</i>	% in SEQ ID NO:5	% in <i>tcbA</i>	% in <i>dicot</i>	% in <i>maize</i>
	GAT	33	78	30	75	58	37
Cys	TGC	100	30	100	19	56	68
	TGT	0	70	0	81	44	32
End	TGA	100	0	100	0	33	59
	TAG	0	0	0	0	19	21
	TAA	0	100	0	100	48	20
Gln	CAA	65	61	74	53	59	38
	CAG	35	39	26	47	41	62
Glu	GAG	100	24	98	36	51	71
	GAA	0	76	2	64	49	29
Gly	GGT	67	37	64	44	33	20
	GGC	32	36	36	22	16	42
	GGA	1	20	0	19	38	19
	GGG	0	8	0	16	12	20
His	CAC	62	40	72	31	46	62
	CAT	38	60	28	69	54	38
Ile	ATC	73	34	65	24	37	58
	ATT	27	51	35	59	45	28
	ATA	0	15	0	17	18	14
Leu	CTC	54	11	59	7	28	26
	TTG	29	17	25	32	26	15
	CTT	16	9	15	7	19	17
	TTA	0	18	0	19	10	5
	CTG	0	32	0	29	9	29
	CTA	0	13	0	7	8	8
Lys	AAG	99	79	99	75	61	78
	AAA	1	21	1	25	39	22
Met	ATG	100	100	100	100	100	100
Phe	TTC	100	42	100	41	55	71
	TTT	0	58	0	59	45	29
Pro	CCA	74	30	91	26	42	26
	CCT	22	28	7	20	32	22
	CCC	4	14	3	7	17	24
	CCG	0	27	0	47	9	28
Ser	TCC	47	19	55	11	18	23
	TCT	35	15	30	15	25	15
	AGC	18	22	15	18	18	23
	AGT	0	20	0	31	14	9
	TCG	0	7	0	8	6	14
	TCA	0	17	0	17	19	16
Thr	ACC	60	41	64	31	30	37
	ACT	28	25	32	34	35	20
	ACA	12	21	4	18	27	21
	ACG	0	13	0	18	8	22
Trp	TGG	100	100	100	100	100	100
Tyr	TAC	100	24	100	19	57	73
	TAT	0	76	0	81	43	27
Val	GTC	69	27	73	11	20	31
	GTG	21	17	22	27	29	39
	GTT	10	34	3	48	39	21
	GTA	0	22	2	14	12	8

EXAMPLE 1

Design Of Plant Codon-Biased Genes Encoding W-14 Peptides
TcbA and TcdA

5

A. Gene Design

The coding strands of the native DNA sequences of the *Photorhabdus* W-14 genes encoding peptides TcbA and TcdA were scanned for the presence of deleterious sequences such as the Shaw/Kamen RNA destabilizing motif ATTTA, intron splice recognition sites, and poly A addition motifs. This was done using the MacVector Sequence Analysis Software (Oxford Molecular Biology Group, Symantec Corp.), using a custom Nucleic Acid Subsequence File. The native sequence was also searched for runs of 4 or more of the same base.

Motif searching of the native W-14 *tcbA* and *tcdA* genes revealed the presence of many potentially deleterious sequences in the protein coding strands, as summarized in Table 4. Not shown, but also present, were many runs of four or more single residues (e.g. the native *tcbA* gene has 81 runs of four A's).

Table 4

Native Gene	ATTTA	5' Splice	3' Splice	Poly A Addition*	RNAP II term.
<i>tcbA</i>	18	7	17	46	0
<i>tcdA</i>	18	7	13	77	1

* Totals of 16 different motifs.

Analyses of eukaryotic genes and plant genes in particular have shown that CG & TA doublets are underrepresented, while the genes are enriched in CT & TG doublets. The sequences of the hemicot biased genes have accordingly been adjusted to encompass these base compositions and to have G+C compositions of about 53%, similar to many plant genes. When compared to the native W-14 *tcbA* and *tcdA* genes, the plant-biased genes have a much more uniform G+C distribution.

Nucleotide changes to remove potentially deleterious sequences were chosen to simultaneously adjust the codon composition of the coding region to more closely reflect that of plant genes. A framework for these changes was provided by the codon bias tables prepared for maize and dicot genes shown in Table 3.

Comparison of codon compositions of the native W-14 genes to maize and dicot genes revealed that the W-14 genes contain a very different preference set of the degenerate codons for the 18 amino acids for which there is a choice (Table 3). For each of 8 amino acids (Phe, Tyr, Cys, Arg, Asn, Lys, Glu, and Gly) in both W-14 genes, the most abundant codon is different from the preferred codons found in either maize or dicot genes. One might expect that translational difficulties would be encountered in efforts to produce in plants proteins (such as TcbA and TcdA) having high relative amounts of these amino acids from mRNAs having large numbers of nonpreferred codons. There is a marked difference in distribution of the codon compositions specifying the other 10 amino acids. For His, Gln, Ile, Val, and Asp, the dicot-preferred codons are found as the most abundant ones in both W-14 genes. For Leu, Thr, Ser, and Ala, the maize preferred codons are the most abundant codon choices found in the *tcdA* gene. In contrast, the *tcbA* gene contains only the CCG (Pro) maize-preferred codon as the highest abundance choice.

In making the codon choices, doublet contents were considered, so that adjacent codons preferably did not form CG or TA doublets (which are underrepresented in eukaryotic genes; 1, 4), while CT or TG doublets (which are enriched in eukaryotic genes ibid.) were created when possible.

Choices were also made to utilize a diversity of codons for Met, Trp, Asn, Asp, Cys, Glu, His, Ile, Lys, Phe, Thr, and Tyr.

The sequences were also designed to encode unique 6-bp recognition sites for restriction enzymes, spaced about every 1200 bp. Finally, an additional codon (GCT; Ala) was inserted at the second position to encode an Nco I recognition site encompassing the ATG (Met) start codon. Additional recognition sites were included after

the stop codon to facilitate subsequent cloning steps into expression vectors. These features are set forth above in Tables 1 and 2.

The new *tcdA* and *tcbA* genes of SEQ ID NO:3 and SEQ ID NO:4 share 73.5%, and 72.6% identity, respectively, to their native W-14 counterparts (Wisconsin Genetics Computer Group, GAP algorithm).

B. Gene Synthesis

The complete synthesis of the plant codon-biased *tcbA* and *tcdA* genes was performed under contract by Operon Technologies, Inc. (OPTI, Alameda, CA). Basically, chemically synthesized oligonucleotides of appropriate sequence were assembled into DNA pieces about 500 bases long. These were joined together end-to-end (presumably by means of appropriately placed restriction enzyme sites) into four larger pieces of roughly 2 kilobase pairs (kbp) each; therefore each comprised about 1/4 of the entire coding region of the particular gene. DNA sequence of the pieces was confirmed at this step. If mistakes in sequence were present, the appropriate oligonucleotides were re-synthesized, and the assembly process was repeated. Once gene fractional parts were sequence verified, they were assembled in pairs to make the gene halves, and again sequence verified. Finally, the two halves were joined, and the sequences of the junctions between the halves was verified. Therefore, each part of the new gene was sequence verified at least twice.

It should be noted that attempts to express the native *tcbA* or *tcdA* genes in standard *Escherichia coli* cloning strains suggests that production of these proteins is lethal. Lethality problems may be encountered if standard cloning vectors having leaky expression from inherent *lacZ* promoters are used to assemble these genes.

C. Addition Of Endoplasmic Reticulum Targeting Peptide To Tcda Coding Region

It is known to those in the field of plant gene expression that proteins are specifically directed into the endoplasmic reticulum (ER) by means of a short signal peptide which is removed during or after the transport process through the ER membrane. The mature (processed) protein is incorporated into the ER endomembrane or is released into the ER lumen where the transported protein may be uniquely folded (aided by chaperonins), modified by glycosylation, accumulated in the vacuole, or additionally translocated (by secretion). These processes are reviewed by Gomord and Faye [V. Gomord and L. Faye, (1996) *Signals and mechanisms involved in intracellular transport of secreted proteins in plants*. Plant Physiol. Biochem. 34:165-181] and by Bar-Peled et al. [M. Bar-Peled, D. C. Bassham, and N. V. Raikhel, (1996) *Transport of proteins in eukaryotic cells: more questions ahead*. Plant Molec. Biology 32:223-249]. It is also known that the subcellular recognition mechanisms for an ER signal peptide are evolutionarily somewhat conserved, since the ER signal for a protein normally produced in monocot (maize) cells is recognized and processed normally by dicot (tobacco) cells. This is exemplified by the maize 15 kDa zein ER signal peptide [L. M. Hoffman, D. D. Donaldson, R. Bookland, K. Rashka, and E. M. Herman, (1987) *Synthesis and protein body deposition of maize 15-kd zein in transgenic tobacco seeds*. EMBO J. 6:3213-3221, and U.S. Patent 5589616]. Further, it is known that the ER signal peptide derived from one protein can direct the translocation of a different protein if it is appropriately attached to the second protein by genetic engineering methods [D. C. Hunt and M. J. Chrispeels, (1991) *The signal peptide of a vacuolar protein is necessary and sufficient for the efficient secretion of a cytosolic protein*. Plant

Physiol. 96:18-25, and Denecke, J., J. Botterman, and R. Deblaere (1990) *Protein secretion in plants can occur via a default pathway*. Plant Cell 2:51-59]. Therefore, one may expose a protein in vivo to different biochemical environments by directing its accumulation in the cytosol (by not providing a signal peptide sequence), or in the ER/vacuole (by provision of an appropriate signal peptide.)

The ER signal peptide of maize 15 kDa zein proteins is known to comprise the first 20 amino acids encoded by the zein coding region. Two examples of such signal peptides the ER signal peptide of 15 kDa zein from A5707 maize, NCBI Accession # M72708, and the ER signal peptide of 15 kDa zein from Black Mexican Sweet maize, NCBI Accession # M13507. There is only a single amino acid difference (Ser vs Cys at residue 17) between these signal peptides.

SEQ ID NO:5 is a modified sequence coding the ER signal peptide of 15 kDa zein from Black Mexican Sweet maize. The modifications embodied in this sequence were made to accommodate the different monocot/dicot codon usages and other sequence motif considerations discussed above in the design of the plant-optimized *tcdA* coding region. The sequence includes an additional Ala residue at position #2 to accommodate the *NcoI* site which spans the ATG start codon.

SEQ ID NO:6 gives a sequence coding for the full-length native TcdA protein (amino acids 22-2537) fused to the modified 15 kDa zein endoplasmic reticulum signal peptide (amino acids 1-21).

Example 2

Transformation Of Tobacco With *Agrobacterium* Carrying Plasmid pDAB2041 Encoding *Photobacterium* Toxins
A. Plasmid pDAB2041

Preparation of tobacco transformation vectors was accomplished in three steps. First, a modified plant-optimized *tcdA* coding region was ligated into a tobacco

plant expression cassette plasmid. In this step, the coding region was placed under the transcriptional control of a promoter functional in tobacco plant cells. RNA transcription termination and polyadenylation were mediated by a downstream copy of the terminator region from the *Agrobacterium* nopaline synthase gene. Two plasmids designed to function in this role are pDAB1507 and pDAB2006. In the second step, the complete gene comprised of the promoter, coding region, and terminator region was ligated between the T-DNA borders of an *Agrobacterium* binary vector, pDAB1542. Also positioned between the T-DNA borders was a plant selectable marker gene to allow selection of transformed tobacco plant cells. In the third step, the engineered binary vector plasmid was conjugated from its *E. coli* host strain into a disabled *Agrobacterium tumefaciens* strain capable of transforming tobacco plant cells that regenerate into fertile transgenic plants.

It is a feature of plasmid pDAB1507 that any coding region having an *Nco*I site at its 5' end and a *Sac*I site 3' to the coding region, when cloned into the unique *Nco*I and *Sac*I sites of pDAB1507, is placed under the transcriptional control of an enhanced version of the CaMV 35S promoter. It is also a feature of pDAB1507 that the 5' untranslated leader (UTR) sequence preceding the *Nco*I site comprises a modified version of the 5' UTR of the MSV coat protein gene, into which has been cloned an internally deleted version of the maize *Adh1S* intron 1. Additionally it is a feature of pDAB1507 that transcription termination and polyadenylation of the mRNA containing the introduced coding region are mediated by termination/Poly A addition sequences derived from the nopaline synthase (Nos) gene. Finally, it is a feature of pDAB1507 that the entire assembly of promoter/coding region/3'UTR can be obtained as a single DNA fragment by cleavage at the flanking *Not*I sites.

It is a feature of plasmid pDAB2006 that any coding region having an *Nco*I site at its 5' end and a *Sac*I site 3' to the coding region, when cloned into the unique *Nco*I and *Sac*I sites of pDAB2006, is placed under the
5 transcriptional control of the CaMV 35S promoter. It is also a feature of pDAB2006 that the 5' untranslated leader (UTR) sequence preceding the *Nco*I site comprises a polylinker. Additionally it is a feature of pDAB2006 that transcription termination and polyadenylation of the
10 mRNA containing the introduced coding region are mediated by termination/Poly A addition sequences derived from the nopaline synthase (*Nos*) gene. Finally, it is a feature of pDAB2006 that the entire assembly of promoter/coding region/3'UTR can be obtained as a single DNA fragment by
15 cleavage at the flanking *Not*I sites.

It is a feature of pDAB1542 that any DNA fragment flanked by *Not*I sites can be cloned into the unique *Not*I site of pDAB1542, thus placing the introduced fragment
20 between the T-DNA borders, and adjacent to the neomycin phosphotransferase II (kanamycin resistance) gene.

To prepare a plant-expressible gene to produce the non-targeted TcdA protein in tobacco plant cells, DNA of a plasmid (pAOH_4-OPTI) containing the plant-optimized
25 *tcdA* coding region, (SEQ ID No:3) was cleaved with restriction enzymes *Nco*I and *Sac*I, and the large 7550 bp fragment was ligated to similarly-cut DNA of plasmid pDAB1507 to produce plasmid pDAB2040. DNA of pDAB2040 was then digested with *Not*I, and the 8884 bp fragment was
30 ligated to *Not*I digested DNA of pDAB1542 to produce plasmid pDAB2041. This plasmid was then conjugated by triparental mating [Firoozabady, E., D. L. DeBoer, D. J. Merlo, E. L. Halk, L. N. Amerson, K. E. Rashka, and E. E. Murray (1987) *Transformation of cotton (Gossypium*
35 *hirsutum* L.) by *Agrobacterium tumefaciens* and regeneration of transgenic plants. Plant Molec. Biol.

10:105-116] from the host *Escherichia coli* strain (XL1-Blue, Stratagene, La Jolla, CA), into the nontumorigenic *Agrobacterium tumefaciens* strain EHA101S, which is a spontaneous streptomycin-resistant mutant of strain
5 EHA101 (Hood, E. E., G. L. Helmer, R. T. Fraley, and M.-D. Chilton (1986) *The hypervirulence of Agrobacterium tumefaciens A281 is encoded in a region of pTiBo542 outside of T-DNA*. J. Bacteriol. 168:1291-1301). Strain EHA101S(pDAB2041) was then used to produce transgenic
10 tobacco plants that expressed the TcdA protein.

B. Plasmid pRK2013

To prepare a plant-expressible gene to produce the endoplasmic reticulum-targeted TcdA protein in tobacco plant cells, DNA of a plasmid (pA0H_4-ER) containing the
15 plant-optimized, ER-targeted *tcdA* coding region, (SEQ ID No:6) was cleaved with restriction enzymes *NcoI* and *SacI*, and the large 7610 bp fragment was ligated to similarly-cut DNA of plasmid pDAB2006 to produce plasmid pDAB1833. DNA of pDAB1833 was then digested with *NotI*, and the 8822
20 bp fragment was ligated to *NotI* digested DNA of pDAB1542 to produce plasmid pDAB2052. This plasmid was then conjugated by triparental mating from the host *Escherichia coli* strain (XL1-Blue), into the nontumorigenic *Agrobacterium tumefaciens* strain EHA101S.
25 Strain EHA101S(pDAB2052) was then used to produce transgenic tobacco plants that expressed the TcdA protein containing an amino terminus endoplasmic reticulum targeting peptide.

30 C. Transfer of Plasmid pDAB2041 Into *Agrobacterium* Strain EHA101S

Cultures of *E. coli* carrying the engineered Ti plasmid pDAB2041 (plasmid containing the rebuilt Toxin A gene, *tcdA*), *E. coli* carrying the plasmid pRK2013, and
35 *Agrobacterium* strain EHA101S were grown overnight, then mixed 1:1:1 on plain LB medium solidified with agar and

cultured in the dark at 28°C. Two days later, the lawn of bacteria was scraped up with a loop, suspended in plain LB medium, vortexed, and then diluted 1:10⁴, 1:10⁵, and 1:10⁶ fold in plain LB liquid medium. Aliquots of these dilutions were spread on selective plates containing medium YEP plus erythromycin (100 mg/L) and streptomycin (250 mg/L) and grown at 28°C. Two days later, single colonies were picked and streaked onto the same medium, then spread to give single colonies. Single colonies were picked again and streaked, then spread for single colonies. Single colonies were picked a third time, grown as streaks, then subjected to a quality analysis involving growth on lactose medium and chromogenic assay with Benedict's reagent. Of ten strains developed in this way, the fastest coloring colony was chosen for further work.

D. Transformation Of Tobacco With *Agrobacterium* Carrying Plasmid pDAB2041

Tobacco transformation with *Agrobacterium tumefaciens* was carried out by a method similar, but not identical, to published methods (R Horsch et al, 1988. Plant Molecular Biology Manual, S. Gelvin et al, eds., Kluwer Academic Publishers, Boston). To provide source tissue for the transformation, tobacco seed (*Nicotiana tabacum* cv. Kentucky 160) were surface sterilized and planted on the surface of TOB-, which is a hormone-free Murashige and Skoog medium (T. Murashige and F. Skoog, 1962). A revised medium for rapid growth and bioassays with tobacco tissue culture. Plant Physiol. 75: 473-497) solidified with agar. Plants were grown for 6-8 weeks in a lighted incubator room at 28-30°C and leaves were collected sterilely for use in the transformation protocol. Approximately one cm² pieces were sterilely cut from these leaves, excluding the midrib. Cultures of the

Agrobacterium strains (EHA101S containing pDAB2041), which had been grown overnight on a rotor at 28°C, were pelleted in a centrifuge and resuspended in sterile Murashige & Skoog salts, adjusted to a final optical density of 0.7 at 600 nm. Leaf pieces were dipped in this bacterial suspension for approximately 30 seconds, then blotted dry on sterile paper towels and placed right side up on medium TOB+ (Murashige and Skoog medium containing 1 mg/L indole acetic acid and 2.5 mg/L benzyladenine) and incubated in the dark at 28°C. Two days later the leaf pieces were moved to medium TOB+ containing 250 mg/L cefotaxime (Agri-Bio, North Miami, Florida) and 100 mg/L kanamycin sulfate (AgriBio) and incubated at 28-30°C in the light. Leaf pieces were moved to fresh TOB+ with cefotaxime and kanamycin twice per week for the first two weeks and once per week thereafter. Leaf pieces which showed regrowth of the *Agrobacterium* strain were moved to medium TOB+ with cefotaxime and kanamycin, plus 100 mg/l carbenicillin (Sigma). Four to six weeks after the leaf pieces were treated with the bacteria, small plants arising from transformed foci were removed from this tissue preparation and planted into medium TOB- containing 250 mg/L cefotaxime and 100 mg/L kanamycin in Magenta GA7 boxes (Magenta Corp., Chicago). These plantlets were grown in a lighted incubator room. After 3-4 weeks the primary transgenic plants had rooted and grown to a size sufficient that leaf samples could be analyzed for expression of protein from the transgene. Twenty-five independent transgenic events were recovered as single plants from the pDAB2041 transformation.

Eight independent lines expressing various levels of transgenic protein from the T-DNA of pDAB2041 were propagated *in vitro* from leaf pieces as follows. Twelve to sixteen approximately one cm² pieces were sterily cut from leaves of each primary transgenic plant, excluding

the midrib and all naturally occurring edges. These leaf pieces were placed on medium TOB+ containing 250 mg/L cefotaxime and 100 mg/L kanamycin, and cultured in the lighted incubator at 28-30°C for 3-4 weeks, at which time
5 small plants could be cut from the proliferating tissue mass. Several small plantlets from each transgenic line were moved into Magenta boxes containing medium TOB- plus cefotaxime and kanamycin and allowed to root and grow. The proliferating tissue mass was further cultured on
10 medium TOB+ with cefotaxime and kanamycin, and additional plants could be cut out and grown up as needed.

Plants were moved into the greenhouse by washing the agar from the roots, transplanting into soil in 5 ¼" square pots, placing the pot into a Ziploc bag
15 (DowBrands), placing plain water into the bottom of the bag, and placing in indirect light in a 30°C greenhouse for one week. After one week the bag could be opened; the plants were fertilized and allowed to grow further, until the plants were acclimated and the bag was removed.
20 Plants were grown under ordinary warm greenhouse conditions (30°C, 16 H light). Plants were suitable for sampling four weeks post transplant.

Example 3

25 Characterization Of Transgenic Tobacco Plants Expressing Photorhabdus Toxin That Confer Insect Control.

A. Polyclonal Antibody Production

The *E. coli* produced recombinant TcdA protein was
30 purified by a series of column purification. The protein was sent to Berkley Antibody Company (Richmond, CA) for the production of antiserum in a rabbit. Inoculations with the antigen were initiated with 0.5 mg of protein followed by four boosting injections of 0.25 mg each at
35 about three week intervals. The rabbit serum was tested by the standard Western analysis using the recombinant TcdA protein as the antigen and enhanced chemi-

luminescens, ECL method (Amersham, Arlington Heights, IL) .The antibodies (PAb-EA₀) were purified using a PURE I antibody purification kit (Sigma, St. Luis, MO). PAb-EA₀ antibodies recognize the full-length TcdA and its
5 processed components.

B. Expression Of TcdA Protein In Tobacco

Protein was extracted from the leaf tissue of transformed and non-transformed tobacco plants following the procedure described immediately below.

10 Two leaf disks of 1.4 cm in diameter were harvested from the middle portion of a fully expanded leaf. The disks were placed on a 1.6 x 4 cm piece of 3M Whatman paper. The paper was folded lengthwise and inserted in a flexible straw. Four hundred micro liters of the
15 extraction buffer (9.5 ml of 0.2 M NaH₂PO₄, 15.5 ml of 0.2 M Na₂HPO₄, 2 ml of 0.5 M Na₂EDTA, 100 ml of Triton X100, 1 ml of 10% Sarkosyl, 78 ml of beta-mercaptoethanol, H₂O to bring total volume to 100 ml) was pipetted on to the paper. The straw containing the sample was then passed
20 through a rolling device used for squeezing out the extract 1.5 mL micro centrifuge tube was placed at the other end of the straw to collect the extract. The extract was centrifuged for 10 minutes at 14,000 rpm in an Eppendorf refrigerated microcentrifuge. The
25 supernatant was transferred into a new tube. Protein quantitation analysis was performed using the standard Bio-Rad Protein Analysis protocol (Bio-Rad Laboratories, Hercules, CA). The extract was diluted to 2 mg/ml of total protein using the extraction buffer.

30 For the detection of transgenic protein, Western blot analysis was performed. Following a standard procedure for protein separation (Laemmli, 1970), 40 µg of protein was loaded in each well of 4-20% gradient polyacrylamide gel (Owl Scientific Co., MA) for
35 electrophoresis. Subsequently, the protein was

transferred onto a nitrocellulose membrane using a semi-dry electroblotter (Pharmacia LKB Biotechnology, Piscataway, NJ). The membrane was incubated for one hour in Blotto (5% milk in TBST solution; 25 mM Tris HCL pH 7.4, 136 mM NaCl, 2.7 mM KCl, 0.1% Tween 20). Thereafter, Blotto was replaced by the primary antibody solution (in Blotto). After one hour in the primary antibody, the membrane was washed with TBST for five minutes three times. Then the secondary antibody in Blotto (1:2000 dilution of goat anti-rabbit IgG conjugated to horseradish peroxidase; Bio-Rad Laboratories). was added to the membrane. After one hour of incubation, the membrane was washed with an excess amount of TBST for 10 minutes four times. The protein was visualized by using the enhanced chemi-luminescens, ECL method (Amersham, Arlington Heights, IL). The differential intensity of the protein bands were measured using densitometer (Molecular Dynamics Inc., Sunnyvale, CA).

To determine the expression of TcdA protein in tobacco transformed with pDAB2041, PAb-EA₀ antibodies were used as the primary antibodies. The expression levels of TcdA protein varied among independent transformation events. The primary plant generated from the event #2041-13 showed the highest level of pre-pro TcdA expression of extractable protein. When the leaf pieces from this plant (#2041-13) were used in *in vitro* propagation, several plants were obtained. Seven of these plants were analyzed for the expression of the TcdA protein. All but one plant produced the full-length TcdA protein as well as some processed peptide components. Using the antibodies specific to Neomycin phosphotransferase, NPT (5 prime-3 prime, Boulder, Co), the expression the selectable marker gene (*npt II*) was detected. Similar results were obtained for #2041-29.

35

Table 5

Western analysis of plants derived from event #2041-13.

Plant #	TcdA	NPT (selectable marker)
2041-13A	+	not done
2041-13B	+	not done
2041-13-1	-	+
2041-13-2	+	+
2041-13-3	+	+
2041-13-4	+	+
2041-13-5	+	+

C. Nucleic Acid Analysis of Transgenic Tobacco Lines

Genomic DNA was prepared from a group of 2041

5 transgenic events. The lines included Magenta box stage 2041-13, and greenhouse stage plants 2041-13-1, 2041-13-2, 2041-13-5, 2041-9, 2041-20A and 2041-20B. A transgenic GUS line (2023) was included as a negative control. Southern analysis of these lines was performed.

10 The genomic tobacco DNA was restricted with the enzyme SstI which should result in a 8.9 kb hybridization product when hybridized to a *tcdA* gene specific probe. The 8.9 kb hybridization product should consist of the 35T promoter and the *tcdA* coding region. All 2041 plants

15 contained a band of the expected size. Events 2041-9 and -20 appear to be the same line with 5 identical hybridizing bands. Event 2041-13 produced 6 hybridization fragments with the *tcdA* coding region probe. Magenta box and various greenhouse plants of

20 2041-13 all produced the same hybridization profile. This hybridization pattern was different from that of events 2041-9 and -20.

RNA analysis, using the *tcdA* coding region probe, was performed on the same group of greenhouse 2041

25 plants. Immunoblot analysis had revealed that plants 2041-9, 2041-20A, 2041-20B, and 2041-13-1 produced no detectable TcdA protein; while 2041-13-2 and 2041-13-5 produced substantial amounts of full-length TcdA. Northern analysis was in agreement with the immunoblot

result. A faint RNA signal was detected for plants 2041-9, 2041-20A, 2041-20B, and 2041-13-1. Only faintly visible was a band corresponding to full-length *tcdA* transcript in plant 2041-13.1. In contrast, for plants
5 2041-13-2 and 2041-13-5 a strong RNA signal was detected, with a substantial amount of full-length size (~8.0 kb) *tcdA* transcript. These data support the observed bioassay activity for this group of plants.

Genomic DNA was prepared from a second functionally
10 active 2041 transgenic event, 2041-29. Southern analysis of this line was performed. A transgenic GUS line (2023) was included as a negative control, DNA of line 2041-9 was included as a positive control.

The genomic tobacco DNAs were restricted with the
15 enzyme *Sst*I which should result in a 8.9 kb hybridization product when hybridized to a *tcdA* gene specific probe. The 8.9 kb hybridization product should consist of the 35T promoter and the *tcdA* coding region. For plant 2041-29-5, three hybridization products larger than 8.9 kb the
20 were detected with the *tcdA* gene specific probe. Immunoblot analysis has demonstrated pre-pro TcdA protein is made by this plant, it is therefore likely that a restriction site was lost during transformation or regeneration, or the 2041-29 genomic DNA was not
25 thoroughly digested.

D. Tobacco Leaf-Disk Tests With Tobacco Hornworm Exhibiting Insect Control

Leaves were sampled from tobacco plants, *Nicotiana*
30 *tabaco*, previously transplanted into the greenhouse. A single leaf was sampled from each plant on each test date. Leaves were selected from the zone where younger elongate leaves transition into older ovate leaves. Excised leaves were placed into 12 oz. cups with the
35 petiole submerged in water to maintain turgor, and transported to the laboratory.

Eight, 1.4 cm disks were cut from the center portion of one side of each leaf (right adaxial side up, with distal portion facing away from the observer). Each disk was placed individually into a well of a C-D

5 International 128 well tray (Pitman, NJ.) into which 0.5 ml of a 1.6% aqueous agar solution had been previously pipetted. The solidified agar prevented the leaf disks from drying out. The adaxial surface of the disk was always oriented up.

10 A single neonate tobacco hornworm, *Manduca sexta*, was placed on each disk and the wells were sealed with vented plastic lids. The assay was held at 27°C and 40% RH. Larval mortality and live-weight data were collected after 3 days. Data were subjected to analysis of
15 variance and Duncan's multiple range test ($\alpha = 0.05$) (Proc GLM, SAS Institute Inc., Cary, NC.). Data were transformed using a logarithmic function to correct a correlation between the magnitude of the mean and variance.

20 Table 6
Results of leaf-disk assays from greenhouse grown tobacco plants with event 2041-13.

			Weight of Surviving Larvae (mg) & Duncan's Group ¹				
TRT	Plant	Plant Age	Pretest	Test 1	Test 2	Test 3	3 Test Sum.
13	non-transformed - 2	young	---	---	---	18.8 a*	---
14	non-transformed - 3	young	---	---	---	17.0 ab	---
16	non-transformed - 5	young	---	---	---	16.4 ab	---
3	2041-13-1 (western -)	young	---	17.6 a	18.2 a	16.1 ab	17.3 a
9	Gus Control	old	19.3 a	14.6 a	16.3 a	14.5 ab	15.1 a
10	non-transformed - 1	young	---	8.3 b	16.8 a	13.9 b	13.0 b
11	2041-20B (western -)	old	---	10.0 b*	13.7 ab	14.6 ab	12.9 b
15	non-transformed - 4	young	---	---	---	13.0 bc	---
8	2041-20A (western -)	old	15.7 a	8.3 b	11.3 bc	9.2 cd	9.6 c
12	2041-9 (western -)	old	19.5 a	---	---	7.9 d	---
7	2041-13-5 (western +)	young	---	6.3 bc	9.6 cd	7.2 de	7.7 d
5	2041-13-3 (western +)	young	---	6.4 bc****	6.2 e	6.8 de**	6.4 de
1	2041-13A (western +)	old	7.2 b	6.8 bc*	7.0 de*	5.4 e	6.4 de
6	2041-13-4 (western +)	young	---	4.9 c****	5.8 e	7.6 d	6.4 de
4	2041-13-2 (western +)	young	---	5.7 bc	5.7 e**	7.5 d	6.3 de
2	2041-13B (western +)	old	---	4.7 c**	5.6 e	7.2 de	5.9 e

* Number of stars corresponds to the number of dead larvae per 8 tested.

1. Data transformed (logarithm) for analysis.

Means followed by the same letter are not significantly different ($\alpha = 0.05$).

5

TABLE 7
Results Of Leaf-Disk Assays From Greenhouse Grown Tobacco Plants
With Event 2041-29.

Plant	MEAN WGT (MG) / Duncan's Group				
	Test 1	Test 2	Test 3	Test 4	Four Test Summary
2014-6 GUS 1	15.8 a	16.6a	**5.5bc	*12.9ab	13.2 a
2014-6 GUS 2	14.4 a	*6.6 bc	*13.4a	15.2a	12.6 a
KY-160 NTC	13.4 a	6.7 bc	7.9b	8.5bc	9.1 b
2041-29 4P	*4.9 b	*7.3b	****6.9b	*****	6.3 c
2041-29 7	*5.9 b	5.1bc	***6.7b	***7.2c	6.1 c
2041-29 3P	*5.6 b	**7.9b	*****6.5b	***3.6d	5.9 c
2041-29 2P	6.3 b	****4.7c	*****4.1c	*****4.6d	5.4 c

* Number of stars corresponds to the number of dead larvae per 8 tested.

10

1. Data transformed (logarithm) for analysis.

Means followed by the same letter are not significantly different ($\alpha = 0.05$).

All event 2041-29 plants significantly depressed THW

15

larval weight gain compared to control plants. Average weight depression was 49%. Statistically significant mortality occurred in THW larvae exposed to foliage from 2041-29 plants. Mortality averaged 37.5% compared to 5.2% in controls.

20

E. Isolation and Characterization of Functional Photorhabdus Toxin Protein From Transgenic Plants

Seven grams of transgenic tobacco plants (2041-13) expressing TcdA (Toxin A) gene were homogenized with 10 ml 50 mM Potassium Phosphate buffer, pH 7.0 using a bead beater (Biospec Products, Bartlesville, OK) according to manufacturer's instructions. The homogenate was filtered through four layers of cheese cloth and then centrifuged at 35,000 g for 15 min. The supernant was collected and filtered through 0.22 μ m Millipore Express™ membrane. It was then applied to a Superdex 200 cloumn (2.6 x 40 cm)

which had been equilibrated with 20 mM Tris buffer, pH 8.0 (Buffer A). The protein was eluted in Buffer A at a flow rate of 3 ml/min. Fractions with 3 ml each were collected and subjected to southern corn rootworm (SCR) bioassay. It was found that fractions corresponding to a native molecular weight around 860 kDa had the highest insecticidal activity. Western analysis of the active fraction using a polyclonal antibody specific to Toxin A indicated the presence of full-length TcdA peptide. The active fractions were further combined and applied to a Mono Q 10/10 column which had been equilibrated with Buffer A. Proteins bound to the column were then eluted by a linear gradient of 0 to 1 M NaCl in Buffer A. Fractions with 2 ml each were collected and analyzed by both SCR bioassay and Western using antibody specific to Toxin A. The results again demonstrated the correlation between insecticidal activity and presence of full-length TcdA peptide.

20 F. Characterization of Progeny Transgenic Plants

The inheritability of the genetically engineering plants containing the *Photorhabdus* toxin gene was evaluated by generating F1 progeny. Progeny was generated from 2041-13 event by selfing expression positive plants. The 2041-13 plants in the greenhouse were allowed to self-pollinate. Seed capsules were collected when mature and were allowed to dry and after-ripen on the laboratory bench for two weeks. Seed from plant designated 2041-13A was surface-sterilized and distributed on the surface of medium TOB- without selection, to allow recovery of nonexpressing or nontransgenic progeny as well as expressing and segregating transgenic siblings. Seed was germinated in a C lighted incubator room (16 H light, 28 C). After 1 month, fifty-one seedlings, designated 2041-13A-S1 through S51, were distributed into Magenta boxes

containing medium TOB- to grow further. Three weeks later, leaf samples from these Magenta-box grown seedlings were submitted for evaluation of the level of expression of TcdA toxin.

5 Leaf samples were tested for kanamycin response by placing sterile leaf segments on medium TOB+ containing 100 mg/L kanamycin in the light and scoring for tissue growth and color after two weeks. All leaf pieces showed some positive response, indicating complex segregation.

10 This group of in vitro grown event 2041-13 progeny seedlings were all transplanted into the greenhouse approximately two months after seeding onto medium, using the following method. After washing the agar from the roots, plants were transplanted into 5 ½ inch square pots
15 in a soil mix containing 75% MetroMix and 25% mineral soil. They were enclosed in a zip-lock bag and plain water added to leave 1-2 inches of water in the bottom of the bag after soil absorption. These bags were closed and placed under a cart in the greenhouse to protect them
20 from direct sunlight. The bags were opened after 5-6 days, and removed after 7 days, when the plants were adapted to soil and were moved to the top of the cart for normal greenhouse culture. Plants were ready to test in insect bioassays at four weeks post transplant.

25 F1 progeny were evaluated for expression of protein toxin by immunological screen and for biological activity by plant bioassays, as described previously, using tobacco hornworm. There existed a positive correlation between levels of expression protein toxin and degree of
30 growth inhibition and at higher expression levels mortality was observed. The biological activity was observed to be statistical significance with high confidence levels between populations of non-transformed and transformed expressing protein toxin.

35 The following table summarizes the results of insect (tobacco hornworm) bioassays conducted with F1 progeny of

self-fertilized 2041-13 plants genetically engineered to produce the "204" A toxin. The tests included 6 non-expressing progeny (protein-negative controls), 45 toxin A expressors, and 4 non-transformed controls (KY-160).

- 5 Results are from three leaf-disk assays (method previously outlined) where eight disks were used per test. The data were analyzed using analysis of variance and were blocked by test.

The treatment effect for each of these analyses indicated the $Pr > F$ was less than 0.0001. The Toxin A expressors produced significant control of tobacco hornworm compared to each of the control groups based on each of the three measures of efficacy. The two control groups behaved similarly. Statistical analysis using ANOVA and an LSD test with alpha equal to 0.01 (or 1%) showed differences between the 3 groups. The LSD test indicated that the non-expressors and the non-transformed plants were similar in larvae weights but the expressors gave weights significantly lower than either of the other two groups of plants. These data demonstrated that the genetic basis for insect control was inheritable and corresponded to the presence of expressed toxin gene.

Table 8
Tobacco hornworm results from F1 progeny of self-fertilized
2041-13 tobacco plants.

Treatment Group	Mean Value and Duncan's Grouping ^d		
	Total Weight (mg) ^a	Survivor Weight (mg) ^b	Leaf Area (cm ²) ^c
Non-transformed Control	15.8 a	15.8 a	1.2 a
Protein-negative Control	16.4 a	16.5 a	1.2 a
Toxin A Expressor	8.1 b	9.2 b	4.9 b

^a Average insect weight with dead insects considered to weigh nothing.

^b Average insect weight with dead insects excluded from analysis.

^c Total leaf area remaining per eight leaf disks. Initial area was approximately 12 cm².

^d Means followed by the same letter are not significantly different ($\alpha = 0.05$).

Example 4

5 Transformation Of Maize With a Vector Carrying Plasmid
pDAB1834 Encoding *Photorhabdus* Toxins

A. Preparation Of Maize Transformation Vectors
Containing Modified Plant-Optimized *TcdA* Coding Regions:
Plasmid Pdab1834

10

Preparation of maize transformation vectors was accomplished in two steps. First, a modified plant-optimized *tcdA* coding region was ligated into a plant expression cassette plasmid. In this step, the coding
15 region was placed under the transcriptional control of a promoter functional in maize plant cells. RNA transcription termination and polyadenylation were mediated by a downstream copy of the terminator region from the *Agrobacterium* nopaline synthase gene. One
20 plasmid designed to function in this role is pDAB1538. In the second step, the complete gene comprised of the promoter, coding region, and 3' UTR terminator region was ligated to a plant transformation vector that contained a plant expressible selectable marker gene which allowed
25 the selection of transformed maize plant cells amongst a background of nontransformed cells. An example of such a vector is pDAB367.

It is a feature of plasmid pDAB1538 that any coding region having an *NcoI* site at its 5' end and a *SacI* site
30 3' to the coding region, when cloned into the unique *NcoI* and *SacI* sites of pDAB1538, is placed under the transcriptional control of the maize ubiquitin1 (*ubi1*) promoter. It is also a feature of pDAB1538 that the 5' untranslated leader (UTR) sequence preceding the *NcoI*
35 site comprises a polylinker. Additionally it is a feature of pDAB1538 that transcription termination and polyadenylation of the mRNA containing the introduced coding region are mediated by termination/Poly A addition

sequences derived from the nopaline synthase (Nos) gene. Finally, it is a feature of pDAB1538 that the entire assembly of promoter/coding region/3'UTR can be obtained as a single DNA fragment by cleavage at the flanking *NotI* sites.

It is a feature of pDAB367 that the phosphinothricin acetyl transferase protein, which has as its substrate phosphinothricin and related compounds, is produced in plant cells through transcription of its coding region mediated by the Cauliflower Mosaic Virus 35S promoter and that termination of transcription plus polyadenylation are mediated by the nopaline synthase terminator region. It is further a feature of pDAB367 that any DNA fragment containing flanking *NotI* sites can be cloned into the unique *NotI* site of pDAB367, thus physically linking the introduced DNA fragment to the aforementioned selectable marker gene.

To prepare a maize plant-expressible gene to produce the endoplasmic reticulum-targeted TcdA protein in plant cells, DNA of a plasmid (pAOH_4-ER) containing the plant-optimized, ER-targeted *tcdA* coding region, (SEQ ID No:6) was cleaved with restriction enzymes *NcoI* and *SacI*, and the large 7610 bp fragment was ligated to similarly-cut DNA of plasmid pDAB1538 to produce plasmid pDAB1832. DNA of pDAB1832 was then digested with *NotI*, and the 9984 bp *NotI* fragment was ligated into the unique *NotI* site of pDAB367 to produce plasmid pDAB1834.

It is a feature of plasmids pDAB1834 that the *ubil* and 35S promoters are encoded on the same DNA strand.

30

B. Transformation and Regeneration of Transgenic Maize Isolates

Type II callus cultures were initiated from immature zygotic embryos of the genotype "Hi-II." (Armstrong et al, (1991) Maize Genet. Coop. Newslett., 65: 92-93). Embryos were isolated from greenhouse-grown ears from

35

crosses between Hi-II parent A and Hi-II parent B or F₂ embryos derived from a self- or sib-pollination of a Hi-II plant. Immature embryos (1.5 to 3.5 mm) were cultured on initiation medium consisting of N6 salts and vitamins
5 (Chu et al, (1978) *The N6 medium and its application to anther culture of cereal crops*. Proc. Symp. Plant Tissue Culture, Peking Press, 43-56), 1.0 mg/L 2,4-D, 25mM L-proline, 100 mg/L casein hydrolysate, 10 mg/L AgNO₃, 2.5 g/L GELRITE (Schweizerhall, South Plainfield, NJ), and 20
10 g/L sucrose, with a pH of 5.8. After four to six weeks callus was subcultured onto maintenance medium (initiation medium in which AgNO₃ was omitted and L-proline was reduced to 6 mM). Selection for Type II callus took place for ca. 12-16 weeks.

15 Plasmid pDAB1834 was transformed into embryogenic callus. For blasting, 140 µg of plasmid DNA was precipitated onto 60 mg of alcohol-rinsed, spherical gold particles (1.5 - 3.0 µm diameter, Aldrich Chemical Co., Inc., Milwaukee, WI) by adding 74 µL of 2.5M CaCl₂ H₂O and
20 30 µL of 0.1M spermidine (free base) to 300 µL of plasmid DNA and H₂O. The solution was immediately vortexed and the DNA-coated gold particles were allowed to settle. The resulting clear supernatant was removed and the gold
- particles were resuspended in 1 ml of absolute ethanol.
25 This suspension was diluted with absolute ethanol to obtain 15 mg DNA-coated gold/mL.

Approximately 600 mg of embryogenic callus tissue was spread over the surface of Type II callus maintenance medium as described herein lacking casein hydrolysate and
30 L-proline, but supplemented with 0.2 M sorbitol and 0.2 M mannitol as an osmoticum. Following a 4 h pre-treatment, tissue was transferred to culture dishes containing blasting medium (osmotic media solidified with 20 g/L TC agar (PhytoTechnology Laboratories, LLC, Shawnee Mission,
35 KS) instead of 7 g/L GELRITE. Helium blasting accelerated suspended DNA-coated gold particles towards

and into the prepared tissue targets. The device used was an earlier prototype of that described in US Patent 5,141,131 which is incorporated herein by reference. Tissues were covered with a stainless steel screen (104 μm openings) and placed under a partial vacuum of 25 inches of Hg in the device chamber. The DNA-coated gold particles were further diluted 1:1 with absolute ethanol prior to blasting and were accelerated at the callus targets four times using a helium pressure of 1500 psi, with each blast delivering 20 μL of the DNA/gold suspension. Immediately post-blasting, the tissue was transferred to osmotic media for a 16-24 h recovery period. Afterwards, the tissue was divided into small pieces and transferred to selection medium (maintenance medium lacking casein hydrolysate and L-proline but containing 30 mg/L BASTA® (AgrEvo, Berlin, Germany)). Every four weeks for 3 months, tissue pieces were non-selectively transferred to fresh selection medium. After 7 weeks and up to 22 weeks, callus sectors found proliferating against a background of growth-inhibited tissue were removed and isolated. The resulting BASTA®-resistant tissue was subcultured biweekly onto fresh selection medium. Following western analysis, positive transgenic lines were identified and transferred to regeneration media. Western-negative lines underwent subsequent RNA spot blot analysis to identify negative controls for regeneration.

Regeneration was initiated by transferring callus tissue to cytokinin-based induction medium, which consisted of Murashige and Skoog salts, hereinafter MS salts, and vitamins (Murashige and Skoog, (1962) *Physiol. Plant.* 15: 473-497) 30 g/L sucrose, 100 mg/L myo-inositol, 30 g/L mannitol, 5 mg/L 6-benzylaminopurine, hereinafter BAP, 0.025 mg/L 2,4-D, 30 mg/L BASTA®, and 2.5 g/L GELRITE at pH 5.7. The cultures were placed in low light (125 ft-candles) for one week followed by one

week in high light (325 ft-candles). Following a two week induction period, tissue was non-selectively transferred to hormone-free regeneration medium, which was identical to the induction medium except that it

5 lacked 2,4-D and BAP, and was kept in high light. Small (1.5-3 cm) plantlets were removed and placed in 150x25 mm culture tubes containing SH medium (SH salts and vitamins (Schenk and Hildebrandt, (1972) Can. J. Bot. 50:199-204), 10 g/L sucrose, 100 mg/L myo-inositol, 5 mL/L FeEDTA, and

10 2.5 g/L GELRITE, pH 5.8). Plantlets were transferred to 12 cm pots containing approximately 0.25 kg of METRO-MIX 360 (The Scotts Co. Marysville, OH) in the greenhouse as soon as they exhibited growth and developed a sufficient root system. They were grown with a 16 h photoperiod

15 supplemented by a combination of high pressure sodium and metal halide lamps, and were watered as needed with a combination of three independent Peters Excel fertilizer formulations (Grace-Sierra Horticultural Products Company, Milpitas, CA). At the 6-8 leaf stage, plants

20 were transplanted to five gallon pots containing approximately 4 kg METRO-MIX 360, and grown to maturity.

EXAMPLE 5

Characterization Of Transgenic Maize Plants

25 Expressing Photorhabdus Toxin That Confer Insect Control.

A. Insect Bioassays

A single leaf was sampled from each plant in each test. Eight, 1.4 cm disks were cut from the outer portion of each leaf (approximately 30cm long) avoiding the

30 center vein. Each disk was placed individually into a well of a C-D International 128 well tray (Pitman, NJ.) into which 0.5 ml of a 1.6% aqueous agar solution had been previously pipetted. The solidified agar prevented the leaf disks from drying out. The adaxial surface of

35 the disk was always oriented up.

Five neonate southern corn rootworms, *Diabrotica undecimpunctata howardi*, were placed on each disk and the wells were sealed with vented plastic lids. The assay was held at 27°C and 40% RH. Larval mortality and live-weight data were collected after 3 days. Data were subjected to analysis of variance and Duncan's multiple range test ($\alpha = 0.05$) (Proc GLM, SAS Institute Inc., Cary, NC.). Weight data were transformed using a logarithmic function to correct a correlation between the magnitude of the mean and variance.

TABLE 9

Results of Maize Leaf-disk Test vs SCR

Treatment	Mean % Kill (Duncan's)	Mean Survival Weight (mg) (Duncan's)
1834 - 11	68 A	0.064 A
1834 - 17	44 B	0.098 B
1834 - 15	26 BC	0.127 C
HiII control	13 C	0.161 C

Note: Means followed by the same letter are not significantly different based on Duncan's multiple range test ($\alpha=0.05$). Insect groups weighing less than 0.1 mg were set to 0.03 mg instead of zero to conduct a more conservative analysis. Mortality ($\arcsin(\sqrt{\text{}})$) and weight(\log_{10}) data were transformed for analyses.

The results shown in Table 9 demonstrated that two events expressing TcdA protein were statistically distinct from control lines bioassayed using SCR neonates by mortality and survival weight criteria. These results demonstrated that southern corn rootworm were functionally effected by feeding on maize plants containing and expressing the *tcdA* gene. Those plants from 1834-11 were used to generate progeny for testing of inheritability of transgene.

B. PRODUCTION AND PROGENY TEST OF *tcdA* TRANSGENIC MAIZE

Origin and growth of progeny plants: Sibling plants 1834-11-07 and 1834-11-08, clonally derived by regeneration from the callus of transgenic maize event 1834-11, were transplanted to the greenhouse and pollinated with inbred OQ414. Seeds obtained from these crosses, comprising seed lots 1834-11-07A and 1834-11-08A, were planted in Rootainers (1 1/2 inch x 2 inch x 8 inch deep, product #647, C. Hummert Intl., Earth City, Mo.) filled with Metro-Mix 360 soilless mix (Scotts Terra-Lite, available from Hummert Intl.) and top irrigated with Hoagland's nutrient solution. (Hoagland's solution contains 229 ppm nitrogen as nitrate, 24.6 ppm nitrogen as ammonium, 26 ppm P, 157 ppm K, 187 ppm Ca, 49 ppm Mg. and 30 ppm Na.)

Greenhouse conditions for this trial were: 16 hour days, daylight supplemented by metal halide lamps as needed to achieve a minimum of 600 μ Einsteins/cm² PAR, and ambient temperature 30 C days, 22 C nights.

Leaves were sampled for protein determination approximately one week after planting. Leaf bioassays were conducted 2-3 weeks after planting; root bioassays were initiated approximately 3 weeks post planting.

Protein analysis of progeny plants: Protein was extracted from leaf and root samples harvested from transgenic plants, line 1834-11 progenies, and non-transformed plants. Each sample was placed on a 1.6 x 4 cm piece of 3M WhatmanTM paper. The paper was folded lengthwise and inserted in a flexible straw. A volume of 350 μ l of an extraction buffer (9.5 ml of 0.2 M NaH₂PO₄, 15.5 ml of 0.2 M Na₂HPO₄, 2 ml of 0.5 M Na₂EDTA, 100 ml of Triton X-100, 1 ml of 10% Sarkosyl, 78 ml of beta-mercaptoethanol, H₂O to bring total volume to 100 ml, 50 μ g/ml Antipain, 50 μ g/ml Leupeptin, 0.1 mM Chymostatin, 5 μ g/ml Pepstatin) was pipetted on to the paper. The straw containing the

sample was then passed through a rolling device used for squeezing the extract into a 1.5 ml microcentrifuge tube. The extract was centrifuged for 10 minutes at 14,000 rpm in an Eppendorf refrigerated micro-centrifuge. The
5 supernatant was transferred into a new tube. The amount of the total extractable protein was determined using a standard BioRad Protein Analysis protocol (BioRad Laboratories, Hercules, CA).

The presence of the TcdA protein was visualized by
10 Western blot analysis following a standard procedure for protein separation (Laemmli, 1970). A volume of twenty μ l of extract was loaded in each well of 4-20% gradient polyacrylamide gel (Owl Scientific Co., MA) for electrophoresis. Subsequently, the protein was
15 transferred onto a nitrocellulose membrane using a semi-dry electroblotter (Pharmacia LKB Biotechnology, Piscataway, NJ). The membrane was incubated for one hour in TBST-M solution (10% milk in TBST solution; 25 mM Tris HCL pH 7.4, 136 mM NaCl, 2.7 mM KCl, 0.1% Tween 20).
20 Thereafter, the primary antibody (Anti-TcdA in TBST-M) was added. After one hour, the membrane was washed with TBST for five minutes, three times. Then the secondary antibody solution (goat anti-rabbit IgG conjugated to horseradish peroxidase; Bio-Rad Laboratories, in TBST-M)
25 was added to the membrane. After one hour of incubation, the membrane was washed with an excess amount of TBST for 10 minutes, four times. The protein was visualized using the Super Signal® West Pico chemiluminescence method (Pierce Chemical Co., Rockford, IL). The protein blot
30 was exposed on a Hyper-film (Amersham, Arlington Heights, IL) and was developed within 3 minutes. The intensity of the protein band was measured using a densitometer (Molecular Dynamics Inc., Sunnyvale, CA) and compared to standards.

35 Three of six plants from seed lot 1834-11-07A and three of six plants from seed lot 1834-11-08A produced

detectable levels of TcdA protein (Table 1).

Approximately 3.8 to 13.3 ppm of TcdA were detected in the leaf blades and 4.1 to 8.4 ppm were detected in the leaf tips of the protein-positive plants. The amounts of
5 TcdA protein detected in the roots were slightly lower than those found in the leaves.

Insect bioassays with progeny plants: Plants were selected for bioassay based on results from Western blot
10 analysis. Twelve (12), 6.4 mm diameter leaf discs were cut from the youngest leaf of each 2 week old seedling. Each disc was placed in a well of a 128-well tray (CD International) containing approximately 0.5mL of a solidified 2% agar in water solution. Two neonate
15 southern corn rootworm, *Diabrotica undecimpunctata howardi* (Barber) (SCR), were placed in each well with a leaf disc. Trays were covered with perforated lids and maintained under a controlled environment for 3 days (28 C; 16 hours light:8 hours dark; approx. 60% relative
20 humidity). Living larvae from 4 leaf discs were pooled and weighed producing 3 weight determinations per plant. Average weights were calculated by dividing the pooled weight by the number of survivors. Differences in average weights of SCR fed leaf discs from protein
25 positive and protein negative plants were assessed using analysis of variance on the natural log-transformed average weights (Minitab, v. 12.2, Minitab Inc., State College, PA).

30 Root bioassays were initiated approximately 1 week after the initiation of the leaf disc bioassays. Approximately 24h prior to eclosion, SCR eggs were suspended in a 0.15% solution of agar in water to a concentration of 100 eggs/ml. Plants were inoculated
35 with SCR eggs by pipetting 2.0 ml of the egg suspension (ie., approximately 200 eggs) just below the soil surface at the base of each plant. Two weeks after inoculation, plants were removed from their Roottrainer pots, their

roots washed free of potting mix, and scored for rootworm damage based on a 1 (resistant) to 9 (susceptible) rating system (Welch, 1977). The results of the root ratings were examined using non-parametric tests to determine if the distribution of root ratings from the protein positive plants was the same as the distribution of the ratings from the protein negative plants. Testing was done at the 5% significance level. (StatXact v.3, CYTEL Software Corporation, Cambridge MA)

10

Results from leaf and root bioassays of *tcdA* protein positive and protein negative progeny plants are summarized in Table 10. The average weights of SCR larvae fed leaf discs from protein positive plants were significantly lower than those of larvae fed leaf discs from protein negative plants ($F = 4.6$; $d.f. = 1, 34$; $P \leq 0.001$. The Kolmogorov-Smirnov 2 sample test ($p=0.04$) and the Wald Wolfowitz runs test ($p=0.001$) indicated that the protein positive and protein negative root rating distributions were not similar. The Wilcoxon- Mann-Whitney test ($p=0.0206$) and the Normal Scores test ($p=0.206$) indicated that the average score for the protein positive plants was lower than the average root rating from the protein negative plants.

25

Table 10. Protein analysis and insect bioassay results with progeny of *TcdA* transgenic maize.

Plant Number	TcdA Protein	Leaf Disc Bioassay Avg. Wt. (mg)	Root Bioassay Root Rating (1-9)
1834-11-07A-30	PRO-	0.190	8
1834-11-08A-21	PRO-	0.196	9
1834-11-08A-16	PRO-	0.195	9
1834-11-08A-14	PRO-	0.137	9
1834-11-07A-22	PRO-	0.208	9
1834-11-07A-20	PRO-	0.175	9

1834-11-07A-26	PRO+	0.118	9
1834-11-08A-17	PRO+	0.132	8
1834-11-07A-14	PRO+	0.110	2
1834-11-07A-11	PRO+	0.106	4
1834-11-08A-28	PRO+	0.129	8
1834-11-08A-27	PRO+	0.108	4

DNA analysis of progeny plants: Leaf samples from 1834-11.7A and 1834-11.8A progeny plants were in conical 50 ml polypropylene tubes and dried in a Labconco Freeze Dry

5 Lyophilizer (Kansas City, MO) for 1-2 days. Lyophilized leaves were then ground in a Tecator Cyclotec 1093 Sample mill grinder (Hoganas, Sweden) and stored at -20C.

Genomic DNA was extracted by the following procedure: (1) to a 25 ml Conical tube containing 300-500 mg of ground

10 tissue, 9 ml of CTAB (cetyl trimethylammonium bromide solution) was added, and incubated at 65°C for 1 hour; (2) 4.5 ml of chloroform: octanol (24:1) was added and mixed gently for 5 minutes; (3) samples were centrifuged at 2000 rpm and DNA was precipitated from the supernatant

15 with an equal volume of isopropanol; (4) DNA was collected on a glass hook, washed in ethanol, and dissolved in TE (10 mM Tris.HCl, 0.5 mM EDTA, pH8.0).

Genomic DNA was digested at 37 °C. for 2 hours in an

20 Eppendorf tube containing the following mixture:

8 µl of 800ug/ml DNA, 2 µl 1 mg/ml BSA (Bovine serum albumin), 2 µl 10x buffer, 1 µl *SacI*, 1 µl *EcoRI*, and 6 µl H₂O. Digested DNA samples were electrophoresed overnight at 40 mA in a 0.85% SeaKem LE agarose gel (FMC, Rockland,

25 Maine). The gel was blotted onto Millipore Immobilon-Ny+ (Bedford, MA) membrane overnight in 20X SSC (NaCl 175.2 g/l, Na citrate 88 g/l). The probe DNA was cut with *BamHI/SacI* (NEB, Beverly, MA) from pDAB1551 plasmid, which released a 7356 bp fragment containing the open

30 reading frame of the rebuilt *tcdA* gene. This 7356 bp fragment was labeled with P32 using a Stratagene Prime-it

RmT dCTP-Labeling Reactions kit (La Jolla, CA) and used for Southern hybridization. Hybridization was conducted in hybridization buffer (10% polyethylene glycol, 7% SDS [Sodium dodecyl sulfate], 0.6X SSC, 10 mM NaPO₄, 5 mM EDTA, 10 µg/ml denatured salmon sperm) at 60 °C overnight. After hybridization, the membrane was washed with 10X SSC plus 0.1% SDS at 60 °C for 30 min and exposed to X ray film (Hyperfilm® MP, Amersham Life Sciences, Piscataway, NJ) for 1-2 days.

10

Results summarized indicate that a pattern of 8 hybridizing bands (the size of the expected fragment and larger) cosegregated with protein expression in 50% of all progeny assayed. These results are characteristic of a complex insertion at a single site. All seedlings containing the insert also expressed toxin protein.

15

Example 6

Transformation Of Rice With a Vector Carrying Plasmid pDAB1553 Encoding *Photorhabdus* Toxins

20

A. Plasmid pDAB1553

Plasmid pDAB1553 containing *tcdA* driven by the maize ubiquitin1 promoter and *hpt* (hygromycin phosphotransferase providing resistance to the antibiotic hygromycin) under the control of 35T (a modified 35S promoter), was used for transformation.

25

Preparation of rice transformation vectors was accomplished in two steps. First, a modified plant-optimized *tcdA* coding region was ligated into a rice plant expression cassette plasmid. In this step, the coding region was placed under the transcriptional control of a promoter functional in plant cells. RNA transcription termination and polyadenylation were mediated by a downstream copy of the terminator region from the *Agrobacterium* nopaline synthase gene. One

30

35

plasmid designed to function in this role is plasmid pDAB1538 (described in the section on maize transformation vectors). In the second step, the complete gene comprised of the promoter, coding region, and terminator region was ligated to a rice plant transformation vector that contained a plant expressible selectable marker gene which allowed the selection of transformed rice plant cells amongst a background of nontransformed cells. An example of such a vector is pDAB354-NotI.

It is a feature of pDAB354-NotI that the hygromycin phosphotransferase protein, which has as its substrate hygromycin B and related compounds, is produced in plant cells through transcription of its coding region mediated by the Cauliflower Mosaic Virus 35S promoter and that termination of transcription plus polyadenylation are mediated by the nopaline synthase terminator region. It is further a feature of pDAB354-NotI that any DNA fragment containing flanking NotI sites can be cloned into the unique NotI site of pDAB354-NotI, thus physically linking the introduced DNA fragment to the aforementioned selectable marker gene.

To prepare a plant-expressible gene to produce the non-targeted TcdA protein in rice plant cells, DNA of a plasmid (pA0H_4-OPTI) containing the plant-optimized *tcdA* coding region, (SEQ ID No:3) was cleaved with restriction enzymes *NcoI* and *SacI*, and the large 7550 bp fragment was ligated to similarly-cut DNA of plasmid pDAB1538 to produce plasmid pDAB1551. DNA of pDAB1551 was then digested with *NotI*, and the large 9933 bp fragment was ligated to *NotI* digested DNA of pDAB354-NotI to produce plasmid pDAB1553.

It is a feature of plasmid pDAB1553 that the *ubil* and 35S promoters are encoded on the same DNA strand.

B. Production of Rice transgenics

For initiation of embryogenic callus, mature seeds of a *Japonica* cultivar, Taipci 309 were dehusked and surface-sterilized in 70% ethanol for 2-5 min. followed by a 30-45 min soak in 50% commercial bleach (2.6% sodium hypochlorite) with a few drops of 'Liquinox' soap. The seeds were then rinsed 3 times in sterile distilled water and placed on filter paper before transferring to 'callus induction' medium (i.e., NB). The NB medium consisted of N6 macro elements (Chu, 1978, The N6 medium and its application to anther culture of cereal crops. Proc. Symp. Plant Tissue Culture, Peking Press, p43-56), B5 micro elements and vitamins (Gamborg et al., 1968, Nutrient requirements of suspension cultures of soybean root cells. Exp. Cell Res. 50: 151-158), 300 mg/L casein hydrolysate, 500 mg/L L-proline, 500 mg/L L-glutamine, 30 g/L sucrose, 2 mg/L 2,4-dichloro-phenoxyacetic acid (2,4-D), and 2.5 g/L gelrite (Schweizerhall, NJ) with the pH adjusted to 5.8. The mature seed cultured on 'induction' media were incubated in the dark at 28°C. After 3 weeks of culture, the emerging primary callus induced from the scutellar region of mature embryo was transferred to fresh NB medium for further maintenance.

About 140 µg of plasmid pDAB1553 DNA was precipitated onto 60 mg of 1.0 micron (Bio-Rad) gold particles as described herein.

For helium blasting, actively growing embryogenic callus cultures, 2-4 mm in size, were subjected to a high osmoticum treatment. This treatment included placing of callus on NB medium with 0.2 M mannitol and 0.2 M sorbitol (Vain et al., 1993, Osmoticum treatment enhances particle bombardment-mediated transient and stable transformation of maize. Plant Cell Rep. 12: 84-88) for 4 h before helium blasting. Following osmoticum treatment, callus cultures were transferred to 'blasting' medium (NB+2% agar) and covered with a stainless steel screen (230 micron). The callus cultures were blasted at

2,000 psi helium pressures twice per target. After blasting, callus was transferred back to the media with high osmoticum overnight before placing on selection medium, which consisted NB medium with 30 mg/L hygromycin. After 2 weeks, the cultures were transferred to fresh selection medium with a higher concentration of selection agent, i.e., NB+50mg/L hygromycin (Li et al., 1993, An improved rice transformation system using the biolistic method. Plant Cell Rep. 12: 250-255).

Compact, white-yellow, embryogenic callus cultures, recovered on NB+50 mg/L hygromycin, were regenerated by transferring to 'pre-regeneration' (PR) medium + 50 mg/L hygromycin. The PR medium consisted of NB medium with 2 mg/L benzyl aminopurine (BAP), 1 mg/L naphthalene acetic acid (NAA), and 5 mg/L abscisic acid (ABA). After 2 weeks of culture in the dark, they were transferred to 'regeneration' (RN) medium. The composition of RN medium is NB medium with 3 mg/L BAP, and 0.5 mg/L NAA. The cultures on RN medium were incubated for 2 weeks at 28° C under high fluorescent light (325-ft-candles). The plantlets with 2 cm shoot were transferred to 1/2 MS medium (Murashige and Skoog, 1962, A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant.15:473-497) with 1/2 B5 vitamins, 10 g/L sucrose, 0.05 mg/L NAA, 50 mg/L hygromycin and 2.5 g/L gelrite adjusted to pH 5.8 in magenta boxes. When plantlets were established with well-developed root systems, they were transferred to soil (1 metromix: 1 top soil) and raised in the greenhouse (29/24°C day/night cycle, 50-60% humidity, 12 h photoperiod) until maturity.

EXAMPLE 7

Characterization Of Transgenic Rice Plants Expressing Photorhabdus Toxin That Confer Insect Control.

A. Insect bioassays

Insect bioassays were performed using leaf discs and shown to be highly effective in controlling Southern corn rootworm. *Diabrotica undecimpunctata howardi* eggs are obtained from French Ag Research and hatched in petri dishes held at 28.5°C and 40% RH. The aerial parts are sampled from the transgenic plants and placed, singly into inverted petri dishes (100x15mm) containing 15ml of 1.6% aqueous agar in the bottom to provide humidity and filter paper in the top to absorb condensation. These preparations are infested with five neonate larvae per dish and held at 28.5°C and 40% RH for 3 days. Mortality and larval weights are recorded. Weight data were transformed using a logarithmic function to correct a correlation between the magnitude of the mean and variance.

Table 11

Treatment	Average Survivor Weight in mg ¹ (Duncan's Grouping)	Presence TcdA greenhouse-grown plants (number of +/-number of plants tested)
GUS Control	0.390 A	-
1553-33	0.170 BCD	++
1553-44	0.167 BCD	+++
1553-62	0.125 CD	+++
1553-41	0.100 D	+++

Note: Means followed by the same letter are not significantly different based on Duncan's multiple range test (alpha=0.05).

Insect groups weighing less than 0.1 mg were set to 0.03 mg instead of zero to conduct a more conservative analysis. Weight data were transformed (Log10) for analyses. A single replicate was used on each of three test dates. Plants were sampled from magenta boxes. The results demonstrate that in leaf disc bioassays, several rice events derived by transformation with *tcdA* gene were demonstrated to statistically have a functional affect on corn rootworm neonate.

Claims

1. An isolated nucleic acid of SEQ ID NO: 3 or SEQ ID NO:4.
2. A transgenic monocot cell having a genome comprising
5 SEQ ID NO:3 or SEQ ID NO:4.
3. A transgenic dicot cell having a genome comprising SEQ ID NO:3 or SEQ ID NO:4.
4. A transgenic plant with a genome comprising a
nucleic acid of SEQ ID NO: 3 or SEQ ID NO:4 that imparts
10 insect resistance.
5. A transgenic plant of claim 4 wherein the plant is rice.
6. A transgenic plant of claim 4 wherein the plant is maize.
- 15 7. A transgenic plant of claim 4 wherein the plant is tobacco.

SEQUENCE LISTING

<110> Petell, Jim
 Merlo, Donald
 Herman, Rod
 Roberts, Jean
 Guo, Lining
 Schafer, Barry
 Sukhapinda, Kitisri
 Owens Merlo, Ann

<120> Transgenic Plants Expressing Photorhabdus Toxin

<130> 50698

<140>

<141>

<150> US 60/148,356

<151> 1999-08-11

<160> 8

<170> PatentIn Ver. 2.0

<210> 1

<211> 7551

<212> DNA

<213> Photorhabdus luminescens

<220>

<221> CDS

<222> (1)..(7548)

<400> 1

atg aac gag tct gta aaa gag ata cct gat gta tta aaa agc cag tgt	48
Met Asn Glu Ser Val Lys Glu Ile Pro Asp Val Leu Lys Ser Gln Cys	
1 5 10 15	
ggt ttt aat tgt ctg aca gat att agc cac agc tct ttt aat gaa ttt	96
Gly Phe Asn Cys Leu Thr Asp Ile Ser His Ser Ser Phe Asn Glu Phe	
20 25 30	
cgc cag caa gta tct gag cac ctc tcc tgg tcc gaa aca cac gac tta	144
Arg Gln Gln Val Ser Glu His Leu Ser Trp Ser Glu Thr His Asp Leu	
35 40 45	
tat cat gat gca caa cag gca caa aag gat aat cgc ctg tat gaa gcg	192
Tyr His Asp Ala Gln Gln Ala Gln Lys Asp Asn Arg Leu Tyr Glu Ala	
50 55 60	
cgt att ctc aaa cgc gcc aat ccc caa tta caa aat gcg gtg cat ctt	240
Arg Ile Leu Lys Arg Ala Asn Pro Gln Leu Gln Asn Ala Val His Leu	
65 70 75 80	
gcc att ctc gct ccc aat gct gaa ctg ata ggc tat aac aat caa ttt	288
Ala Ile Leu Ala Pro Asn Ala Glu Leu Ile Gly Tyr Asn Asn Gln Phe	
85 90 95	
agc ggt aga gcc agt caa tat gtt gcg ccg ggt acc gtt tct tcc atg	336
Ser Gly Arg Ala Ser Gln Tyr Val Ala Pro Gly Thr Val Ser Ser Met	

100	105	110	
ttc tcc ccc gcc gct tat ttg act gaa ctt tat cgt gaa gca cgc aat Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala Arg Asn 115 120 125			384
tta cac gca agt gac tcc gtt tat tat ctg gat acc cgc cgc cca gat Leu His Ala Ser Asp Ser Val Tyr Tyr Leu Asp Thr Arg Arg Pro Asp 130 135 140			432
ctc aaa tca atg gcg ctc agt cag caa aat atg gat ata gaa tta tcc Leu Lys Ser Met Ala Leu Ser Gln Gln Asn Met Asp Ile Glu Leu Ser 145 150 155 160			480
aca ctc tct ttg tcc aat gag ctg tta ttg gaa agc att aaa act gaa Thr Leu Ser Leu Ser Asn Glu Leu Leu Glu Ser Ile Lys Thr Glu 165 170 175			528
tct aaa ctg gaa aac tat act aaa gtg atg gaa atg ctc tcc act ttc Ser Lys Leu Glu Asn Tyr Thr Lys Val Met Glu Met Leu Ser Thr Phe 180 185 190			576
cgt cct tcc ggc gca acg cct tat cat gat gct tat gaa aat gtg cgt Arg Pro Ser Gly Ala Thr Pro Tyr His Asp Ala Tyr Glu Asn Val Arg 195 200 205			624
gaa gtt atc cag cta caa gat cct gga ctt gag caa ctc aat gca tca Glu Val Ile Gln Leu Gln Asp Pro Gly Leu Glu Gln Leu Asn Ala Ser 210 215 220			672
ccg gca att gcc ggg ttg atg cat caa gcc tcc cta ttg ggt att aac Pro Ala Ile Ala Gly Leu Met His Gln Ala Ser Leu Leu Gly Ile Asn 225 230 235 240			720
gct tca atc tcg cct gag cta ttt aat att ctg acg gag gag att acc Ala Ser Ile Ser Pro Glu Leu Phe Asn Ile Leu Thr Glu Glu Ile Thr 245 250 255			768
gaa ggt aat gct gag gaa ctt tat aag aaa aat ttt ggt aat atc gaa Glu Gly Asn Ala Glu Glu Leu Tyr Lys Lys Asn Phe Gly Asn Ile Glu 260 265 270			816
ccg gcc tca ttg gct atg ccg gaa tac ctt aaa cgt tat tat aat tta Pro Ala Ser Leu Ala Met Pro Glu Tyr Leu Lys Arg Tyr Tyr Asn Leu 275 280 285			864
agc gat gaa gaa ctt agt cag ttt att ggt aaa gcc agc aat ttt ggt Ser Asp Glu Glu Leu Ser Gln Phe Ile Gly Lys Ala Ser Asn Phe Gly 290 295 300			912
caa cag gaa tat agt aat aac caa ctt att act ccg gta gtc aac agc Gln Gln Glu Tyr Ser Asn Asn Gln Leu Ile Thr Pro Val Val Asn Ser 305 310 315 320			960
agt gat ggc acg gtt aag gta tat cgg atc acc cgc gaa tat aca acc Ser Asp Gly Thr Val Lys Val Tyr Arg Ile Thr Arg Glu Tyr Thr Thr 325 330 335			1008
aat gct tat caa atg gat gtg gag cta ttt ccc ttc ggt ggt gag aat Asn Ala Tyr Gln Met Asp Val Glu Leu Phe Pro Phe Gly Gly Glu Asn 340 345 350			1056

tat cgg tta gat tat aaa ttc aaa aat ttt tat aat gcc tct tat tta	1104
Tyr Arg Leu Asp Tyr Lys Phe Lys Asn Phe Tyr Asn Ala Ser Tyr Leu	
355 360 365	
tcc atc aag tta aat gat aaa aga gaa ctt gtt cga act gaa ggc gct	1152
Ser Ile Lys Leu Asn Asp Lys Arg Glu Leu Val Arg Thr Glu Gly Ala	
370 375 380	
cct caa gtc aat ata gaa tac tcc gca aat atc aca tta aat acc gct	1200
Pro Gln Val Asn Ile Glu Tyr Ser Ala Asn Ile Thr Leu Asn Thr Ala	
385 390 395 400	
gat atc agt caa cct ttt gaa att ggc ctg aca cga gta ctt cct tcc	1248
Asp Ile Ser Gln Pro Phe Glu Ile Gly Leu Thr Arg Val Leu Pro Ser	
405 410 415	
ggg tct tgg gca tat gcc gcc gca aaa ttt acc gtt gaa gag tat aac	1296
Gly Ser Trp Ala Tyr Ala Ala Ala Lys Phe Thr Val Glu Glu Tyr Asn	
420 425 430	
caa tac tct ttt ctg cta aaa ctt aac aag gct att cgt cta tca cgt	1344
Gln Tyr Ser Phe Leu Leu Lys Leu Asn Lys Ala Ile Arg Leu Ser Arg	
435 440 445	
gcg aca gaa ttg tca ccc acg att ctg gaa ggc att gtg cgc agt gtt	1392
Ala Thr Glu Leu Ser Pro Thr Ile Leu Glu Gly Ile Val Arg Ser Val	
450 455 460	
aat cta caa ctg gat atc aac aca gac gta tta ggt aaa gtt ttt ctg	1440
Asn Leu Gln Leu Asp Ile Asn Thr Asp Val Leu Gly Lys Val Phe Leu	
465 470 475 480	
act aaa tat tat atg cag cgt tat gct att cat gct gaa act gcc ctg	1488
Thr Lys Tyr Tyr Met Gln Arg Tyr Ala Ile His Ala Glu Thr Ala Leu	
485 490 495	
ata cta tgc aac gcg cct att tca caa cgt tca tat gat aat caa cct	1536
Ile Leu Cys Asn Ala Pro Ile Ser Gln Arg Ser Tyr Asp Asn Gln Pro	
500 505 510	
agc caa ttt gat cgc ctg ttt aat acg cca tta ctg aac gga caa tat	1584
Ser Gln Phe Asp Arg Leu Phe Asn Thr Pro Leu Leu Asn Gly Gln Tyr	
515 520 525	
ttt tct acc ggc gat gag gag att gat tta aat tca ggt agc acc ggc	1632
Phe Ser Thr Gly Asp Glu Glu Ile Asp Leu Asn Ser Gly Ser Thr Gly	
530 535 540	
gat tgg cga aaa acc ata ctt aag cgt gca ttt aat att gat gat gtc	1680
Asp Trp Arg Lys Thr Ile Leu Lys Arg Ala Phe Asn Ile Asp Asp Val	
545 550 555 560	
tcg ctc ttc cgc ctg ctt aaa att acc gac cat gat aat aaa gat gga	1728
Ser Leu Phe Arg Leu Leu Lys Ile Thr Asp His Asp Asn Lys Asp Gly	
565 570 575	
aaa att aaa aat aac cta aag aat ctt tcc aat tta tat att gga aaa	1776
Lys Ile Lys Asn Asn Leu Lys Asn L u Ser Asn Leu Tyr Ile Gly Lys	
580 585 590	

tta ctg gca gat att cat caa tta acc att gat gaa ctg gat tta tta Leu Leu Ala Asp Ile His Gln Leu Thr Ile Asp Glu Leu Asp Leu Leu 595 600 605	1824
ctg att gcc gta ggt gaa gga aaa act aat tta tcc gct atc agt gat Leu Ile Ala Val Gly Glu Gly Lys Thr Asn Leu Ser Ala Ile Ser Asp 610 615 620	1872
aag caa ttg gct acc ctg atc aga aaa ctc aat act att acc agc tgg Lys Gln Leu Ala Thr Leu Ile Arg Lys Leu Asn Thr Ile Thr Ser Trp 625 630 635 640	1920
cta cat aca cag aag tgg agt gta ttc cag cta ttt atc atg acc tcc Leu His Thr Gln Lys Trp Ser Val Phe Gln Leu Phe Ile Met Thr Ser 645 650 655	1968
acc agc tat aac aaa acg cta acg cct gaa att aag aat ttg ctg gat Thr Ser Tyr Asn Lys Thr Leu Thr Pro Glu Ile Lys Asn Leu Leu Asp 660 665 670	2016
acc gtc tac cac ggt tta caa ggt ttt gat aaa gac aaa gca gat ttg Thr Val Tyr His Gly Leu Gln Gly Phe Asp Lys Asp Lys Ala Asp Leu 675 680 685	2064
cta cat gtc atg gcg ccc tat att gcg gcc acc ttg caa tta tca tcg Leu His Val Met Ala Pro Tyr Ile Ala Ala Thr Leu Gln Leu Ser Ser 690 695 700	2112
gaa aat gtc gcc cac tcg gta ctc ctt tgg gca gat aag tta cag ccc Glu Asn Val Ala His Ser Val Leu Leu Trp Ala Asp Lys Leu Gln Pro 705 710 715 720	2160
ggc gac ggc gca atg aca gca gaa aaa ttc tgg gac tgg ttg aat act Gly Asp Gly Ala Met Thr Ala Glu Lys Phe Trp Asp Trp Leu Asn Thr 725 730 735	2208
aag tat acg ccg ggt tca tcg gaa gcc gta gaa acg cag gaa cat atc Lys Tyr Thr Pro Gly Ser Ser Glu Ala Val Glu Thr Gln Glu His Ile 740 745 750	2256
gtt cag tat tgt cag gct ctg gca caa ttg gaa atg gtt tac cat tcc Val Gln Tyr Cys Gln Ala Leu Ala Gln Leu Glu Met Val Tyr His Ser 755 760 765	2304
acc ggc atc aac gaa aac gcc ttc cgt cta ttt gtg aca aaa cca gag Thr Gly Ile Asn Glu Asn Ala Phe Arg Leu Phe Val Thr Lys Pro Glu 770 775 780	2352
atg ttt ggc gct gca act gga gca gcg ccc gcg cat gat gcc ctt tca Met Phe Gly Ala Ala Thr Gly Ala Ala Pro Ala His Asp Ala Leu Ser 785 790 795 800	2400
ctg att atg ctg aca cgt ttt gcg gat tgg gtg aac gca cta ggc gaa Leu Ile Met Leu Thr Arg Phe Ala Asp Trp Val Asn Ala Leu Gly Glu 805 810 815	2448
aaa gcg tcc tcg gtg cta gcg gca ttt gaa gct aac tcg tta acg gca Lys Ala Ser Ser Val Leu Ala Ala Phe Glu Ala Asn Ser Leu Thr Ala 820 825 830	2496
gaa caa ctg gct gat gcc atg aat ctt gat gct aat ttg ctg ttg caa	2544

Glu Gln Leu Ala Asp Ala Met Asn Leu Asp Ala Asn Leu Leu Leu Gln	
835 840 845	
gcc agt att caa gca caa aat cat caa cat ctt ccc cca gta act cca	2592
Ala Ser Ile Gln Ala Gln Asn His Gln His Leu Pro Pro Val Thr Pro	
850 855 860	
gaa aat gcg ttc tcc tgt tgg aca tct atc aat act atc ctg caa tgg	2640
Glu Asn Ala Phe Ser Cys Trp Thr Ser Ile Asn Thr Ile Leu Gln Trp	
865 870 875 880	
gtt aat gtc gca caa caa ttg aat gtc gcc cca cag ggc gtt tcc gct	2688
Val Asn Val Ala Gln Gln Leu Asn Val Ala Pro Gln Gly Val Ser Ala	
885 890 895	
ttg gtc ggg ctg gat tat att caa tca atg aaa gāg aca ccg acc tat	2736
Leu Val Gly Leu Asp Tyr Ile Gln Ser Met Lys Glu Thr Pro Thr Tyr	
900 905 910	
gcc cag tgg gaa aac gcg gca ggc gta tta acc gcc ggg ttg aat tca	2784
Ala Gln Trp Glu Asn Ala Ala Gly Val Leu Thr Ala Gly Leu Asn Ser	
915 920 925	
caa cag gct aat aca tta cac gct ttt ctg gat gaa tct cgc agt gcc	2832
Gln Gln Ala Asn Thr Leu His Ala Phe Leu Asp Glu Ser Arg Ser Ala	
930 935 940	
gca tta agc acc tac tat atc cgt caa gtc gcc aag gca gcg gcg gct	2880
Ala Leu Ser Thr Tyr Tyr Ile Arg Gln Val Ala Lys Ala Ala Ala Ala	
945 950 955 960	
att aaa agc cgt gat gac ttg tat caa tac tta ctg att gat aat cag	2928
Ile Lys Ser Arg Asp Asp Leu Tyr Gln Tyr Leu Leu Ile Asp Asn Gln	
965 970 975	
gtt tct gcg gca ata aaa acc acc cgg atc gcc gaa gcc att gcc agt	2976
Val Ser Ala Ala Ile Lys Thr Thr Arg Ile Ala Glu Ala Ile Ala Ser	
980 985 990	
att caa ctg tac gtc aac cgg gca ttg gaa aat gtg gaa gaa aat gcc	3024
Ile Gln Leu Tyr Val Asn Arg Ala Leu Glu Asn Val Glu Glu Asn Ala	
995 1000 1005	
aat tcg ggg gtt atc agc cgc caa ttc ttt atc gac tgg gac aaa tac	3072
Asn Ser Gly Val Ile Ser Arg Gln Phe Phe Ile Asp Trp Asp Lys Tyr	
1010 1015 1020	
aat aaa cgc tac agc act tgg gcg ggt gtt tct caa tta gtt tac tac	3120
Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Gln Leu Val Tyr Tyr	
1025 1030 1035 1040	
ccg gaa aac tat att gat ccg acc atg cgt atc gga caa acc aaa atg	3168
Pro Glu Asn Tyr Ile Asp Pro Thr Met Arg Ile Gly Gln Thr Lys Met	
1045 1050 1055	
atg gac gca tta ctg caa tcc gtc agc caa agc caa tta aac gcc gat	3216
Met Asp Ala Leu Leu Gln Ser Val Ser Gln Ser Gln Leu Asn Ala Asp	
1060 1065 1070	
acc gtc gaa gat gcc ttt atg tct tat ctg aca tcg ttt gaa caa gtg	3264
Thr Val Glu Asp Ala Phe Met Ser Tyr Leu Thr Ser Phe Glu Gln Val	

1075	1080	1085	
gct aat ctt aaa gtt att agc gca tat cac gat aat att aat aac gat			3312
Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Ile Asn Asn Asp			
1090	1095	1100	
caa ggg ctg acc tat ttt atc gga ctc agt gaa act gat gcc ggt gaa			3360
Gln Gly Leu Thr Tyr Phe Ile Gly Leu Ser Glu Thr Asp Ala Gly Glu			
1105	1110	1115	1120
tat tat tgg cgc agt gtc gat cac agt aaa ttc aac gac ggt aaa ttc			3408
Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Phe Asn Asp Gly Lys Phe			
1125	1130	1135	
gcg gct aat gcc tgg agt gaa tgg cat aaa att gat tgt cca att aac			3456
Ala Ala Asn Ala Trp Ser Glu Trp His Lys Ile Asp Cys Pro Ile Asn			
1140	1145	1150	
cct tat aaa agc act atc cgt cca gtg ata tat aaa tcc cgc ctg tat			3504
Pro Tyr Lys Ser Thr Ile Arg Pro Val Ile Tyr Lys Ser Arg Leu Tyr			
1155	1160	1165	
ctg ctc tgg ttg gaa caa aag gag atc acc aaa cag aca gga aat agt			3552
Leu Leu Trp Leu Glu Gln Lys Glu Ile Thr Lys Gln Thr Gly Asn Ser			
1170	1175	1180	
aaa gat ggc tat caa act gaa acg gat tat cgt tat gaa cta aaa ttg			3600
Lys Asp Gly Tyr Gln Thr Glu Thr Asp Tyr Arg Tyr Glu Leu Lys Leu			
1185	1190	1195	1200
gcg cat atc cgc tat gat ggc act tgg aat acg cca atc acc ttt gat			3648
Ala His Ile Arg Tyr Asp Gly Thr Trp Asn Thr Pro Ile Thr Phe Asp			
1205	1210	1215	
gtc aat aaa aaa ata tcc gag cta aaa ctg gaa aaa aat aga gcg ccc			3696
Val Asn Lys Lys Ile Ser Glu Leu Lys Leu Glu Lys Asn Arg Ala Pro			
1220	1225	1230	
gga ctc tat tgt gcc ggt tat caa ggt gaa gat acg ttg ctg gtg atg			3744
Gly Leu Tyr Cys Ala Gly Tyr Gln Gly Glu Asp Thr Leu Leu Val Met			
1235	1240	1245	
ttt tat aac caa caa gac aca cta gat agt tat aaa aac gct tca atg			3792
Phe Tyr Asn Gln Gln Asp Thr Leu Asp Ser Tyr Lys Asn Ala Ser Met			
1250	1255	1260	
caa gga cta tat atc ttt gct gat atg gca tcc aaa gat atg acc cca			3840
Gln Gly Leu Tyr Ile Phe Ala Asp Met Ala Ser Lys Asp Met Thr Pro			
1265	1270	1275	1280
gaa cag agc aat gtt tat cgg gat aat agc tat caa caa ttt gat acc			3888
Glu Gln Ser Asn Val Tyr Arg Asp Asn Ser Tyr Gln Gln Phe Asp Thr			
1285	1290	1295	
aat aat gtc aga aga gtg aat aac cgc tat gca gag gat tat gag att			3936
Asn Asn Val Arg Arg Val Asn Asn Arg Tyr Ala Glu Asp Tyr Glu Ile			
1300	1305	1310	
cct tcc tcg gta agt agc cgt aaa gac tat ggt tgg gga gat tat tac			3984
Pro Ser Ser Val Ser Ser Arg Lys Asp Tyr Gly Trp Gly Asp Tyr Tyr			
1315	1320	1325	

ctc agc atg gta tat aac gga gat att cca act atc aat tac aaa gcc 4032
 Leu Ser Met Val Tyr Asn Gly Asp Ile Pro Thr Ile Asn Tyr Lys Ala
 1330 1335 1340

gca tca agt gat tta aaa atc tat atc tca cca aaa tta aga att att 4080
 Ala Ser Ser Asp Leu Lys Ile Tyr Ile Ser Pro Lys Leu Arg Ile Ile
 1345 1350 1355 1360

cat aat gga tat gaa gga cag aag cgc aat caa tgc aat ctg atg aat 4128
 His Asn Gly Tyr Glu Gly Gln Lys Arg Asn Gln Cys Asn Leu Met Asn
 1365 1370 1375

aaa tat ggc aaa cta ggt gat aaa ttt att gtt tat act agc ttg ggg 4176
 Lys Tyr Gly Lys Leu Gly Asp Lys Phe Ile Val Tyr Thr Ser Leu Gly
 1380 1385 1390

gtc aat cca aat aac tcg tca aat aag ctc atg ttt tac ccc gtc tat 4224
 Val Asn Pro Asn Asn Ser Ser Asn Lys Leu Met Phe Tyr Pro Val Tyr
 1395 1400 1405

caa tat agc gga aac acc agt gga ctc aat caa ggg aga cta cta ttc 4272
 Gln Tyr Ser Gly Asn Thr Ser Gly Leu Asn Gln Gly Arg Leu Leu Phe
 1410 1415 1420

cac cgt gac acc act tat cca tct aaa gta gaa gct tgg att cct gga 4320
 His Arg Asp Thr Thr Tyr Pro Ser Lys Val Glu Ala Trp Ile Pro Gly
 1425 1430 1435 1440

gca aaa cgt tct cta acc aac caa aat gcc gcc att ggt gat gat tat 4368
 Ala Lys Arg Ser Leu Thr Asn Gln Asn Ala Ala Ile Gly Asp Asp Tyr
 1445 1450 1455

gct aca gac tct ctg aat aaa ccg gat gat ctt aag caa tat atc ttt 4416
 Ala Thr Asp Ser Leu Asn Lys Pro Asp Asp Leu Lys Gln Tyr Ile Phe
 1460 1465 1470

atg act gac agt aaa ggg act gct act gat gtc tca ggc cca gta gag 4464
 Met Thr Asp Ser Lys Gly Thr Ala Thr Asp Val Ser Gly Pro Val Glu
 1475 1480 1485

att aat act gca att tct cca gca aaa gtt cag ata ata gtc aaa gcg 4512
 Ile Asn Thr Ala Ile Ser Pro Ala Lys Val Gln Ile Ile Val Lys Ala
 1490 1495 1500

ggt ggc aag gag caa act ttt acc gca gat aaa gat gtc tcc att cag 4560
 Gly Gly Lys Glu Gln Thr Phe Thr Ala Asp Lys Asp Val Ser Ile Gln
 1505 1510 1515 1520

cca tca cct agc ttt gat gaa atg aat tat caa ttt aat gcc ctt gaa 4608
 Pro Ser Pro Ser Phe Asp Glu Met Asn Tyr Gln Phe Asn Ala Leu Glu
 1525 1530 1535

ata gac ggt tct ggt ctg aat ttt att aac aac tca gcc agt att gat 4656
 Ile Asp Gly Ser Gly Leu Asn Phe Ile Asn Asn Ser Ala Ser Ile Asp
 1540 1545 1550

gtt act ttt acc gca ttt gcg gag gat ggc cgc aaa ctg ggt tat gaa 4704
 Val Thr Phe Thr Ala Phe Ala Glu Asp Gly Arg Lys Leu Gly Tyr Glu
 1555 1560 1565

agt ttc agt att cct gtt acc ctc aag gta agt acc gat aat gcc ctg 4752
 Ser Phe Ser Ile Pro Val Thr Leu Lys Val Ser Thr Asp Asn Ala Leu
 1570 1575 1580

acc ctg cac cat aat gaa aat ggt gcg caa tat atg caa tgg caa tcc 4800
 Thr Leu His His Asn Glu Asn Gly Ala Gln Tyr Met Gln Trp Gln Ser
 1585 1590 1595 1600

tat cgt acc cgc ctg aat act cta ttt gcc cgc cag ttg gtt gca cgc 4848
 Tyr Arg Thr Arg Leu Asn Thr Leu Phe Ala Arg Gln Leu Val Ala Arg
 1605 1610 1615

gcc acc acc gga atc gat aca att ctg agt atg gaa act cag aat att 4896
 Ala Thr Thr Gly Ile Asp Thr Ile Leu Ser Met Glu Thr Gln Asn Ile
 1620 1625 1630

cag gaa ccg cag tta ggc aaa ggt ttc tat gct acg ttc gtg ata cct 4944
 Gln Glu Pro Gln Leu Gly Lys Gly Phe Tyr Ala Thr Phe Val Ile Pro
 1635 1640 1645

ccc tat aac cta tca act cat ggt gat gaa cgt tgg ttt aag ctt tat 4992
 Pro Tyr Asn Leu Ser Thr His Gly Asp Glu Arg Trp Phe Lys Leu Tyr
 1650 1655 1660

atc aaa cat gtt gtt gat aat aat tca cat att atc tat tca ggc cag 5040
 Ile Lys His Val Val Asp Asn Asn Ser His Ile Ile Tyr Ser Gly Gln
 1665 1670 1675 1680

cta aca gat aca aat ata aac atc aca tta ttt att cct ctt gat gat 5088
 Leu Thr Asp Thr Asn Ile Asn Ile Thr Leu Phe Ile Pro Leu Asp Asp
 1685 1690 1695

gtc cca ttg aat caa gat tat cac gcc aag gtt tat atg acc ttc aag 5136
 Val Pro Leu Asn Gln Asp Tyr His Ala Lys Val Tyr Met Thr Phe Lys
 1700 1705 1710

aaa tca cca tca gat ggt acc tgg tgg ggc cct cac ttt gtt aga gat 5184
 Lys Ser Pro Ser Asp Gly Thr Trp Trp Gly Pro His Phe Val Arg Asp
 1715 1720 1725

gat aaa gga ata gta aca ata aac cct aaa tcc att ttg acc cat ttt 5232
 Asp Lys Gly Ile Val Thr Ile Asn Pro Lys Ser Ile Leu Thr His Phe
 1730 1735 1740

gag agc gtc aat gtc ctg aat aat att agt agc gaa cca atg gat ttc 5280
 Glu Ser Val Asn Val Leu Asn Asn Ile Ser Ser Glu Pro Met Asp Phe
 1745 1750 1755 1760

agc ggc gct aac agc ctc tat ttc tgg gaa ctg ttc tac tat acc ccg 5328
 Ser Gly Ala Asn Ser Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr Thr Pro
 1765 1770 1775

atg ctg gtt gct caa cgt ttg ctg cat gaa cag aac ttc gat gaa gcc 5376
 Met Leu Val Ala Gln Arg Leu Leu His Glu Gln Asn Phe Asp Glu Ala
 1780 1785 1790

aac cgt tgg ctg aaa tat gtc tgg agt cca tcc ggt tat att gtc cac 5424
 Asn Arg Trp Leu Lys Tyr Val Trp Ser Pro Ser Gly Tyr Ile Val His
 1795 1800 1805

ggc cag att cag aac tac cag tgg aac gtc cgc ccg tta ctg gaa gac 5472

Gly Gln Ile Gln Asn Tyr Gln Trp Asn Val Arg Pro Leu Leu Glu Asp	
1810 1815 1820	
acc agt tgg aac agt gat cct ttg gat tcc gtc gat cct gac gcg gta	5520
Thr Ser Trp Asn Ser Asp Pro Leu Asp Ser Val Asp Pro Asp Ala Val	
1825 1830 1835 1840	
gca cag cac gat cca atg cac tac aaa gtt tca act ttt atg cgt acc	5568
Ala Gln His Asp Pro Met His Tyr Lys Val Ser Thr Phe Met Arg Thr	
1845 1850 1855	
ttg gat cta ttg ata gca cgc ggc gac cat gct tat cgc caa ctg gaa	5616
Leu Asp Leu Leu Ile Ala Arg Gly Asp His Ala Tyr Arg Gln Leu Glu	
1860 1865 1870	
cga gat aca ctc aac gaa gcg aag atg tgg tat atg caa gcg ctg cat	5664
Arg Asp Thr Leu Asn Glu Ala Lys Met Trp Tyr Met Gln Ala Leu His	
1875 1880 1885	
cta tta ggt gac aaa cct tat cta ccg ctg agt acg aca tgg agt gat	5712
Leu Leu Gly Asp Lys Pro Tyr Leu Pro Leu Ser Thr Thr Trp Ser Asp	
1890 1895 1900	
cca cga cta gac aga gcc gcg gat atc act acc caa aat gct cac gac	5760
Pro Arg Leu Asp Arg Ala Ala Asp Ile Thr Thr Gln Asn Ala His Asp	
1905 1910 1915 1920	
agc gca ata gtc gct ctg ccg cag aat ata cct aca ccg gca cct tta	5808
Ser Ala Ile Val Ala Leu Arg Gln Asn Ile Pro Thr Pro Ala Pro Leu	
1925 1930 1935	
tca ttg cgc agc gct aat acc ctg act gat ctc ttc ctg ccg caa atc	5856
Ser Leu Arg Ser Ala Asn Thr Leu Thr Asp Leu Phe Leu Pro Gln Ile	
1940 1945 1950	
aat gaa gtg atg atg aat tac tgg cag aca tta gct cag aga gta tac	5904
Asn Glu Val Met Met Asn Tyr Trp Gln Thr Leu Ala Gln Arg Val Tyr	
1955 1960 1965	
aat ctg cgt cat aac ctc tct atc gac gcc cag ccg tta tat ctg cca	5952
Asn Leu Arg His Asn Leu Ser Ile Asp Gly Gln Pro Leu Tyr Leu Pro	
1970 1975 1980	
atc tat gcc aca ccg gcc gat ccg aaa gcg tta ctc agc gcc gcc gtt	6000
Ile Tyr Ala Thr Pro Ala Asp Pro Lys Ala Leu Leu Ser Ala Ala Val	
1985 1990 1995 2000	
gcc act tct caa ggt gga gcc aag cta ccg gaa tca ttt atg tcc ctg	6048
Ala Thr Ser Gln Gly Gly Gly Lys Leu Pro Glu Ser Phe Met Ser Leu	
2005 2010 2015	
tgg cgt ttc ccg cac atg ctg gaa aat gcg cgc gcc atg gtt agc cag	6096
Trp Arg Phe Pro His Met Leu Glu Asn Ala Arg Gly Met Val Ser Gln	
2020 2025 2030	
ctc acc cag ttc gcc tcc acg tta caa aat att atc gaa cgt cag gac	6144
Leu Thr Gln Phe Gly Ser Thr Leu Gln Asn Ile Ile Glu Arg Gln Asp	
2035 2040 2045	
gcg gaa gcg ctc aat gcg tta tta caa aat cag gcc gcc gag ctg ata	6192
Ala Glu Ala Leu Asn Ala Leu Leu Gln Asn Gln Ala Ala Glu Leu Il	

2050	2055	2060	
ttg act aac ctg agc att cag gac aaa acc att gaa gaa ttg gat gcc L u Thr Asn Leu S r Ile Gln Asp Lys Thr Ile Glu Glu Leu Asp Ala 2065	2070	2075	6240 2080
gag aaa acg gtg ttg gaa aaa tcc aaa gcg gga gca caa tcg cgc ttt Glu Lys Thr Val Leu Glu Lys Ser Lys Ala Gly Ala Gln Ser Arg Phe 2085	2090	2095	6288
gat agc tac ggc aaa ctg tac gat gag aat atc aac gcc ggt gaa aac Asp Ser Tyr Gly Lys Leu Tyr Asp Glu Asn Ile Asn Ala Gly Glu Asn 2100	2105	2110	6336
caa gcc atg acg cta cga gcg tcc gcc gcc ggg ctt acc acg gca gtt Gln Ala Met Thr Leu Arg Ala Ser Ala Ala Gly Leu Thr Thr Ala Val 2115	2120	2125	6384
cag gca tcc cgt ctg gcc ggt gcg gcg gct gat ctg gtg cct aac atc Gln Ala Ser Arg Leu Ala Gly Ala Ala Ala Asp Leu Val Pro Asn Ile 2130	2135	2140	6432
ttc gcc ttt gcc ggt gcc gcc agc cgt tgg ggg gct atc gct gag gcg Phe Gly Phe Ala Gly Gly Gly Ser Arg Trp Gly Ala Ile Ala Glu Ala 2145	2150	2155	6480 2160
aca ggt tat gtg atg gaa ttc tcc gcg aat gtt atg aac acc gaa gcg Thr Gly Tyr Val Met Glu Phe Ser Ala Asn Val Met Asn Thr Glu Ala 2165	2170	2175	6528
gat aaa att agc caa tct gaa acc tac cgt cgt cgc cgt cag gag tgg Asp Lys Ile Ser Gln Ser Glu Thr Tyr Arg Arg Arg Arg Gln Glu Trp 2180	2185	2190	6576
gag atc cag cgg aat aat gcc gaa gcg gaa ttg aag caa atc gat gct Glu Ile Gln Arg Asn Asn Ala Glu Ala Glu Leu Lys Gln Ile Asp Ala 2195	2200	2205	6624
cag ctc aaa tca ctc gct gta cgc cgc gaa gcc gcc gta ttg cag aaa Gln Leu Lys Ser Leu Ala Val Arg Arg Glu Ala Ala Val Leu Gln Lys 2210	2215	2220	6672
acc agt ctg aaa acc caa caa gaa cag acc caa tct caa ttg gcc ttc Thr Ser Leu Lys Thr Gln Gln Glu Gln Thr Gln Ser Gln Leu Ala Phe 2225	2230	2235	6720 2240
ctg caa cgt aag ttc agc aat cag gcg tta tac aac tgg ctg cgt ggt Leu Gln Arg Lys Phe Ser Asn Gln Ala Leu Tyr Asn Trp Leu Arg Gly 2245	2250	2255	6768
cga ctg gcg gcg att tac ttc cag ttc tac gat ttg gcc gtc gcg cgt Arg Leu Ala Ala Ile Tyr Phe Gln Phe Tyr Asp Leu Ala Val Ala Arg 2260	2265	2270	6816
tgc ctg atg gca gaa caa gct tac cgt tgg gaa ctc aat gat gac tct Cys Leu Met Ala Glu Gln Ala Tyr Arg Trp Glu Leu Asn Asp Asp Ser 2275	2280	2285	6864
gcc cgc ttc att aaa ccg gcc gcc tgg cag gga acc tat gcc ggt ctg Ala Arg Phe Ile Lys Pro Gly Ala Trp Gln Gly Thr Tyr Ala Gly Leu 2290	2295	2300	6912

ctt gca ggt gaa acc ttg atg ctg agt ctg gca caa atg gaa gac gct Leu Ala Gly Glu Thr Leu Met Leu Ser Leu Ala Gln Met Glu Asp Ala 2305 2310 2315 2320	6960
cat ctg aaa cgc gat aaa cgc gca tta gag gtt gaa cgc aca gta tcg His Leu Lys Arg Asp Lys Arg Ala Leu Glu Val Glu Arg Thr Val Ser 2325 2330 2335	7008
ctg gcc gaa gtt tat gca gga tta cca aaa gat aac ggt cca ttt tcc Leu Ala Glu Val Tyr Ala Gly Leu Pro Lys Asp Asn Gly Pro Phe Ser 2340 2345 2350	7056
ctg gct cag gaa att gac aag ctg gtg agt caa ggt tca ggc agt gcc Leu Ala Gln Glu Ile Asp Lys Leu Val Ser Gln Gly Ser Gly Ser Ala 2355 2360 2365	7104
ggc agt ggt aat aat aat ttg gcg ttc ggc gcc ggc acg gac act aaa Gly Ser Gly Asn Asn Asn Leu Ala Phe Gly Ala Gly Thr Asp Thr Lys 2370 2375 2380	7152
acc tct ttg cag gca tca gtt tca ttc gct gat ttg aaa att cgt gaa Thr Ser Leu Gln Ala Ser Val Ser Phe Ala Asp Leu Lys Ile Arg Glu 2385 2390 2395 2400	7200
gat tac ccg gca tcg ctt ggc aaa att cga cgt atc aaa cag atc agc Asp Tyr Pro Ala Ser Leu Gly Lys Ile Arg Arg Ile Lys Gln Ile Ser 2405 2410 2415	7248
gtc act ttg ccc gcg cta ctg gga ccg tat cag gat gta cag gca ata Val Thr Leu Pro Ala Leu Leu Gly Pro Tyr Gln Asp Val Gln Ala Ile 2420 2425 2430	7296
ttg tct tac ggc gat aaa gcc gga tta gct aac ggc tgt gaa gcg ctg Leu Ser Tyr Gly Asp Lys Ala Gly Leu Ala Asn Gly Cys Glu Ala Leu 2435 2440 2445	7344
gca gtt tct cac ggt atg aat gac agc ggc caa ttc cag ctc gat ttc Ala Val Ser His Gly Met Asn Asp Ser Gly Gln Phe Gln Leu Asp Phe 2450 2455 2460	7392
aac gat ggc aaa ttc ctg cca ttc gaa ggc atc gcc att gat caa ggc Asn Asp Gly Lys Phe Leu Pro Phe Glu Gly Ile Ala Ile Asp Gln Gly 2465 2470 2475 2480	7440
acg ctg aca ctg agc ttc cca aat gca tct atg ccg gag aaa ggt aaa Thr Leu Thr Leu Ser Phe Pro Asn Ala Ser Met Pro Glu Lys Gly Lys 2485 2490 2495	7488
caa gcc act atg tta aaa acc ctg aac gat atc att ttg cat att cgc Gln Ala Thr Met Leu Lys Thr Leu Asn Asp Ile Ile Leu His Ile Arg 2500 2505 2510	7536
tac acc att aaa taa Tyr Thr Ile Lys 2515	7551

<211> 7515

<212> DNA

<213> Photorhabdus luminescens

<220>

<221> CDS

<222> (1)..(7512)

<400> 2

atg caa aac tca tta tca agc act atc gat act att tgt cag aaa ctg	48
Met Gln Asn Ser Leu Ser Ser Thr Ile Asp Thr Ile Cys Gln Lys Leu	
1 5 10 15	
caa tta act tgt ccg gcg gaa att gct ttg tat ccc ttt gat act ttc	96
Gln Leu Thr Cys Pro Ala Glu Ile Ala Leu Tyr Pro Phe Asp Thr Phe	
20 25 30	
cgg gaa aaa act ccg gga atg gtt aat tgg ggg gaa gca aaa cgg att	144
Arg Glu Lys Thr Arg Gly Met Val Asn Trp Gly Glu Ala Lys Arg Ile	
35 40 45	
tat gaa att gca caa gcg gaa cag gat aga aac cta ctt cat gaa aaa	192
Tyr Glu Ile Ala Gln Ala Glu Gln Asp Arg Asn Leu Leu His Glu Lys	
50 55 60	
cgt att ttt gcc tat gct aat ccg ctg ctg aaa aac gct gtt cgg ttg	240
Arg Ile Phe Ala Tyr Ala Asn Pro Leu Leu Lys Asn Ala Val Arg Leu	
65 70 75 80	
ggg acc ccg caa atg ttg ggt ttt ata caa ggt tat agt gat ctg ttt	288
Gly Thr Arg Gln Met Leu Gly Phe Ile Gln Gly Tyr Ser Asp Leu Phe	
85 90 95	
ggg aat cgt gct gat aac tat gcc gcg ccg ggc tcg gtt gca tcg atg	336
Gly Asn Arg Ala Asp Asn Tyr Ala Ala Pro Gly Ser Val Ala Ser Met	
100 105 110	
ttc tca ccg gcg gct tat ttg acg gaa ttg tac cgt gaa gcc aaa aac	384
Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala Lys Asn	
115 120 125	
ttg cat gac agc agc tca att tat tac cta gat aaa cgt cgc ccg gat	432
Leu His Asp Ser Ser Ser Ile Tyr Tyr Leu Asp Lys Arg Arg Pro Asp	
130 135 140	
tta gca agc tta atg ctc agc cag aaa aat atg gat gag gaa att tca	480
Leu Ala Ser Leu Met Leu Ser Gln Lys Asn Met Asp Glu Glu Ile Ser	
145 150 155 160	
acg ctg gct ctc tct aat gaa ttg tgc ctt gcc ggg atc gaa aca aaa	528
Thr Leu Ala Leu Ser Asn Glu Leu Cys Leu Ala Gly Ile Glu Thr Lys	
165 170 175	
aca gga aaa tca caa gat gaa gtg atg gat atg ttg tca act tat cgt	576
Thr Gly Lys Ser Gln Asp Glu Val Met Asp Met Leu Ser Thr Tyr Arg	
180 185 190	
tta agt gga gag aca cct tat cat cac gct tat gaa act gtt cgt gaa	624
Leu Ser Gly Glu Thr Pro Tyr His His Ala Tyr Glu Thr Val Arg Glu	
195 200 205	

atc gtt cat gaa cgt gat cca gga ttt cgt cat ttg tca cag gca ccc Ile Val His Glu Arg Asp Pro Gly Phe Arg His Leu Ser Gln Ala Pro 210 215 220	672
att gtt gct gct aag ctc gat cct gtg act ttg ttg ggt att agc tcc Ile Val Ala Ala Lys Leu Asp Pro Val Thr Leu Leu Gly Ile Ser Ser 225 230 235 240	720
cat att tcg cca gaa ctg tat aac ttg ctg att gag gag atc ccg gaa His Ile Ser Pro Glu Leu Tyr Asn Leu Ile Glu Glu Ile Pro Glu 245 250 255	768
aaa gat gaa gcc gcg ctt gat acg ctt tat aaa aca aac ttt ggc gat Lys Asp Glu Ala Ala Leu Asp Thr Leu Tyr Lys Thr Asn Phe Gly Asp 260 265 270	816
att act act gct cag tta atg tcc cca agt tat ctg gcc cgg tat tat Ile Thr Thr Ala Gln Leu Met Ser Pro Ser Tyr Leu Ala Arg Tyr Tyr 275 280 285	864
ggc gtc tca ccg gaa gat att gcc tac gtg acg act tca tta tca cat Gly Val Ser Pro Glu Asp Ile Ala Tyr Val Thr Thr Ser Leu Ser His 290 295 300	912
gtt gga tat agc agt gat att ctg gtt att ccg ttg gtc gat ggt gtg Val Gly Tyr Ser Ser Asp Ile Leu Val Ile Pro Leu Val Asp Gly Val 305 310 315 320	960
ggg aag atg gaa gta gtt cgt gtt acc cga aca cca tcg gat aat tat Gly Lys Met Glu Val Val Arg Val Thr Arg Thr Pro Ser Asp Asn Tyr 325 330 335	1008
acc agt cag acg aat tat att gag ctg tat cca cag ggt ggc gac aat Thr Ser Gln Thr Asn Tyr Ile Glu Leu Tyr Pro Gln Gly Gly Asp Asn 340 345 350	1056
tat ttg atc aaa tac aat cta agc aat agt ttt ggt ttg gat gat ttt Tyr Leu Ile Lys Tyr Asn Leu Ser Asn Ser Phe Gly Leu Asp Asp Phe 355 360 365	1104
tat ctg caa tat aaa gat ggt tcc gct gat tgg act gag att gcc cat Tyr Leu Gln Tyr Lys Asp Gly Ser Ala Asp Trp Thr Glu Ile Ala His 370 375 380	1152
aat ccc tat cct gat atg gtc ata aat caa aag tat gaa tca cag gcg Asn Pro Tyr Pro Asp Met Val Ile Asn Gln Lys Tyr Glu Ser Gln Ala 385 390 395 400	1200
aca atc aaa cgt agt gac tct gac aat ata ctc agt ata ggg tta caa Thr Ile Lys Arg Ser Asp Ser Asp Asn Ile Leu Ser Ile Gly Leu Gln 405 410 415	1248
aga tgg cat agc ggt agt tat aat ttt gcc gcc gcc aat ttt aaa att Arg Trp His Ser Gly Ser Tyr Asn Phe Ala Ala Ala Asn Phe Lys Ile 420 425 430	1296
gac caa tac tcc ccg aaa gct ttc ctg ctt aaa atg aat aag gct att Asp Gln Tyr Ser Pro Lys Ala Phe Leu Leu Lys Met Asn Lys Ala Ile 435 440 445	1344
cgg ttg ctc aaa gct acc ggc ctc tct ttt gct acg ttg gag cgt att	1392

Arg Leu Leu Lys Ala Thr Gly Leu S r Phe Ala Thr Leu Glu Arg Ile	
450 455 460	
ggt gat agt gtt aat agc acc aaa tcc atc acg gtt gag gta tta aac	1440
Val Asp Ser Val Asn Ser Thr Lys Ser Ile Thr Val Glu Val Leu Asn	
465 470 475 480	
aag gtt tat cgg gta aaa ttc tat att gat cgt tat ggc atc agt gaa	1488
Lys Val Tyr Arg Val Lys Phe Tyr Ile Asp Arg Tyr Gly Ile Ser Glu	
485 490 495	
gag aca gcc gct att ttg gct aat att aat atc tct cag caa gct gtt	1536
Glu Thr Ala Ala Ile Leu Ala Asn Ile Asn Ile Ser Gln Gln Ala Val	
500 505 510	
ggc aat cag ctt agc cag ttt gag caa cta ttt aat cac ccg ccg ctc	1584
Gly Asn Gln Leu Ser Gln Phe Glu Gln Leu Phe Asn His Pro Pro Leu	
515 520 525	
aat ggt att cgc tat gaa atc agt gag gac aac tcc aaa cat ctt cct	1632
Asn Gly Ile Arg Tyr Glu Ile Ser Glu Asp Asn Ser Lys His Leu Pro	
530 535 540	
aat cct gat ctg aac ctt aaa cca gac agt acc ggt gat gat caa cgc	1680
Asn Pro Asp Leu Asn Leu Lys Pro Asp Ser Thr Gly Asp Asp Gln Arg	
545 550 555 560	
aag gcg gtt tta aaa cgc gcg ttt cag gtt aac gcc agt gag ttg tat	1728
Lys Ala Val Leu Lys Arg Ala Phe Gln Val Asn Ala Ser Glu Leu Tyr	
565 570 575	
cag atg tta ttg atc act gat cgt aaa gaa gac ggt gtt atc aaa aat	1776
Gln Met Leu Leu Ile Thr Asp Arg Lys Glu Asp Gly Val Ile Lys Asn	
580 585 590	
aac tta gag aat ttg tct gat ctg tat ttg gtt agt ttg ctg gcc cag	1824
Asn Leu Glu Asn Leu Ser Asp Leu Tyr Leu Val Ser Leu Leu Ala Gln	
595 600 605	
att cat aac ctg act att gct gaa ttg aac att ttg ttg gtg att tgt	1872
Ile His Asn Leu Thr Ile Ala Glu Leu Asn Ile Leu Leu Val Ile Cys	
610 615 620	
ggc tat ggc gac acc aac att tat cag att acc gac gat aat tta gcc	1920
Gly Tyr Gly Asp Thr Asn Ile Tyr Gln Ile Thr Asp Asp Asn Leu Ala	
625 630 635 640	
aaa ata gtg gaa aca ttg ttg tgg atc act caa tgg ttg aag acc caa	1968
Lys Ile Val Glu Thr Leu Leu Trp Ile Thr Gln Trp Leu Lys Thr Gln	
645 650 655	
aaa tgg aca gtt acc gac ctg ttt ctg atg acc acg gcc act tac agc	2016
Lys Trp Thr Val Thr Asp Leu Phe Leu Met Thr Thr Ala Thr Tyr Ser	
660 665 670	
acc act tta acg cca gaa att agc aat ctg acg gct acg ttg tct tca	2064
Thr Thr Leu Thr Pro Glu Ile Ser Asn Leu Thr Ala Thr Leu Ser Ser	
675 680 685	
act ttg cat ggc aaa gag agt ctg att ggg gaa gat ctg aaa aga gca	2112
Thr Leu His Gly Lys Glu Ser L u Il Gly Glu Asp Leu Lys Arg Ala	

690	695	700	
atg gcg cct tgc ttc act tgc gct ttg cat ttg act tct caa gaa gtt			2160
Met Ala Pro Cys Phe Thr Ser Ala Leu His Leu Thr Ser Gln Glu Val			
705	710	715	720
gcg tat gac ctg ctg ttg tgg ata gac cag att caa ccg gca caa ata			2208
Ala Tyr Asp Leu Leu Leu Trp Ile Asp Gln Ile Gln Pro Ala Gln Ile			
	725	730	735
act gtt gat ggg ttt tgg gaa gaa gtg caa aca aca cca acc agc ttg			2256
Thr Val Asp Gly Phe Trp Glu Glu Val Gln Thr Thr Pro Thr Ser Leu			
	740	745	750
aag gtg att acc ttt gct cag gtg ctg gca caa ttg agc ctg atc tat			2304
Lys Val Ile Thr Phe Ala Gln Val Leu Ala Gln Leu Ser Leu Ile Tyr			
	755	760	765
cgt cgt att ggg tta agt gaa acg gaa ctg tca ctg atc gtg act caa			2352
Arg Arg Ile Gly Leu Ser Glu Thr Glu Leu Ser Leu Ile Val Thr Gln			
	770	775	780
tct tct ctg cta gtg gca ggc aaa agc ata ctg gat cac ggt ctg tta			2400
Ser Ser Leu Leu Val Ala Gly Lys Ser Ile Leu Asp His Gly Leu Leu			
	785	790	800
acc ctg atg gcc ttg gaa ggt ttt cat acc tgg gtt aat ggc ttg ggg			2448
Thr Leu Met Ala Leu Glu Gly Phe His Thr Trp Val Asn Gly Leu Gly			
	805	810	815
caa cat gcc tcc ttg ata ttg gcg gcg ttg aaa gac gga gcc ttg aca			2496
Gln His Ala Ser Leu Ile Leu Ala Ala Leu Lys Asp Gly Ala Leu Thr			
	820	825	830
gtt acc gat gta gca caa gct atg aat aag gag gaa tct ctc cta caa			2544
Val Thr Asp Val Ala Gln Ala Met Asn Lys Glu Glu Ser Leu Leu Gln			
	835	840	845
atg gca gct aat cag gtg gag aag gat cta aca aaa ctg acc agt tgg			2592
Met Ala Ala Asn Gln Val Glu Lys Asp Leu Thr Lys Leu Thr Ser Trp			
	850	855	860
aca cag att gac gct att ctg caa tgg tta cag atg tct tcg gcc ttg			2640
Thr Gln Ile Asp Ala Ile Leu Gln Trp Leu Gln Met Ser Ser Ala Leu			
	865	870	875
gcg gtt tct cca ctg gat ctg gca ggg atg atg gcc ctg aaa tat ggg			2688
Ala Val Ser Pro Leu Asp Leu Ala Gly Met Met Ala Leu Lys Tyr Gly			
	885	890	895
ata gat cat aac tat gct gcc tgg caa gct gcg gcg gct gcg ctg atg			2736
Ile Asp His Asn Tyr Ala Ala Trp Gln Ala Ala Ala Ala Ala Leu Met			
	900	905	910
gct gat cat gct aat cag gca cag aaa aaa ctg gat gag acg ttc agt			2784
Ala Asp His Ala Asn Gln Ala Gln Lys Lys Leu Asp Glu Thr Phe Ser			
	915	920	925
aag gca tta tgt aac tat tat att aat gct gtt gtc gat agt gct gct			2832
Lys Ala Leu Cys Asn Tyr Tyr Ile Asn Ala Val Val Asp Ser Ala Ala			
	930	935	940

gga gta cgt gat cgt aac ggt tta tat acc tat ttg ctg att gat aat Gly Val Arg Asp Arg Asn Gly Leu Tyr Thr Tyr Leu Leu Ile Asp Asn 945 950 955 960	2880
cag gtt tct gcc gat gtg atc act tca cgt att gca gaa gct atc gcc Gln Val Ser Ala Asp Val Ile Thr Ser Arg Ile Ala Glu Ala Ile Ala 965 970 975	2928
ggt att caa ctg tac gtt aac cgg gct tta aac cga gat gaa ggt cag Gly Ile Gln Leu Tyr Val Asn Arg Ala Leu Asn Arg Asp Glu Gly Gln 980 985 990	2976
ctt gca tcg gac gtt agt acc cgt cag ttc ttc act gac tgg gaa cgt Leu Ala Ser Asp Val Ser Thr Arg Gln Phe Phe Thr Asp Trp Glu Arg 995 1000 1005	3024
tac aat aaa cgt tac agt act tgg gct ggt gtc tct gaa ctg gtc tat Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Glu Leu Val Tyr 1010 1015 1020	3072
tat cca gaa aac tat gtt gat ccc act cag cgc att ggg caa acc aaa Tyr Pro Glu Asn Tyr Val Asp Pro Thr Gln Arg Ile Gly Gln Thr Lys 1025 1030 1035 1040	3120
atg atg gat gcg ctg ttg caa tcc atc aac cag agc cag cta aat gcg Met Met Asp Ala Leu Leu Gln Ser Ile Asn Gln Ser Gln Leu Asn Ala 1045 1050 1055	3168
gat acg gtg gaa gat gct ttc aaa act tat ttg acc agc ttt gag cag Asp Thr Val Glu Asp Ala Phe Lys Thr Tyr Leu Thr Ser Phe Glu Gln 1060 1065 1070	3216
gta gca aat ctg aaa gta att agt gct tac cac gat aat gtg aat gtg Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Val Asn Val 1075 1080 1085	3264
gat caa gga tta act tat ttt atc ggt atc gac caa gca gct ccg ggt Asp Gln Gly Leu Thr Tyr Phe Ile Gly Ile Asp Gln Ala Ala Pro Gly 1090 1095 1100	3312
acg tat tac tgg cgt agt gtt gat cac agc aaa tgt gaa aat ggc aag Thr Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Cys Glu Asn Gly Lys 1105 1110 1115 1120	3360
ttt gcc gct aat gct tgg ggt gag tgg aat aaa att acc tgt gct gtc Phe Ala Ala Asn Ala Trp Gly Glu Trp Asn Lys Ile Thr Cys Ala Val 1125 1130 1135	3408
aat cct tgg aaa aat atc atc cgt ccg gtt gtt tat atg tcc cgc tta Asn Pro Trp Lys Asn Ile Ile Arg Pro Val Val Tyr Met Ser Arg Leu 1140 1145 1150	3456
tat ctg cta tgg ctg gag cag caa tca aag aaa agt gat gat ggt aaa Tyr Leu Leu Trp Leu Glu Gln Gln Ser Lys Lys Ser Asp Asp Gly Lys 1155 1160 1165	3504
acc acg att tat caa tat aac tta aaa ctg gct cat att cgt tac gac Thr Thr Ile Tyr Gln Tyr Asn Leu Lys Leu Ala His Il Arg Tyr Asp 1170 1175 1180	3552

ggt agt tgg aat aca cca ttt act ttt gat gtg aca gaa aag gta aaa Gly Ser Trp Asn Thr Pro Phe Thr Phe Asp Val Thr Glu Lys Val Lys 1185 1190 1195 1200	3600
aat tac acg tcg agt act gat gct gct gaa tct tta ggg ttg tat tgt Asn Tyr Thr Ser Ser Thr Asp Ala Ala Glu Ser Leu Gly Leu Tyr Cys 1205 1210 1215	3648
act ggt tat caa ggg gaa gac act cta tta gtt atg ttc tat tcg atg Thr Gly Tyr Gln Gly Glu Asp Thr Leu Leu Val Met Phe Tyr Ser Met 1220 1225 1230	3696
cag agt agt tat agc tcc tat acc gat aat aat gcg ccg gtc act ggg Gln Ser Ser Tyr Ser Ser Tyr Thr Asp Asn Asn Ala Pro Val Thr Gly 1235 1240 1245	3744
cta tat att ttc gct gat atg tca tca gac aat atg acg aat gca caa Leu Tyr Ile Phe Ala Asp Met Ser Ser Asp Asn Met Thr Asn Ala Gln 1250 1255 1260	3792
gca act aac tat tgg aat aac agt tat ccg caa ttt gat act gtg atg Ala Thr Asn Tyr Trp Asn Asn Ser Tyr Pro Gln Phe Asp Thr Val Met 1265 1270 1275 1280	3840
gca gat ccg gat agc gac aat aaa aaa gtc ata acc aga aga gtt aat Ala Asp Pro Asp Ser Asp Asn Lys Lys Val Ile Thr Arg Arg Val Asn 1285 1290 1295	3888
aac cgt tat gcg gag gat tat gaa att cct tcc tct gtg aca agt aac Asn Arg Tyr Ala Glu Asp Tyr Glu Ile Pro Ser Ser Val Thr Ser Asn 1300 1305 1310	3936
agt aat tat tct tgg ggt gat cac agt tta acc atg ctt tat ggt ggt Ser Asn Tyr Ser Trp Gly Asp His Ser Leu Thr Met Leu Tyr Gly Gly 1315 1320 1325	3984
agt gtt cct aat att act ttt gaa tcg gcg gca gaa gat tta agg cta Ser Val Pro Asn Ile Thr Phe Glu Ser Ala Ala Glu Asp Leu Arg Leu 1330 1335 1340	4032
tct acc aat atg gca ttg agt att att cat aat gga tat gcg gga acc Ser Thr Asn Met Ala Leu Ser Ile Ile His Asn Gly Tyr Ala Gly Thr 1345 1350 1355 1360	4080
cgc cgt ata caa tgt aat ctt atg aaa caa tac gct tca tta ggt gat Arg Arg Ile Gln Cys Asn Leu Met Lys Gln Tyr Ala Ser Leu Gly Asp 1365 1370 1375	4128
aaa ttt ata att tat gat tca tca ttt gat gat gca aac cgt ttt aat Lys Phe Ile Ile Tyr Asp Ser Ser Phe Asp Asp Ala Asn Arg Phe Asn 1380 1385 1390	4176
ctg gtg cca ttg ttt aaa ttc gga aaa gac gag aac tca gat gat agt Leu Val Pro Leu Phe Lys Phe Gly Lys Asp Glu Asn Ser Asp Asp Ser 1395 1400 1405	4224
att tgt ata tat aat gaa aac cct tcc tct gaa gat aag aag tgg tat Ile Cys Ile Tyr Asn Glu Asn Pro Ser Ser Glu Asp Lys Lys Trp Tyr 1410 1415 1420	4272
ttt tct tcg aaa gat gac aat aaa aca gcg gat tat aat ggt gga act	4320

1665	1670	1675	1680	
caa act gtt gtg aaa gtt ttc tta tcc tat ttt ata gag gcg act gga				5088
Gln Thr Val Val Lys Val Phe Leu Ser Tyr Phe Ile Glu Ala Thr Gly				
	1685	1690	1695	
aat aag aac cac tta tgg gta cgt gct aaa tac caa aag gaa acg act				5136
Asn Lys Asn His Leu Trp Val Arg Ala Lys Tyr Gln Lys Glu Thr Thr				
	1700	1705	1710	
gat aag atc ttg ttc gac cgt act gat gag aaa gat ccg cac ggt tgg				5184
Asp Lys Ile Leu Phe Asp Arg Thr Asp Glu Lys Asp Pro His Gly Trp				
	1715	1720	1725	
ttt ctc agc gac gat cac aag acc ttt agt ggt ctc tct tcc gca cag				5232
Phe Leu Ser Asp Asp His Lys Thr Phe Ser Gly Leu Ser Ser Ala Gln				
	1730	1735	1740	
gca tta aag aac gac agt gaa ccg atg gat ttc tct ggc gcc aat gct				5280
Ala Leu Lys Asn Asp Ser Glu Pro Met Asp Phe Ser Gly Ala Asn Ala				
	1745	1750	1755	1760
ctc tat ttc tgg gaa ctg ttc tat tac acg ccg atg atg atg gct cat				5328
Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr Thr Pro Met Met Met Ala His				
	1765	1770	1775	
cgt ttg ttg cag gaa cag aat ttt gat gcg gcg aac cat tgg ttc cgt				5376
Arg Leu Leu Gln Glu Gln Asn Phe Asp Ala Ala Asn His Trp Phe Arg				
	1780	1785	1790	
tat gtc tgg agt cca tcc ggt tat atc gtt gat ggt aaa att gct atc				5424
Tyr Val Trp Ser Pro Ser Gly Tyr Ile Val Asp Gly Lys Ile Ala Ile				
	1795	1800	1805	
tac cac tgg aac gtg cga ccg ctg gaa gaa gac acc agt tgg aat gca				5472
Tyr His Trp Asn Val Arg Pro Leu Glu Glu Asp Thr Ser Trp Asn Ala				
	1810	1815	1820	
caa caa ctg gac tcc acc gat cca gat gct gta gcc caa gat gat ccg				5520
Gln Gln Leu Asp Ser Thr Asp Pro Asp Ala Val Ala Gln Asp Asp Pro				
	1825	1830	1835	1840
atg cac tac aag gtg gct acc ttt atg gcg acg ttg gat ctg cta atg				5568
Met His Tyr Lys Val Ala Thr Phe Met Ala Thr Leu Asp Leu Leu Met				
	1845	1850	1855	
gcc cgt ggt gat gct gct tac cgc cag tta gag cgt gat acg ttg gct				5616
Ala Arg Gly Asp Ala Ala Tyr Arg Gln Leu Glu Arg Asp Thr Leu Ala				
	1860	1865	1870	
gaa gct aaa atg tgg tat aca cag gcg ctt aat ctg ttg ggt gat gag				5664
Glu Ala Lys Met Trp Tyr Thr Gln Ala Leu Asn Leu Leu Gly Asp Glu				
	1875	1880	1885	
cca caa gtg atg ctg agt acg act tgg gct aat cca aca ttg ggt aat				5712
Pro Gln Val Met Leu Ser Thr Thr Trp Ala Asn Pro Thr Leu Gly Asn				
	1890	1895	1900	
gct gct tca aaa acc aca cag cag gtt cgt cag caa gtg ctt acc cag				5760
Ala Ala Ser Lys Thr Thr Gln Gln Val Arg Gln Gln Val Leu Thr Gln				
	1905	1910	1915	1920

ttg cgt ctc aat agc agg gta aaa acc ccg ttg cta gga aca gcc aat Leu Arg Leu Asn Ser Arg Val Lys Thr Pro Leu Leu Gly Thr Ala Asn 1925 1930 1935	5808
tcc ctg acc gct tta ttc ctg ccg cag gaa aat agc aag ctc aaa ggc Ser Leu Thr Ala Leu Phe Leu Pro Gln Glu Asn Ser Lys Leu Lys Gly 1940 1945 1950	5856
tac tgg cgg aca ctg gcg cag cgt atg ttt aat tta cgt cat aat ctg Tyr Trp Arg Thr Leu Ala Gln Arg Met Phe Asn Leu Arg His Asn Leu 1955 1960 1965	5904
tcg att gac ggc cag ccg ctc tcc ttg ccg ctg tat gct aaa ccg gct Ser Ile Asp Gly Gln Pro Leu Ser Leu Pro Leu Tyr Ala Lys Pro Ala 1970 1975 1980	5952
gat cca aaa gct tta ctg agt gcg gcg gtt tca gct tct caa ggg gga Asp Pro Lys Ala Leu Leu Ser Ala Ala Val Ser Ala Ser Gln Gly Gly 1985 1990 1995 2000	6000
gcc gac ttg ccg aag gcg ccg ctg act att cac cgc ttc cct caa atg Ala Asp Leu Pro Lys Ala Pro Leu Thr Ile His Arg Phe Pro Gln Met 2005 2010 2015	6048
cta gaa ggg gca cgg ggc ttg gtt aac cag ctt ata cag ttc ggt agt Leu Glu Gly Ala Arg Gly Leu Val Asn Gln Leu Ile Gln Phe Gly Ser 2020 2025 2030	6096
tca cta ttg ggg tac agt gag cgt cag gat gcg gaa gct atg agt caa Ser Leu Leu Gly Tyr Ser Glu Arg Gln Asp Ala Glu Ala Met Ser Gln 2035 2040 2045	6144
cta ctg caa acc caa gcc agc gag tta ata ctg acc agt att cgt atg Leu Leu Gln Thr Gln Ala Ser Glu Leu Ile Leu Thr Ser Ile Arg Met 2050 2055 2060	6192
cag gat aac caa ttg gca gag ctg gat tcg gaa aaa acc gcc ttg caa Gln Asp Asn Gln Leu Ala Glu Leu Asp Ser Glu Lys Thr Ala Leu Gln 2065 2070 2075 2080	6240
gtc tct tta gct gga gtg caa caa cgg ttt gac agc tat agc caa ctg Val Ser Leu Ala Gly Val Gln Gln Arg Phe Asp Ser Tyr Ser Gln Leu 2085 2090 2095	6288
tat gag gag aac atc aac gca ggt gag cag cga gcg ctg gcg tta cgc Tyr Glu Glu Asn Ile Asn Ala Gly Glu Gln Arg Ala Leu Ala Leu Arg 2100 2105 2110	6336
tca gaa tct gct att gag tct cag gga gcg cag att tcc cgt atg gca Ser Glu Ser Ala Ile Glu Ser Gln Gly Ala Gln Ile Ser Arg Met Ala 2115 2120 2125	6384
ggc gcg ggt gtt gat atg gca cca aat atc ttc ggc ctg gct gat ggc Gly Ala Gly Val Asp Met Ala Pro Asn Ile Phe Gly Leu Ala Asp Gly 2130 2135 2140	6432
ggc atg cat tat ggt gct att gcc tat gcc atc gct gac ggt att gag Gly Met His Tyr Gly Ala Ile Ala Tyr Ala Ile Ala Asp Gly Ile Glu 2145 2150 2155 2160	6480

ttg agt gct tct gcc aag atg gtt gat gcg gag aaa gtt gct cag tcg	6528
Leu Ser Ala Ser Ala Lys Met Val Asp Ala Glu Lys Val Ala Gln Ser	
2165 2170 2175	
gaa ata tat cgc cgt cgc cgt caa gaa tgg aaa att cag cgt gac aac	6576
Glu Ile Tyr Arg Arg Arg Arg Gln Glu Trp Lys Ile Gln Arg Asp Asn	
2180 2185 2190	
gca caa gcg gag att aac cag tta aac gcg caa ctg gaa tca ctg tct	6624
Ala Gln Ala Glu Ile Asn Gln Leu Asn Ala Gln Leu Ser Leu Ser	
2195 2200 2205	
att cgc cgt gaa gcc gct gaa atg caa aaa gag tac ctg aaa acc cag	6672
Ile Arg Arg Glu Ala Ala Glu Met Gln Lys Glu Tyr Leu Lys Thr Gln	
2210 2215 2220	
caa gct cag gcg cag gca caa ctt act ttc tta aga agc aaa ttc agt	6720
Gln Ala Gln Ala Gln Ala Gln Leu Thr Phe Leu Arg Ser Lys Phe Ser	
2225 2230 2235 2240	
aat caa gcg tta tat agt tgg tta cga ggg cgt ttg tca ggt att tat	6768
Asn Gln Ala Leu Tyr Ser Trp Leu Arg Gly Arg Leu Ser Gly Ile Tyr	
2245 2250 2255	
ttc cag ttc tat gac ttg gcc gta tca cgt tgc ctg atg gca gag caa	6816
Phe Gln Phe Tyr Asp Leu Ala Val Ser Arg Cys Leu Met Ala Glu Gln	
2260 2265 2270	
tcc tat caa tgg gaa gct aat gat aat tcc att agc ttt gtc aaa ccg	6864
Ser Tyr Gln Trp Glu Ala Asn Asp Asn Ser Ile Ser Phe Val Lys Pro	
2275 2280 2285	
ggt gca tgg caa gga act tac gcc ggc tta ttg tgt gga gaa gct ttg	6912
Gly Ala Trp Gln Gly Thr Tyr Ala Gly Leu Leu Cys Gly Glu Ala Leu	
2290 2295 2300	
ata caa aat ctg gca caa atg gaa gag gca tat ctg aaa tgg gaa tct	6960
Ile Gln Asn Leu Ala Gln Met Glu Glu Ala Tyr Leu Lys Trp Glu Ser	
2305 2310 2315 2320	
cgc gct ttg gaa gta gaa cgc acg gtt tca ttg gca gtg gtt tat gat	7008
Arg Ala Leu Glu Val Glu Arg Thr Val Ser Leu Ala Val Val Tyr Asp	
2325 2330 2335	
tca ctg gaa ggt aat gat cgt ttt aat tta gcg gaa caa ata cct gca	7056
Ser Leu Glu Gly Asn Asp Arg Phe Asn Leu Ala Glu Gln Ile Pro Ala	
2340 2345 2350	
tta ttg gat aag ggg gag gga aca gca gga act aaa gaa aat ggg tta	7104
Leu Leu Asp Lys Gly Glu Gly Thr Ala Gly Thr Lys Glu Asn Gly Leu	
2355 2360 2365	
tca ttg gct aat gct atc ctg tca gct tcg gtc aaa ttg tcc gac ttg	7152
Ser Leu Ala Asn Ala Ile Leu Ser Ala Ser Val Lys Leu Ser Asp Leu	
2370 2375 2380	
aaa ctg gga acg gat tat cca gac agt atc gtt ggt agc aac aag gtt	7200
Lys Leu Gly Thr Asp Tyr Pro Asp Ser Ile Val Gly Ser Asn Lys Val	
2385 2390 2395 2400	
cgt cgt att aag caa atc agt gtt tcg cta cct gca ttg gtt ggg cct	7248

Arg Arg Ile Lys Gln Ile Ser Val Ser Leu Pro Ala Leu Val Gly Pro
 2405 2410 2415

tat cag gat gtt cag gct atg ctc agc tat ggt ggc agt act caa ttg 7296
 Tyr Gln Asp Val Gln Ala Met Leu Ser Tyr Gly Gly Ser Thr Gln Leu
 2420 2425 2430

ccg aaa ggt tgt tca gcg ttg gct gtg tct cat ggt acc aat gat agt 7344
 Pro Lys Gly Cys Ser Ala Leu Ala Val Ser His Gly Thr Asn Asp Ser
 2435 2440 2445

ggt cag ttc cag ttg gat ttc aat gac ggc aaa tac ctg cca ttt gaa 7392
 Gly Gln Phe Gln Leu Asp Phe Asn Asp Gly Lys Tyr Leu Pro Phe Glu
 2450 2455 2460

ggt att gct ctt gat gat cag ggt aca ctg aat ctt caa ttt ccg aat 7440
 Gly Ile Ala Leu Asp Asp Gln Gly Thr Leu Asn Leu Gln Phe Pro Asn
 2465 2470 2475 2480

gct acc gac aag cag aaa gca ata ttg caa act atg agc gat att att 7488
 Ala Thr Asp Lys Gln Lys Ala Ile Leu Gln Thr Met Ser Asp Ile Ile
 2485 2490 2495

ttg cat att cgt tat acc atc cgt taa 7515
 Leu His Ile Arg Tyr Thr Ile Arg
 2500

<210> 3
 <211> 7577
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <222> (3)..(7553)

<220>
 <223> Description of Artificial Sequence:hemicot tcdA

<400> 3
 cc atg gct aac gag tcc gtc aag gag atc cca gac gtc ctc aag tcc 47
 Met Ala Asn Glu Ser Val Lys Glu Ile Pro Asp Val Leu Lys Ser
 1 5 10 15

caa tgc ggt ttc aac tgc ctc act gac atc tcc cac agc tcc ttc aac 95
 Gln Cys Gly Phe Asn Cys Leu Thr Asp Ile Ser His Ser Ser Phe Asn
 20 25 30

gag ttc aga caa caa gtc tct gag cac ctc tcc tgg tcc gag acc cat 143
 Glu Phe Arg Gln Gln Val Ser Glu His Leu Ser Trp Ser Glu Thr His
 35 40 45

gac ctc tac cat gac gct cag caa gct cag aag gac aac agg ctc tac 191
 Asp Leu Tyr His Asp Ala Gln Gln Ala Gln Lys Asp Asn Arg Leu Tyr
 50 55 60

gag gct agg atc ctc aag agg gct aac cca caa ctc cag aac gct gtc 239
 Glu Ala Arg Ile Leu Lys Arg Ala Asn Pro Gln Leu Gln Asn Ala Val
 65 70 75

cac ctc gcc atc ttg gct cca aac gct gag ttg att ggt tac aac aac	287
His Leu Ala Ile Leu Ala Pro Asn Ala Glu Leu Ile Gly Tyr Asn Asn	
80 85 90 95	
cag ttc tct ggc aga gct agc cag tac gtg gct cct ggt aca gtc tcc	335
Gln Phe Ser Gly Arg Ala Ser Gln Tyr Val Ala Pro Gly Thr Val Ser	
100 105 110	
tcc atg ttc agc cca gcc gct tac ctc act gag ttg tac cgc gag gct	383
Ser Met Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala	
115 120 125	
agg aac ctt cat gct tct gac tcc gtc tac tac ttg gac aca cgc aga	431
Arg Asn Leu His Ala Ser Asp Ser Val Tyr Tyr Leu Asp Thr Arg Arg	
130 135 140	
cca gac ctc aag agc atg gcc ctc agc caa cag aac atg gac att gag	479
Pro Asp Leu Lys Ser Met Ala Leu Ser Gln Gln Asn Met Asp Ile Glu	
145 150 155	
ttg tcc acc ctc tcc ttg agc aac gag ctt ctc ttg gag tcc atc aag	527
Leu Ser Thr Leu Ser Leu Ser Asn Glu Leu Leu Leu Glu Ser Ile Lys	
160 165 170 175	
act gag agc aag ttg gag aac tac acc aag gtc atg gag atg ctc tcc	575
Thr Glu Ser Lys Leu Glu Asn Tyr Thr Lys Val Met Glu Met Leu Ser	
180 185 190	
acc ttc aga cca agc ggt gca act cca tac cat gat gcc tac gag aac	623
Thr Phe Arg Pro Ser Gly Ala Thr Pro Tyr His Asp Ala Tyr Glu Asn	
195 200 205	
gtc agg gag gtc atc caa ctt caa gac cct ggt ctt gag caa ctc aac	671
Val Arg Glu Val Ile Gln Leu Gln Asp Pro Gly Leu Glu Gln Leu Asn	
210 215 220	
gct tct cca gcc att gct ggt ttg atg cac cag gca tcc ttg ctc ggt	719
Ala Ser Pro Ala Ile Ala Gly Leu Met His Gln Ala Ser Leu Leu Gly	
225 230 235	
atc aac gcc tcc atc tct cct gag ttg ttc aac atc ttg act gag gag	767
Ile Asn Ala Ser Ile Ser Pro Glu Leu Phe Asn Ile Leu Thr Glu Glu	
240 245 250 255	
atc act gag ggc aac gct gag gag ttg tac aag aag aac ttc ggc aac	815
Ile Thr Glu Gly Asn Ala Glu Glu Leu Tyr Lys Lys Asn Phe Gly Asn	
260 265 270	
att gag cca gcc tct ctt gca atg cct gag tac ctc aag agg tac tac	863
Ile Glu Pro Ala Ser Leu Ala Met Pro Glu Tyr Leu Lys Arg Tyr Tyr	
275 280 285	
aac ttg tct gat gag gag ctt tct caa ttc att ggc aag gct tcc aac	911
Asn Leu Ser Asp Glu Glu Leu Ser Gln Phe Ile Gly Lys Ala Ser Asn	
290 295 300	
ttc ggt caa cag gag tac agc aac aac cag ctc atc act cca gtt gtg	959
Phe Gly Gln Gln Glu Tyr S r Asn Asn Gln Leu Ile Thr Pro Val Val	
305 310 315	

aac tcc tct gat ggc act gtg aag gtc tac cgc atc aca cgt gag tac	1007
Asn Ser Ser Asp Gly Thr Val Lys Val Tyr Arg Ile Thr Arg Glu Tyr	
320 325 330 335	
acc aca aac gcc tac caa atg gat gtt gag ttg ttc cca ttc ggt ggt	1055
Thr Thr Asn Ala Tyr Gln Met Asp Val Glu Leu Phe Pro Phe Gly Gly	
340 345 350	
gag aac tac aga ctt gac tac aag ttc aag aac ttc tac aac gcc tcc	1103
Glu Asn Tyr Arg Leu Asp Tyr Lys Phe Lys Asn Phe Tyr Asn Ala Ser	
355 360 365	
tac ctc tcc atc aag ttg aac gac aag agg gag ctt gtc agg act gag	1151
Tyr Leu Ser Ile Lys Leu Asn Asp Lys Arg Glu Leu Val Arg Thr Glu	
370 375 380	
ggt gct cct caa gtg aac att gag tac tct gcc aac atc acc ctc aac	1199
Gly Ala Pro Gln Val Asn Ile Glu Tyr Ser Ala Asn Ile Thr Leu Asn	
385 390 395	
aca gct gac atc tct caa cca ttc gag att ggt ttg acc aga gtc ctt	1247
Thr Ala Asp Ile Ser Gln Pro Phe Glu Ile Gly Leu Thr Arg Val Leu	
400 405 410 415	
ccc tct ggc tcc tgg gcc tac gct gca gcc aag ttc act gtt gag gag	1295
Pro Ser Gly Ser Trp Ala Tyr Ala Ala Ala Lys Phe Thr Val Glu Glu	
420 425 430	
tac aac cag tac tct ttc ctc ttg aag ctc aac aag gca att cgt ctc	1343
Tyr Asn Gln Tyr Ser Phe Leu Leu Lys Leu Asn Lys Ala Ile Arg Leu	
435 440 445	
agc aga gcc act gag ttg tct ccc acc atc ttg gag ggc att gtg agg	1391
Ser Arg Ala Thr Glu Leu Ser Pro Thr Ile Leu Glu Gly Ile Val Arg	
450 455 460	
tct gtc aac ctt caa ctt gac atc aac act gat gtg ctt ggc aag gtc	1439
Ser Val Asn Leu Gln Leu Asp Ile Asn Thr Asp Val Leu Gly Lys Val	
465 470 475	
ttc ctc acc aag tac tac atg caa cgc tac gcc atc cat gct gag act	1487
Phe Leu Thr Lys Tyr Tyr Met Gln Arg Tyr Ala Ile His Ala Glu Thr	
480 485 490 495	
gca ctc atc ctc tgc aac gca ccc atc tct caa cgc tcc tac gac aac	1535
Ala Leu Ile Leu Cys Asn Ala Pro Ile Ser Gln Arg Ser Tyr Asp Asn	
500 505 510	
cag cct tcc cag ttc gac agg ctc ttc aac act cct ctc ttg aac ggc	1583
Gln Pro Ser Gln Phe Asp Arg Leu Phe Asn Thr Pro Leu Leu Asn Gly	
515 520 525	
cag tac ttc tcc act ggt gat gag gag att gac ctc aac tct ggc tcc	1631
Gln Tyr Phe Ser Thr Gly Asp Glu Glu Ile Asp Leu Asn Ser Gly Ser	
530 535 540	
aca ggt gac tgg aga aag acc atc ttg aag agg gcc ttc aac att gat	1679
Thr Gly Asp Trp Arg Lys Thr Ile Leu Lys Arg Ala Phe Asn Ile Asp	
545 550 555	
gat gtc tct ctc ttc cgt ctc ttg aag atc aca gat cac gac aac aag	1727

Asp Val Ser Leu Phe Arg Leu Leu Lys Ile Thr Asp His Asp Asn Lys	
560 565 570 575	
gat ggc aag atc aag aac aac ttg aag aac ctt tcc aac ctc tac att	1775
Asp Gly Lys Ile Lys Asn Asn Leu Lys Asn Leu Ser Asn Leu Tyr Ile	
580 585 590	
ggc aag ttg ctt gca gac atc cac caa ctc acc att gat gag ttg gac	1823
Gly Lys Leu Leu Ala Asp Ile His Gln Leu Thr Ile Asp Glu Leu Asp	
595 600 605	
ctc ttg ctc att gca gtc ggt gag ggc aag acc aac ctc tct gca atc	1871
Leu Leu Leu Ile Ala Val Gly Glu Gly Lys Thr Asn Leu Ser Ala Ile	
610 615 620	
tct gac aag cag ttg gca acc ctc atc agg aag ttg aac acc atc acc	1919
Ser Asp Lys Gln Leu Ala Thr Leu Ile Arg Lys Leu Asn Thr Ile Thr	
625 630 635	
tcc tgg ctt cac acc cag aag tgg tct gtc ttc caa ctc ttc atc atg	1967
Ser Trp Leu His Thr Gln Lys Trp Ser Val Phe Gln Leu Phe Ile Met	
640 645 650 655	
acc agc acc tcc tac aac aag acc ctc act cct gag atc aag aac ctc	2015
Thr Ser Thr Ser Tyr Asn Lys Thr Leu Thr Pro Glu Ile Lys Asn Leu	
660 665 670	
ttg gac aca gtc tac cac ggt ctc caa ggc ttc gac aag gac aag gct	2063
Leu Asp Thr Val Tyr His Gly Leu Gln Gly Phe Asp Lys Asp Lys Ala	
675 680 685	
gac ttg ctt cat gtc atg gct ccc tac att gca gcc acc ctc caa ctc	2111
Asp Leu Leu His Val Met Ala Pro Tyr Ile Ala Ala Thr Leu Gln Leu	
690 695 700	
tcc tct gag aac gtg gct cac tct gtc ttg ctc tgg gct gac aag ctc	2159
Ser Ser Glu Asn Val Ala His Ser Val Leu Leu Trp Ala Asp Lys Leu	
705 710 715	
caa cct ggt gat ggt gcc atg act gct gag aag ttc tgg gac tgg ctc	2207
Gln Pro Gly Asp Gly Ala Met Thr Ala Glu Lys Phe Trp Asp Trp Leu	
720 725 730 735	
aac acc aag tac aca cca ggc tcc tct gag gct gtt gag act caa gag	2255
Asn Thr Lys Tyr Thr Pro Gly Ser Ser Glu Ala Val Glu Thr Gln Glu	
740 745 750	
cac att gtg caa tac tgc cag gct ctt gca cag ttg gag atg gtc tac	2303
His Ile Val Gln Tyr Cys Gln Ala Leu Ala Gln Leu Glu Met Val Tyr	
755 760 765	
cac tcc act ggc atc aac gag aac gct ttc aga ctc ttc gtc acc aag	2351
His Ser Thr Gly Ile Asn Glu Asn Ala Phe Arg Leu Phe Val Thr Lys	
770 775 780	
cct gag atg ttc ggt gct gcc aca ggt gct gca cct gct cat gat gct	2399
Pro Glu Met Phe Gly Ala Ala Thr Gly Ala Ala Pro Ala His Asp Ala	
785 790 795	
ctc tcc ctc atc atg ttg acc agg ttc gct gac tgg gtc aac gct ctt	2447
Leu Ser L u Ile Met Leu Thr Arg Phe Ala Asp Trp Val Asn Ala Leu	

800	805	810	815	
ggt gag aag gct tcc tct gtc ttg gct gcc ttc gag gcc aac tcc ctc Gly Glu Lys Ala Ser Ser Val Leu Ala Phe Glu Ala Asn Ser Leu	820	825	830	2495
act gct gag caa ctt gct gat gcc atg aac ctt gat gcc aac ctc ttg Thr Ala Glu Gln Leu Ala Asp Ala Met Asn Leu Asp Ala Asn Leu Leu	835	840	845	2543
ctc caa gct tcc att caa gct cag aac cac caa cac ctc cca cct gtc Leu Gln Ala Ser Ile Gln Ala Gln Asn His Gln His Leu Pro Pro Val	850	855	860	2591
act cca gag aac gct ttc tcc tgc tgg acc tcc atc aac acc atc ctc Thr Pro Glu Asn Ala Phe Ser Cys Trp Thr Ser Ile Asn Thr Ile Leu	865	870	875	2639
caa tgg gtc aac gtg gct cag caa ctc aac gtg gct cca caa ggt gtc Gln Trp Val Asn Val Ala Gln Gln Leu Asn Val Ala Pro Gln Gly Val	880	885	890	2687
tct gct ttg gtc ggt ctt gac tac atc cag tcc atg aag gag aca cca Ser Ala Leu Val Gly Leu Asp Tyr Ile Gln Ser Met Lys Glu Thr Pro	900	905	910	2735
acc tac gct caa tgg gag aac gca gct ggt gtc ttg act gct ggt ctc Thr Tyr Ala Gln Trp Glu Asn Ala Ala Gly Val Leu Thr Ala Gly Leu	915	920	925	2783
aac tcc caa cag gcc aac acc ctc cat gct ttc ttg gat gag tct cgc Asn Ser Gln Gln Ala Asn Thr Leu His Ala Phe Leu Asp Glu Ser Arg	930	935	940	2831
tct gct gcc ctc tcc acc tac tac atc agg caa gtc gcc aag gca gct Ser Ala Ala Leu Ser Thr Tyr Tyr Ile Arg Gln Val Ala Lys Ala Ala	945	950	955	2879
gct gcc atc aag tct cgc gat gac ctc tac caa tac ctc ctc att gac Ala Ala Ile Lys Ser Arg Asp Asp Leu Tyr Gln Tyr Leu Leu Ile Asp	960	965	970	2927
aac cag gtc tct gct gcc atc aag acc acc agg atc gct gag gcc atc Asn Gln Val Ser Ala Ala Ile Lys Thr Thr Arg Ile Ala Glu Ala Ile	980	985	990	2975
gct tcc atc caa ctc tac gtc aac cgc gct ctt gag aac gtt gag gag Ala Ser Ile Gln Leu Tyr Val Asn Arg Ala Leu Glu Asn Val Glu Glu	995	1000	1005	3023
aac gcc aac tct ggt gtc atc tct cgc caa ttc ttc atc gac tgg gac Asn Ala Asn Ser Gly Val Ile Ser Arg Gln Phe Phe Ile Asp Trp Asp	1010	1015	1020	3071
aag tac aac aag agg tac tcc acc tgg gct ggt gtc tct caa ctt gtc Lys Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Gln Leu Val	1025	1030	1035	3119
tac tac cca gag aac tac att gac cca acc atg agg att ggt cag acc Tyr Tyr Pro Glu Asn Tyr Ile Asp Pro Thr Met Arg Ile Gly Gln Thr	1040	1045	1050	3167

aag atg atg gat gct ctc ttg caa tct gtc tcc caa agc caa ctc aac	3215
Lys Met Met Asp Ala Leu Leu Gln Ser Val Ser Gln Ser Gln Leu Asn	
1060 1065 1070	
gct gac act gtg gag gat gcc ttc atg agc tac ctc acc tcc ttc gag	3263
Ala Asp Thr Val Glu Asp Ala Phe Met Ser Tyr Leu Thr Ser Phe Glu	
1075 1080 1085	
caa gtt gcc aac ctc aag gtc atc tct gct tac cat gac aac atc aac	3311
Gln Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Ile Asn	
1090 1095 1100	
aac gac caa ggt ctc acc tac ttc att ggt ctc tct gag act gat gct	3359
Asn Asp Gln Gly Leu Thr Tyr Phe Ile Gly Leu Ser Glu Thr Asp Ala	
1105 1110 1115	
ggt gag tac tac tgg aga tcc gtg gac cac agc aag ttc aac gat ggc	3407
Gly Glu Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Phe Asn Asp Gly	
1120 1125 1130 1135	
aag ttc gct gca aac gct tgg tct gag tgg cac aag att gac tgc cct	3455
Lys Phe Ala Ala Asn Ala Trp Ser Glu Trp His Lys Ile Asp Cys Pro	
1140 1145 1150	
atc aac cca tac aag tcc acc atc aga cct gtc atc tac aag agc cgc	3503
Ile Asn Pro Tyr Lys Ser Thr Ile Arg Pro Val Ile Tyr Lys Ser Arg	
1155 1160 1165	
ctc tac ttg ctc tgg ctt gag cag aag gag atc acc aag caa act ggc	3551
Leu Tyr Leu Leu Trp Leu Glu Gln Lys Glu Ile Thr Lys Gln Thr Gly	
1170 1175 1180	
aac tcc aag gat ggt tac caa act gag act gac tac cgc tac gag ttg	3599
Asn Ser Lys Asp Gly Tyr Gln Thr Glu Thr Asp Tyr Arg Tyr Glu Leu	
1185 1190 1195	
aag ttg gct cac atc cgc tac gat ggt acc tgg aac act cca atc acc	3647
Lys Leu Ala His Ile Arg Tyr Asp Gly Thr Trp Asn Thr Pro Ile Thr	
1200 1205 1210 1215	
ttc gat gtc aac aag aag atc agc gag ttg aag ttg gag aag aac cgt	3695
Phe Asp Val Asn Lys Lys Ile Ser Glu Leu Lys Leu Glu Lys Asn Arg	
1220 1225 1230	
gct cct ggt ctc tac tgc gct ggt tac caa ggt gag gac acc ctc ttg	3743
Ala Pro Gly Leu Tyr Cys Ala Gly Tyr Gln Gly Glu Asp Thr Leu Leu	
1235 1240 1245	
gtc atg ttc tac aac cag caa gac acc ctt gac tcc tac aag aac gct	3791
Val Met Phe Tyr Asn Gln Gln Asp Thr Leu Asp Ser Tyr Lys Asn Ala	
1250 1255 1260	
tcc atg caa ggt ctc tac atc ttc gct gac atg gct tcc aag gac atg	3839
Ser Met Gln Gly Leu Tyr Ile Phe Ala Asp Met Ala Ser Lys Asp Met	
1265 1270 1275	
act cca gag caa agc aac gtc tac cgt gac aac tcc tac caa cag ttc	3887
Thr Pro Glu Gln Ser Asn Val Tyr Arg Asp Asn Ser Tyr Gln Gln Phe	
1280 1285 1290 1295	

gac acc aac aac gtc agg cgt gtc aac aac aga tac gct gag gac tac 3935
 Asp Thr Asn Asn Val Arg Arg Val Asn Asn Arg Tyr Ala Glu Asp Tyr
 1300 1305 1310

gag atc cca agc tct gtc agc tct cgc aag gac tac ggc tgg ggt gac 3983
 Glu Ile Pro Ser Ser Val Ser Ser Arg Lys Asp Tyr Gly Trp Gly Asp
 1315 1320 1325

tac tac ctc agc atg gtg tac aac ggt gac atc cca acc atc aac tac 4031
 Tyr Tyr Leu Ser Met Val Tyr Asn Gly Asp Ile Pro Thr Ile Asn Tyr
 1330 1335 1340

aag gct gcc tct tcc gac ctc aaa atc tac atc agc cca aag ctc agg 4079
 Lys Ala Ala Ser Ser Asp Leu Lys Ile Tyr Ile Ser Pro Lys Leu Arg
 1345 1350 1355

atc atc cac aac ggc tac gag ggt cag aag agg aac cag tgc aac ttg 4127
 Ile Ile His Asn Gly Tyr Glu Gly Gln Lys Arg Asn Gln Cys Asn Leu
 1360 1365 1370 1375

atg aac aag tac ggc aag ttg ggt gac aag ttc att gtc tac acc tct 4175
 Met Asn Lys Tyr Gly Lys Leu Gly Asp Lys Phe Ile Val Tyr Thr Ser
 1380 1385 1390

ctt ggt gtc aac cca aac aac agc tcc aac aag ctc atg ttc tac cca 4223
 Leu Gly Val Asn Pro Asn Asn Ser Ser Asn Lys Leu Met Phe Tyr Pro
 1395 1400 1405

gtc tac caa tac tct ggc aac acc tct ggt ctc aac cag ggt aga ctc 4271
 Val Tyr Gln Tyr Ser Gly Asn Thr Ser Gly Leu Asn Gln Gly Arg Leu
 1410 1415 1420

ttg ttc cac agg gac acc acc tac cca agc aag gtg gag gct tgg att 4319
 Leu Phe His Arg Asp Thr Thr Tyr Pro Ser Lys Val Glu Ala Trp Ile
 1425 1430 1435

cct ggt gcc aag agg tcc ctc acc aac cag aac gct gcc att ggt gat 4367
 Pro Gly Ala Lys Arg Ser Leu Thr Asn Gln Asn Ala Ala Ile Gly Asp
 1440 1445 1450 1455

gac tac gcc aca gac tcc ctc aac aag cct gat gac ctc aag cag tac 4415
 Asp Tyr Ala Thr Asp Ser Leu Asn Lys Pro Asp Asp Leu Lys Gln Tyr
 1460 1465 1470

atc ttc atg act gac tcc aag ggc aca gcc act gat gtc tct ggt cca 4463
 Ile Phe Met Thr Asp Ser Lys Gly Thr Ala Thr Asp Val Ser Gly Pro
 1475 1480 1485

gtg gag atc aac act gca atc agc cca gcc aag gtc caa atc att gtc 4511
 Val Glu Ile Asn Thr Ala Ile Ser Pro Ala Lys Val Gln Ile Ile Val
 1490 1495 1500

aag gct ggt ggc aag gag caa acc ttc aca gct gac aag gat gtc tcc 4559
 Lys Ala Gly Gly Lys Glu Gln Thr Phe Thr Ala Asp Lys Asp Val Ser
 1505 1510 1515

atc cag cca agc cca tcc ttc gat gag atg aac tac caa ttc aac gct 4607
 Ile Gln Pro Ser Pro Ser Phe Asp Glu Met Asn Tyr Gln Phe Asn Ala
 1520 1525 1530 1535

ctt gag att gat ggt tct ggc ctc aac ttc atc aac aac tct gct tcc 4655

Leu Glu Ile Asp Gly Ser Gly L u Asn Phe Ile Asn Asn Ser Ala Ser
 1540 1545 1550

att gat gtc acc ttc act gcc ttc gct gag gat ggc cgc aag ttg ggt 4703
 Ile Asp Val Thr Phe Thr Ala Phe Ala Glu Asp Gly Arg Lys Leu Gly
 1555 1560 1565

tac gag agc ttc tcc atc cca gtc acc ctt aag gtt tcc act gac aac 4751
 Tyr Glu Ser Phe Ser Ile Pro Val Thr Leu Lys Val Ser Thr Asp Asn
 1570 1575 1580

gca ctc acc ctt cat cac aac gag aac ggt gct cag tac atg caa tgg 4799
 Ala Leu Thr Leu His His Asn Glu Asn Gly Ala Gln Tyr Met Gln Trp
 1585 1590 1595

caa agc tac cgc acc agg ttg aac acc ctc ttc gca agg caa ctt gtg 4847
 Gln Ser Tyr Arg Thr Arg Leu Asn Thr Leu Phe Ala Arg Gln Leu Val
 1600 1605 1610 1615

gcc cgt gcc acc aca gcc att gac acc atc ctc agc atg gag acc cag 4895
 Ala Arg Ala Thr Thr Gly Ile Asp Thr Ile Leu Ser Met Glu Thr Gln
 1620 1625 1630

aac atc caa gag cca cag ttg ggc aag ggt ttc tac gcc acc ttc gtc 4943
 Asn Ile Gln Glu Pro Gln Leu Gly Lys Gly Phe Tyr Ala Thr Phe Val
 1635 1640 1645

atc cca cct tac aac ctc agc act cat ggt gat gag agg tgg ttc aag 4991
 Ile Pro Pro Tyr Asn Leu Ser Thr His Gly Asp Glu Arg Trp Phe Lys
 1650 1655 1660

ctc tac atc aag cac gtg gtt gac aac aac tcc cac atc atc tac tct 5039
 Leu Tyr Ile Lys His Val Val Asp Asn Asn Ser His Ile Ile Tyr Ser
 1665 1670 1675

ggt caa ctc act gac acc aac atc aac atc acc ctc ttc atc cca ctt 5087
 Gly Gln Leu Thr Asp Thr Asn Ile Asn Ile Thr Leu Phe Ile Pro Leu
 1680 1685 1690 1695

gac gat gtc cca ctc aac cag gac tac cat gcc aag gtc tac atg acc 5135
 Asp Asp Val Pro Leu Asn Gln Asp Tyr His Ala Lys Val Tyr Met Thr
 1700 1705 1710

ttc aag aag tct cca tct gat gcc acc tgg tgg ggt cca cac ttc gtc 5183
 Phe Lys Lys Ser Pro Ser Asp Gly Thr Trp Trp Gly Pro His Phe Val
 1715 1720 1725

cgt gat gac aag ggc atc gtc acc atc aac cca aag tcc atc ctc acc 5231
 Arg Asp Asp Lys Gly Ile Val Thr Ile Asn Pro Lys Ser Ile Leu Thr
 1730 1735 1740

cac ttc gag tct gtc aac gtt ctc aac aac atc tcc tct gag cca atg 5279
 His Phe Glu Ser Val Asn Val Leu Asn Asn Ile Ser Ser Glu Pro Met
 1745 1750 1755

gac ttc tct ggt gcc aac tcc ctc tac ttc tgg gag ttg ttc tac tac 5327
 Asp Phe Ser Gly Ala Asn Ser Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr
 1760 1765 1770 1775

aca cca atg ctt gtg gct caa agg ttg ctc cat gag cag aac ttc gat 5375
 Thr Pro Met Leu Val Ala Gln Arg Leu Leu His Glu Gln Asn Phe Asp

1780	1785	1790	
gag gcc aac agg tgg ctc aag tac gtc tgg agc cca tct ggt tac att			5423
Glu Ala Asn Arg Trp Leu Lys Tyr Val Trp Ser Pro Ser Gly Tyr Ile			
1795	1800	1805	
gtg cat ggt caa atc cag aac tac caa tgg aac gtc agg cca ttg ctt			5471
Val His Gly Gln Ile Gln Asn Tyr Gln Trp Asn Val Arg Pro Leu Leu			
1810	1815	1820	
gag gac acc tcc tgg aac tct gac cca ctt gac tct gtg gac cct gat			5519
Glu Asp Thr Ser Trp Asn Ser Asp Pro Leu Asp Ser Val Asp Pro Asp			
1825	1830	1835	
gct gtg gct caa cat gac cca atg cac tac aag gtc tcc acc ttc atg			5567
Ala Val Ala Gln His Asp Pro Met His Tyr Lys Val Ser Thr Phe Met			
1840	1845	1850	1855
agg acc ttg gac ctc ttg att gcc aga ggt gac cat gct tac cgc caa			5615
Arg Thr Leu Asp Leu Leu Ile Ala Arg Gly Asp His Ala Tyr Arg Gln			
1860	1865	1870	
ttg gag agg gac acc ctc aac gag gca aag atg tgg tac atg caa gct			5663
Leu Glu Arg Asp Thr Leu Asn Glu Ala Lys Met Trp Tyr Met Gln Ala			
1875	1880	1885	
ctc cac ctc ttg ggt gac aag cca tac ctc cca ctc agc acc act tgg			5711
Leu His Leu Leu Gly Asp Lys Pro Tyr Leu Pro Leu Ser Thr Thr Trp			
1890	1895	1900	
tcc gac cca agg ttg gac cgt gct gct gac atc acc act cag aac gct			5759
Ser Asp Pro Arg Leu Asp Arg Ala Ala Asp Ile Thr Thr Gln Asn Ala			
1905	1910	1915	
cat gac tct gcc att gtt gct ctc agg cag aac atc cca act cct gct			5807
His Asp Ser Ala Ile Val Ala Leu Arg Gln Asn Ile Pro Thr Pro Ala			
1920	1925	1930	1935
cca ctc tcc ctc aga tct gct aac acc ctc act gac ttg ttc ctc cca			5855
Pro Leu Ser Leu Arg Ser Ala Asn Thr Leu Thr Asp Leu Phe Leu Pro			
1940	1945	1950	
cag atc aac gag gtc atg atg aac tac tgg caa acc ttg gct caa agg			5903
Gln Ile Asn Glu Val Met Met Asn Tyr Trp Gln Thr Leu Ala Gln Arg			
1955	1960	1965	
gtc tac aac ctc aga cac aac ctc tcc att gat ggt caa cca ctc tac			5951
Val Tyr Asn Leu Arg His Asn Leu Ser Ile Asp Gly Gln Pro Leu Tyr			
1970	1975	1980	
ctc cca atc tac gcc aca cca gct gac cca aag gct ctt ctc tct gct			5999
Leu Pro Ile Tyr Ala Thr Pro Ala Asp Pro Lys Ala Leu Leu Ser Ala			
1985	1990	1995	
gct gtg gct acc agc caa ggt ggt ggc aag ctc cca gag tcc ttc atg			6047
Ala Val Ala Thr Ser Gln Gly Gly Gly Lys Leu Pro Glu Ser Phe Met			
2000	2005	2010	2015
tcc ctc tgg agg ttc cca cac atg ttg gag aac gcc cgt ggc atg gtc			6095
Ser Leu Trp Arg Phe Pro His Met Leu Glu Asn Ala Arg Gly Met Val			
2020	2025	2030	

tcc caa ctc acc cag ttc ggt tcc acc ctc cag aac atc att gag agg Ser Gln Leu Thr Gln Phe Gly S r Thr Leu Gln Asn Ile Ile Glu Arg 2035 2040 2045	6143
caa gat gct gag gct ctc aac gct ttg ctc cag aac cag gca gct gag Gln Asp Ala Glu Ala Leu Asn Ala Leu Leu Gln Asn Gln Ala Ala Glu 2050 2055 2060	6191
ttg atc ctc acc aac ttg tcc atc caa gac aag acc att gag gag ctt Leu Ile Leu Thr Asn Leu Ser Ile Gln Asp Lys Thr Ile Glu Glu Leu 2065 2070 2075	6239
gat gct gag aag aca gtc ctt gag aag agc aag gct ggt gcc caa tct Asp Ala Glu Lys Thr Val Leu Glu Lys Ser Lys Ala Gly Ala Gln Ser 2080 2085 2090 2095	6287
cgc ttc gac tcc tac ggc aag ctc tac gat gag aac atc aac gct ggt Arg Phe Asp Ser Tyr Gly Lys Leu Tyr Asp Glu Asn Ile Asn Ala Gly 2100 2105 2110	6335
gag aac cag gcc atg acc ctc agg gct tcc gca gct ggt ctc acc act Glu Asn Gln Ala Met Thr Leu Arg Ala Ser Ala Ala Gly Leu Thr Thr 2115 2120 2125	6383
gct gtc caa gcc tct cgc ttg gct ggt gca gct gct gac ctc gtt cca Ala Val Gln Ala Ser Arg Leu Ala Gly Ala Ala Asp Leu Val Pro 2130 2135 2140	6431
aac atc ttc ggt ttc gct ggt ggt ggc tcc aga tgg ggt gcc att gct Asn Ile Phe Gly Phe Ala Gly Gly Gly Ser Arg Trp Gly Ala Ile Ala 2145 2150 2155	6479
gag gct acc ggt tac gtc atg gag ttc tct gcc aac gtc atg aac act Glu Ala Thr Gly Tyr Val Met Glu Phe Ser Ala Asn Val Met Asn Thr 2160 2165 2170 2175	6527
gag gct gac aag atc agc caa tct gag acc tac aga agg cgc cgt caa Glu Ala Asp Lys Ile Ser Gln Ser Glu Thr Tyr Arg Arg Arg Arg Gln 2180 2185 2190	6575
gag tgg gag atc caa agg aac aac gct gag gca gag ttg aag caa atc Glu Trp Glu Ile Gln Arg Asn Asn Ala Glu Ala Glu Leu Lys Gln Ile 2195 2200 2205	6623
gat gct caa ctc aag tcc ttg gct gtc aga agg gag gct gct gtc ctc Asp Ala Gln Leu Lys Ser Leu Ala Val Arg Arg Glu Ala Ala Val Leu 2210 2215 2220	6671
cag aag acc tcc ctc aag acc caa cag gag caa acc cag tcc cag ttg Gln Lys Thr Ser Leu Lys Thr Gln Gln Glu Gln Thr Gln Ser Gln Leu 2225 2230 2235	6719
gct ttc ctc caa agg aag ttc tcc aac cag gct ctc tac aac tgg ctc Ala Phe Leu Gln Arg Lys Phe Ser Asn Gln Ala Leu Tyr Asn Trp Leu 2240 2245 2250 2255	6767
aga ggc cgc ttg gct gcc atc tac ttc caa ttc tac gac ctt gct gtg Arg Gly Arg Leu Ala Ala Ile Tyr Phe Gln Phe Tyr Asp Leu Ala Val 2260 2265 2270	6815

gcc agg tgc ctc atg gct gag caa gcc tac cgc tgg gag ttg aac gat Ala Arg Cys Leu Met Ala Glu Gln Ala Tyr Arg Trp Glu Leu Asn Asp 2275 2280 2285	6863
gac tcc gcc agg ttc atc aag cca ggt gct tgg caa ggc acc tac gct Asp Ser Ala Arg Phe Ile Lys Pro Gly Ala Trp Gln Gly Thr Tyr Ala 2290 2295 2300	6911
ggg ctc ctt gct ggt gag acc ctc atg ctc tcc ttg gct caa atg gag Gly Leu Leu Ala Gly Glu Thr Leu Met Leu Ser Leu Ala Gln Met Glu 2305 2310 2315	6959
gat gct cac ctc aag agg gac aag agg gct ttg gag gtg gag agg aca Asp Ala His Leu Lys Arg Asp Lys Arg Ala Leu Glu Val Glu Arg Thr 2320 2325 2330 2335	7007
gtc tcc ctt gct gag gtc tac gct ggt ctc cca aag gac aac ggt cca Val Ser Leu Ala Glu Val Tyr Ala Gly Leu Pro Lys Asp Asn Gly Pro 2340 2345 2350	7055
ttc tcc ctt gct caa gag att gac aag ttg gtc agc caa ggt tct ggt Phe Ser Leu Ala Gln Glu Ile Asp Lys Leu Val Ser Gln Gly Ser Gly 2355 2360 2365	7103
tct gct ggt tct ggt aac aac aac ttg gct ttc ggc gct ggt act gac Ser Ala Gly Ser Gly Asn Asn Asn Leu Ala Phe Gly Ala Gly Thr Asp 2370 2375 2380	7151
acc aag acc tcc ctc caa gcc tct gtc tcc ttc gct gac ctc aag atc Thr Lys Thr Ser Leu Gln Ala Ser Val Ser Phe Ala Asp Leu Lys Ile 2385 2390 2395	7199
agg gag gac tac cca gct tcc ctt ggc aag atc agg cgc atc aag caa Arg Glu Asp Tyr Pro Ala Ser Leu Gly Lys Ile Arg Arg Ile Lys Gln 2400 2405 2410 2415	7247
atc tct gtc acc ctc cca gct ctc ttg ggt cca tac caa gat gtc caa Ile Ser Val Thr Leu Pro Ala Leu Leu Gly Pro Tyr Gln Asp Val Gln 2420 2425 2430	7295
gca atc ctc tcc tac ggt gac aag gct ggt ttg gcg aac ggt tgc gag Ala Ile Leu Ser Tyr Gly Asp Lys Ala Gly Leu Ala Asn Gly Cys Glu 2435 2440 2445	7343
gct ctt gct gtc tct cat ggc atg aac gac tct ggt caa ttc caa ctt Ala Leu Ala Val Ser His Gly Met Asn Asp Ser Gly Gln Phe Gln Leu 2450 2455 2460	7391
gac ttc aac gat ggc aag ttc ctc cca ttc gag ggc att gcc att gac Asp Phe Asn Asp Gly Lys Phe Leu Pro Phe Glu Gly Ile Ala Ile Asp 2465 2470 2475	7439
caa ggc acc ctc acc ctc tcc ttc cca aac gct tcc atg cca gag aag Gln Gly Thr Leu Thr Leu Ser Phe Pro Asn Ala Ser Met Pro Glu Lys 2480 2485 2490 2495	7487
gga aag caa gcc acc atg ctc aag acc ctc aac gat atc atc ctc cac Gly Lys Gln Ala Thr Met Leu Lys Thr Leu Asn Asp Ile Ile Leu His 2500 2505 2510	7535
atc agg tac acc atc aag tgagctcgag aggcctgcgg ccgc	7577

Ile Arg Tyr Thr Ile Lys
2515

<210> 4

<211> 7541

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<222> (3)..(7517)

<220>

<223> Description of Artificial Sequence:hemicot tcbA

<400> 4

cc atg gct cag aac tcc ctc agc tcc acc att gac acc atc tgc cag	47
Met Ala Gln Asn Ser Leu Ser Ser Thr Ile Asp Thr Ile Cys Gln	
1 5 10 15	
aag ctt caa ctc acc tgc cca gct gag atc gcc ctc tac cca ttc gac	95
Lys Leu Gln Leu Thr Cys Pro Ala Glu Ile Ala Leu Tyr Pro Phe Asp	
20 25 30	
acc ttc cgt gag aag acc aga ggc atg gtc aac tgg ggt gag gcc aag	143
Thr Phe Arg Glu Lys Thr Arg Gly Met Val Asn Trp Gly Glu Ala Lys	
35 40 45	
agg atc tac gag att gct caa gct gag caa gac agg aac ctc ctt cat	191
Arg Ile Tyr Glu Ile Ala Gln Ala Glu Gln Asp Arg Asn Leu Leu His	
50 55 60	
gag aag agg atc ttc gcc tac gct aac cca ttg ctc aag aac gct gtc	239
Glu Lys Arg Ile Phe Ala Tyr Ala Asn Pro Leu Leu Lys Asn Ala Val	
65 70 75	
agg ctt ggt acc agg caa atg ttg ggt ttc atc caa ggt tac tct gac	287
Arg Leu Gly Thr Arg Gln Met Leu Gly Phe Ile Gln Gly Tyr Ser Asp	
80 85 90 95	
ttg ttc ggc aac agg gct gac aac tac gca gct cct ggt tct gtt gct	335
Leu Phe Gly Asn Arg Ala Asp Asn Tyr Ala Ala Pro Gly Ser Val Ala	
100 105 110	
agc atg ttc agc cca gct gcc tac ctc act gag ttg tac cgt gag gcc	383
Ser Met Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu Tyr Arg Glu Ala	
115 120 125	
aag aac ctc cat gac agc tcc agc atc tac tac ctt gac aag agg cgc	431
Lys Asn Leu His Asp Ser Ser Ser Ile Tyr Tyr Leu Asp Lys Arg Arg	
130 135 140	
cca gac ctt gct tcc ttg atg ctc tcc cag aag aac atg gat gag gag	479
Pro Asp Leu Ala Ser Leu Met Leu Ser Gln Lys Asn Met Asp Glu Glu	
145 150 155	
atc agc acc ttg gct ctc tcc aac gag ctt tgc ttg gct ggc att gag	527
Ile Ser Thr Leu Ala Leu Ser Asn Glu Leu Cys Leu Ala Gly Ile Glu	
160 165 170 175	

acc aag act ggc aag tcc caa gat gag gtc atg gac atg ctc tcc acc	575
Thr Lys Thr Gly Lys Ser Gln Asp Glu Val Met Asp M t Leu Ser Thr	
180 185 190	
tac cgc ctc tct ggt gag act cca tac cac cat gct tac gag act gtc	623
Tyr Arg Leu Ser Gly Glu Thr Pro Tyr His His Ala Tyr Glu Thr Val	
195 200 205	
agg gag att gtc cat gag agg gac cca ggt ttc cgc cac ctc tcc caa	671
Arg Glu Ile Val His Glu Arg Asp Pro Gly Phe Arg His Leu Ser Gln	
210 215 220	
gct ccc att gtg gct gcc aag ttg gac cca gtc acc ctc ttg ggc atc	719
Ala Pro Ile Val Ala Ala Lys Leu Asp Pro Val Thr Leu Leu Gly Ile	
225 230 235	
tcc agc cac atc agc cca gag ttg tac aac ctt ctc att gag gag atc	767
Ser Ser His Ile Ser Pro Glu Leu Tyr Asn Leu Leu Ile Glu Glu Ile	
240 245 250 255	
cca gag aag gat gag gca gct ttg gac acc ctc tac aag acc aac ttc	815
Pro Glu Lys Asp Glu Ala Ala Leu Asp Thr Leu Tyr Lys Thr Asn Phe	
260 265 270	
ggt gac atc acc act gct caa ctc atg agc cca tcc tac ttg gcc agg	863
Gly Asp Ile Thr Thr Ala Gln Leu Met Ser Pro Ser Tyr Leu Ala Arg	
275 280 285	
tac tac ggt gtc tct cca gag gac att gct tac gtc acc aca agc ctc	911
Tyr Tyr Gly Val Ser Pro Glu Asp Ile Ala Tyr Val Thr Thr Ser Leu	
290 295 300	
tcc cat gtg ggt tac tcc tct gac atc ctt gtc atc cca ctc gtg gat	959
Ser His Val Gly Tyr Ser Ser Asp Ile Leu Val Ile Pro Leu Val Asp	
305 310 315	
ggt gtg ggc aag atg gag gtt gtc agg gtc acc agg act cca tct gac	1007
Gly Val Gly Lys Met Glu Val Val Arg Val Thr Arg Thr Pro Ser Asp	
320 325 330 335	
aac tac acc tcc cag acc aac tac att gag ttg tac cca caa ggt ggt	1055
Asn Tyr Thr Ser Gln Thr Asn Tyr Ile Glu Leu Tyr Pro Gln Gly Gly	
340 345 350	
gac aac tac ctc atc aag tac aac ctc tcc aac tct ttc ggt ttg gat	1103
Asp Asn Tyr Leu Ile Lys Tyr Asn Leu Ser Asn Ser Phe Gly Leu Asp	
355 360 365	
gac ttc tac ctc cag tac aag gat ggt tct gct gac tgg act gag att	1151
Asp Phe Tyr Leu Gln Tyr Lys Asp Gly Ser Ala Asp Trp Thr Glu Ile	
370 375 380	
gct cac aac cca tac cca gac atg gtc atc aac cag aag tac gag tcc	1199
Ala His Asn Pro Tyr Pro Asp Met Val Ile Asn Gln Lys Tyr Glu Ser	
385 390 395	
caa gcc acc atc aag aga tct gac tct gac aac atc ctc tcc att ggt	1247
Gln Ala Thr Ile Lys Arg Ser Asp Ser Asp Asn Ile L u Ser Ile Gly	
400 405 410 415	
ctc caa agg tgg cac tct ggt tcc tac aac ttc gct gct gcc aac ttc	1295

Leu	Gln	Arg	Trp	His	Ser	Gly	Ser	Tyr	Asn	Phe	Ala	Ala	Ala	Asn	Phe		
				420					425					430			
aag	att	gac	caa	tac	tct	cca	aag	gct	ttc	ctc	ttg	aag	atg	aac	aag	1343	
Lys	Ile	Asp	Gln	Tyr	Ser	Pro	Lys	Ala	Phe	Leu	Leu	Lys	Met	Asn	Lys		
			435					440					445				
gcc	atc	agg	ctc	ttg	aaq	gcc	act	ggt	ctc	tcc	ttc	gcc	acc	ctt	gag	1391	
Ala	Ile	Arg	Leu	Leu	Lys	Ala	Thr	Gly	Leu	Ser	Phe	Ala	Thr	Leu	Glu		
			450				455					460					
agg	att	gtg	gac	tct	gtc	aac	tcc	acc	aag	tcc	atc	act	gtg	gag	gtc	1439	
Arg	Ile	Val	Asp	Ser	Val	Asn	Ser	Thr	Lys	Ser	Ile	Thr	Val	Glu	Val		
	465					470					475						
ctc	aac	aag	gtc	tac	aga	gtc	aag	ttc	tac	att	gac	cgc	tac	ggc	atc	1487	
Leu	Asn	Lys	Val	Tyr	Arg	Val	Lys	Phe	Tyr	Ile	Asp	Arg	Tyr	Gly	Ile		
480					485					490				495			
tct	gag	gag	act	gct	gcc	atc	ctt	gcc	aac	atc	aac	atc	tcc	cag	caa	1535	
Ser	Glu	Glu	Thr	Ala	Ala	Ile	Leu	Ala	Asn	Ile	Asn	Ile	Ser	Gln	Gln		
				500				505					510				
gct	gtc	ggc	aac	cag	ctc	tcc	caa	ttc	gag	caa	ctc	ttc	aac	cac	cct	1583	
Ala	Val	Gly	Asn	Gln	Leu	Ser	Gln	Phe	Glu	Gln	Leu	Phe	Asn	His	Pro		
			515					520					525				
cca	ctc	aac	ggc	atc	cgc	tac	gag	atc	agc	gag	gac	aac	tcc	aag	cac	1631	
Pro	Leu	Asn	Gly	Ile	Arg	Tyr	Glu	Ile	Ser	Glu	Asp	Asn	Ser	Lys	His		
		530					535					540					
ctc	cca	aac	cca	gac	ctc	aac	ctc	aag	cca	gac	tcc	act	ggt	gat	gac	1679	
Leu	Pro	Asn	Pro	Asp	Leu	Asn	Leu	Lys	Pro	Asp	Ser	Thr	Gly	Asp	Asp		
	545					550					555						
caa	agg	aag	gct	gtc	ctc	aag	agg	gct	ttc	caa	gtc	aac	gct	tct	gag	1727	
Gln	Arg	Lys	Ala	Val	Leu	Lys	Arg	Ala	Phe	Gln	Val	Asn	Ala	Ser	Glu		
560					565					570				575			
ctt	tac	caa	atg	ctc	ttg	atc	act	gac	agg	aag	gag	gat	ggt	gtc	atc	1775	
Leu	Tyr	Gln	Met	Leu	Leu	Ile	Thr	Asp	Arg	Lys	Glu	Asp	Gly	Val	Ile		
				580				585					590				
aag	aac	aac	ttg	gag	aac	ctc	tct	gac	ctc	tac	ctt	gtc	tcc	ctc	ttg	1823	
Lys	Asn	Asn	Leu	Glu	Asn	Leu	Ser	Asp	Leu	Tyr	Leu	Val	Ser	Leu	Leu		
			595					600					605				
gcc	caa	atc	cac	aac	ttg	acc	att	gct	gag	ttg	aac	atc	ctc	ttg	gtc	1871	
Ala	Gln	Ile	His	Asn	Leu	Thr	Ile	Ala	Glu	Leu	Asn	Ile	Leu	Leu	Val		
		610					615					620					
atc	tgc	ggt	tac	ggt	gac	acc	aac	atc	tac	caa	atc	act	gac	gac	aac	1919	
Ile	Cys	Gly	Tyr	Gly	Asp	Thr	Asn	Ile	Tyr	Gln	Ile	Thr	Asp	Asp	Asn		
	625				630						635						
ctt	gcc	aag	att	gtg	gag	acc	ctc	ttg	tgg	atc	acc	caa	tgg	ctc	aag	1967	
Leu	Ala	Lys	Ile	Val	Glu	Thr	Leu	Leu	Trp	Ile	Thr	Gln	Trp	Leu	Lys		
640					645					650				655			
acc	cag	aag	tgg	act	gtc	aca	gac	ctc	ttc	ctc	atg	acc	act	gcc	acc	2015	
Thr	Gln	Lys	Trp	Thr	Val	Thr	Asp	Leu	Ph	Leu	Met	Thr	Thr	Ala	Thr		

660	665	670	
tac tcc acc act ctc act cca gag att tcc aac ctc act gcc acc ctc			2063
Tyr Ser Thr Leu Thr Pro Glu Ile Ser Asn Leu Thr Ala Thr Leu			
675	680	685	
agc tcc acc ctc cac ggc aag gag tcc ctc att ggt gag gac ctc aag			2111
Ser Ser Thr Leu His Gly Lys Glu Ser Leu Ile Gly Glu Asp Leu Lys			
690	695	700	
agg gca atg gct cca tgc ttc acc tct gct ctc cac ctc acc tcc caa			2159
Arg Ala Met Ala Pro Cys Phe Thr Ser Ala Leu His Leu Thr Ser Gln			
705	710	715	
gag gtg gct tac gac ctc ctt ctc tgg att gac caa atc caa cca gct			2207
Glu Val Ala Tyr Asp Leu Leu Leu Trp Ile Asp Gln Ile Gln Pro Ala			
720	725	730	735
caa atc act gtg gat ggt ttc tgg gag gag gtc caa acc act cca acc			2255
Gln Ile Thr Val Asp Gly Phe Trp Glu Glu Val Gln Thr Thr Pro Thr			
740	745	750	
tcc ctc aag gtc atc acc ttc gct caa gtc ttg gct caa ctc tcc ctc			2303
Ser Leu Lys Val Ile Thr Phe Ala Gln Val Leu Ala Gln Leu Ser Leu			
755	760	765	
atc tac aga agg att ggt ctc tct gag act gag ttg tcc ctc att gtc			2351
Ile Tyr Arg Arg Ile Gly Leu Ser Glu Thr Glu Leu Ser Leu Ile Val			
770	775	780	
acc caa tcc agc ctc ttg gtc gct ggc aag tcc atc ctt gat cat ggt			2399
Thr Gln Ser Ser Leu Leu Val Ala Gly Lys Ser Ile Leu Asp His Gly			
785	790	795	
ctc ttg acc ctc atg gct ctt gag ggt ttc cac acc tgg gtc aac ggt			2447
Leu Leu Thr Leu Met Ala Leu Glu Gly Phe His Thr Trp Val Asn Gly			
800	805	810	815
ttg ggt caa cat gct tcc ctc atc ttg gct gca ctc aag gat ggt gct			2495
Leu Gly Gln His Ala Ser Leu Ile Leu Ala Ala Leu Lys Asp Gly Ala			
820	825	830	
ctc acc gtc acc gat gtg gct caa gcc atg aac aag gag gag tcc ctc			2543
Leu Thr Val Thr Asp Val Ala Gln Ala Met Asn Lys Glu Glu Ser Leu			
835	840	845	
ttg caa atg gct gcc aac cag gtg gag aag gac ctc acc aag ctc acc			2591
Leu Gln Met Ala Ala Asn Gln Val Glu Lys Asp Leu Thr Lys Leu Thr			
850	855	860	
tcc tgg acc caa atc gat gcc atc ctc caa tgg ctc caa atg tcc tct			2639
Ser Trp Thr Gln Ile Asp Ala Ile Leu Gln Trp Leu Gln Met Ser Ser			
865	870	875	
gct ctt gct gtc agc cca ttg gac ctt gct ggc atg atg gct ctc aag			2687
Ala Leu Ala Val Ser Pro Leu Asp Leu Ala Gly Met Met Ala Leu Lys			
880	885	890	895
tac ggc att gat cac aac tac gct gcc tgg caa gca gct gcc gct gcc			2735
Tyr Gly Ile Asp His Asn Tyr Ala Ala Trp Gln Ala Ala Ala Ala Ala			
900	905	910	

ctc atg gct gac cat gcc aac cag gct cag aag aag ttg gat gag acc 2783
 Leu Met Ala Asp His Ala Asn Gln Ala Gln Lys Lys Leu Asp Glu Thr
 915 920 925

ttc tcc aag gct ctc tgc aac tac tac atc aac gcc gtg gtt gac tct 2831
 Phe Ser Lys Ala Leu Cys Asn Tyr Tyr Ile Asn Ala Val Val Asp Ser
 930 935 940

gct gcc ggt gtc agg gac agg aac ggt ctc tac acc tac ctc ttg att 2879
 Ala Ala Gly Val Arg Asp Arg Asn Gly Leu Tyr Thr Tyr Leu Leu Ile
 945 950 955

gac aac cag gtc tct gct gat gtc atc acc tcc aga att gct gag gcc 2927
 Asp Asn Gln Val Ser Ala Asp Val Ile Thr Ser Arg Ile Ala Glu Ala
 960 965 970 975

att gct ggc atc caa ctc tac gtc aac agg gct ctc aac agg gat gag 2975
 Ile Ala Gly Ile Gln Leu Tyr Val Asn Arg Ala Leu Asn Arg Asp Glu
 980 985 990

ggt cag ttg gct tct gat gtc tcc acc agg caa ttc ttc acc gac tgg 3023
 Gly Gln Leu Ala Ser Asp Val Ser Thr Arg Gln Phe Phe Thr Asp Trp
 995 1000 1005

gag agg tac aac aag agg tac tcc acc tgg gct ggt gtc tct gag ttg 3071
 Glu Arg Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val Ser Glu Leu
 1010 1015 1020

gtc tac tac cca gag aac tac gtg gac cca acc caa agg att ggt cag 3119
 Val Tyr Tyr Pro Glu Asn Tyr Val Asp Pro Thr Gln Arg Ile Gly Gln
 1025 1030 1035

acc aag atg atg gat gct ttg ctc caa tcc atc aac cag tcc caa ctc 3167
 Thr Lys Met Met Asp Ala Leu Leu Gln Ser Ile Asn Gln Ser Gln Leu
 1040 1045 1050 1055

aac gct gac act gtg gag gat gct ttc aag acc tac ctc acc tcc ttc 3215
 Asn Ala Asp Thr Val Glu Asp Ala Phe Lys Thr Tyr Leu Thr Ser Phe
 1060 1065 1070

gag caa gtg gcc aac ctc aag gtc atc tct gct tac cat gac aac gtc 3263
 Glu Gln Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His Asp Asn Val
 1075 1080 1085

aac gtg gac caa ggt ctc acc tac ttc att ggc att gac caa gcc gct 3311
 Asn Val Asp Gln Gly Leu Thr Tyr Phe Ile Gly Ile Asp Gln Ala Ala
 1090 1095 1100

cct ggc acc tac tac tgg agg tct gtg gac cac tcc aag tgc gag aac 3359
 Pro Gly Thr Tyr Tyr Trp Arg Ser Val Asp His Ser Lys Cys Glu Asn
 1105 1110 1115

ggc aag ttc gct gcc aac gct tgg ggt gag tgg aac aag atc acc tgc 3407
 Gly Lys Phe Ala Ala Asn Ala Trp Gly Glu Trp Asn Lys Ile Thr Cys
 1120 1125 1130 1135

gct gtc aac cct tgg aag aac atc atc agg cca gtg gtc tac atg tcc 3455
 Ala Val Asn Pro Trp Lys Asn Ile Ile Arg Pro Val Val Tyr Met Ser
 1140 1145 1150

aga ctc tac ttg ctc tgg ctt gag caa cag tcc aag aag tct gat gac 3503
 Arg Leu Tyr Leu L u Trp L u Glu Gln Gln Ser Lys Lys S r Asp Asp
 1155 1160 1165

ggc aag aca act atc tac cag tac aac ctc aag ttg gct cac atc cgc 3551
 Gly Lys Thr Thr Ile Tyr Gln Tyr Asn Leu Lys Leu Ala His Ile Arg
 1170 1175 1180

tac gat ggt tcc tgg aac act cca ttc acc ttc gat gtc act gag aag 3599
 Tyr Asp Gly Ser Trp Asn Thr Pro Phe Thr Phe Asp Val Thr Glu Lys
 1185 1190 1195

gtc aag aac tac acc tcc agc act gat gca gct gag tcc ctt ggt ctc 3647
 Val Lys Asn Tyr Thr Ser Ser Thr Asp Ala Ala Glu Ser Leu Gly Leu
 1200 1205 1210 1215

tac tgc act ggt tac caa ggt gag gac acc ctc ttg gtc atg ttc tac 3695
 Tyr Cys Thr Gly Tyr Gln Gly Glu Asp Thr Leu Leu Val Met Phe Tyr
 1220 1225 1230

tcc atg caa tcc agc tac tcc agc tac act gac aac aac gct cca gtc 3743
 Ser Met Gln Ser Ser Tyr Ser Ser Tyr Thr Asp Asn Asn Ala Pro Val
 1235 1240 1245

act ggt ctc tac atc ttc gct gac atg tcc tct gac aac atg acc aac 3791
 Thr Gly Leu Tyr Ile Phe Ala Asp Met Ser Ser Asp Asn Met Thr Asn
 1250 1255 1260

gct caa gcc acc aac tac tgg aac aac tcc tac cca caa ttc gac act 3839
 Ala Gln Ala Thr Asn Tyr Trp Asn Asn Ser Tyr Pro Gln Phe Asp Thr
 1265 1270 1275

gtc atg gct gac cca gac tct gac aac aag aag gtc atc acc agg cgt 3887
 Val Met Ala Asp Pro Asp Ser Asp Asn Lys Lys Val Ile Thr Arg Arg
 1280 1285 1290 1295

gtc aac aac cgc tac gct gag gac tac gag atc cca agc tct gtc acc 3935
 Val Asn Asn Arg Tyr Ala Glu Asp Tyr Glu Ile Pro Ser Ser Val Thr
 1300 1305 1310

tcc aac agc aac tac tcc tgg ggt gac cac tcc ctc acc atg ctc tac 3983
 Ser Asn Ser Asn Tyr Ser Trp Gly Asp His Ser Leu Thr Met Leu Tyr
 1315 1320 1325

ggt ggc tct gtc cca aac atc acc ttc gag tct gca gct gag gac ctc 4031
 Gly Gly Ser Val Pro Asn Ile Thr Phe Glu Ser Ala Ala Glu Asp Leu
 1330 1335 1340

agg ctc tcc acc aac atg gct ctc tcc atc att cac aac ggt tac gct 4079
 Arg Leu Ser Thr Asn Met Ala Leu Ser Ile Ile His Asn Gly Tyr Ala
 1345 1350 1355

ggc acc agg cgc atc caa tgc aac ctc atg aag caa tac gct tcc ctt 4127
 Gly Thr Arg Arg Ile Gln Cys Asn Leu Met Lys Gln Tyr Ala Ser Leu
 1360 1365 1370 1375

ggt gac aag ttc att atc tac gac tcc agc ttc gat gac gcc aac agg 4175
 Gly Asp Lys Phe Ile Ile Tyr Asp Ser Ser Phe Asp Asp Ala Asn Arg
 1380 1385 1390

ttc aac ttg gtc cca ctc ttc aag ttc ggc aag gat gag aac tct gat 4223

Phe Asn Leu Val Pro Leu Phe Lys Phe Gly Lys Asp Glu Asn Ser Asp	
1395 1400 1405	
gac tcc atc tgc atc tac aac gag aac cca agc tct gag gac aag aag	4271
Asp Ser Ile Cys Ile Tyr Asn Glu Asn Pro S r Ser Glu Asp Lys Lys	
1410 1415 1420	
tgg tac ttc agc tcc aag gac gac aac aag act gct gac tac aac ggt	4319
Trp Tyr Phe Ser Ser Lys Asp Asp Asn Lys Thr Ala Asp Tyr Asn Gly	
1425 1430 1435	
ggc acc caa tgc att gat gct ggc acc tcc aac aag gac ttc tac tac	4367
Gly Thr Gln Cys Ile Asp Ala Gly Thr Ser Asn Lys Asp Phe Tyr Tyr	
1440 1445 1450 1455	
aac ctc caa gag att gag gtc atc tct gtc act ggt ggc tac tgg tcc	4415
Asn Leu Gln Glu Ile Glu Val Ile Ser Val Thr Gly Gly Tyr Trp Ser	
1460 1465 1470	
agc tac aag atc agc aac ccc atc aac atc aac act ggc att gac tct	4463
Ser Tyr Lys Ile Ser Asn Pro Ile Asn Ile Asn Thr Gly Ile Asp Ser	
1475 1480 1485	
gcc aag gtc aag gtc act gtc aag gct ggt ggc gat gac caa atc ttc	4511
Ala Lys Val Lys Val Thr Val Lys Ala Gly Gly Asp Asp Gln Ile Phe	
1490 1495 1500	
act gct gac aac tcc acc tac gtc cca cag caa cct gct cca tcc ttc	4559
Thr Ala Asp Asn Ser Thr Tyr Val Pro Gln Gln Pro Ala Pro Ser Phe	
1505 1510 1515	
gag gag atg atc tac caa ttc aac aac ctc acc att gac tgc aag aac	4607
Glu Glu Met Ile Tyr Gln Phe Asn Asn Leu Thr Ile Asp Cys Lys Asn	
1520 1525 1530 1535	
ctc aac ttc att gac aac cag gct cac att gag att gac ttc act gcc	4655
Leu Asn Phe Ile Asp Asn Gln Ala His Ile Glu Ile Asp Phe Thr Ala	
1540 1545 1550	
aca gct caa gat ggc cgc ttc ttg ggt gct gag acc ttc atc att cca	4703
Thr Ala Gln Asp Gly Arg Phe Leu Gly Ala Glu Thr Phe Ile Ile Pro	
1555 1560 1565	
gtc acc aag aag gtc ctt ggc act gag aac gtc att gct ctc tac tct	4751
Val Thr Lys Lys Val Leu Gly Thr Glu Asn Val Ile Ala Leu Tyr Ser	
1570 1575 1580	
gag aac aac ggt gtc cag tac atg caa att ggt gct tac aga acc agg	4799
Glu Asn Asn Gly Val Gln Tyr Met Gln Ile Gly Ala Tyr Arg Thr Arg	
1585 1590 1595	
ctc aac acc ctc ttc gct caa cag ttg gtc tcc cgt gcc aac aga ggc	4847
Leu Asn Thr Leu Phe Ala Gln Gln Leu Val Ser Arg Ala Asn Arg Gly	
1600 1605 1610 1615	
att gat gct gtc ctc agc atg gag act cag aac atc caa gag cca caa	4895
Ile Asp Ala Val Leu Ser Met Glu Thr Gln Asn Ile Gln Glu Pro Gln	
1620 1625 1630	
ctt ggt gct ggc acc tac gtc caa ctt gtc ttg gac aag tac gat gag	4943
Leu Gly Ala Gly Thr Tyr Val Gln Leu Val L u Asp Lys Tyr Asp Glu	

1635	1640	1645	
tcc att cat ggc acc aac aag tcc ttc gcc att gag tac gtg gac atc			4991
Ser Ile His Gly Thr Asn Lys Ser Phe Ala Ile Glu Tyr Val Asp Ile			
1650	1655	1660	
ttc aag gag aac gac tcc ttc gtc atc tac caa ggt gag ttg tct gag			5039
Phe Lys Glu Asn Asp Ser Phe Val Ile Tyr Gln Gly Glu Leu Ser Glu			
1665	1670	1675	
acc tcc caa act gtg gtc aag gtc ttc ctc tcc tac ttc att gag gcc			5087
Thr Ser Gln Thr Val Val Lys Val Phe Leu Ser Tyr Phe Ile Glu Ala			
1680	1685	1690	1695
acc ggt aac aag aac cac ctc tgg gtc agg gcc aag tac cag aag gag			5135
Thr Gly Asn Lys Asn His Leu Trp Val Arg Ala Lys Tyr Gln Lys Glu			
1700	1705	1710	
acc act gac aag atc ctc ttc gac agg act gat gag aag gac cca cat			5183
Thr Thr Asp Lys Ile Leu Phe Asp Arg Thr Asp Glu Lys Asp Pro His			
1715	1720	1725	
ggg tgg ttc ctc tct gat gac cac aag acc ttc tct ggt ctc agc tct			5231
Gly Trp Phe Leu Ser Asp Asp His Lys Thr Phe Ser Gly Leu Ser Ser			
1730	1735	1740	
gct caa gct ctc aag aac gac tct gag cca atg gac ttc tct ggt gcc			5279
Ala Gln Ala Leu Lys Asn Asp Ser Glu Pro Met Asp Phe Ser Gly Ala			
1745	1750	1755	
aac gct ctc tac ttc tgg gag ttg ttc tac tac act cca atg atg atg			5327
Asn Ala Leu Tyr Phe Trp Glu Leu Phe Tyr Tyr Thr Pro Met Met Met			
1760	1765	1770	1775
gct cac agg ctc ctt caa gag cag aac ttc gat gct gcc aac cac tgg			5375
Ala His Arg Leu Leu Gln Glu Gln Asn Phe Asp Ala Ala Asn His Trp			
1780	1785	1790	
ttc cgc tac gtc tgg agc cca tct ggt tac att gtg gat ggc aag att			5423
Phe Arg Tyr Val Trp Ser Pro Ser Gly Tyr Ile Val Asp Gly Lys Ile			
1795	1800	1805	
gcc atc tac cac tgg aac gtc agg cca ttg gag gag gac acc tcc tgg			5471
Ala Ile Tyr His Trp Asn Val Arg Pro Leu Glu Glu Asp Thr Ser Trp			
1810	1815	1820	
aac gct cag caa ctt gac tcc act gac cca gat gct gtg gct caa gat			5519
Asn Ala Gln Gln Leu Asp Ser Thr Asp Pro Asp Ala Val Ala Gln Asp			
1825	1830	1835	
gac cca atg cac tac aag gtg gcc acc ttc atg gcc acc ttg gac ctt			5567
Asp Pro Met His Tyr Lys Val Ala Thr Phe Met Ala Thr Leu Asp Leu			
1840	1845	1850	1855
ctc atg gcc aga ggt gat gct gcc tac cgc caa ttg gag agg gac acc			5615
Leu Met Ala Arg Gly Asp Ala Ala Tyr Arg Gln Leu Glu Arg Asp Thr			
1860	1865	1870	
ttg gct gag gcc aag atg tgg tac acc caa gct ctc aac ttg ctg ggt			5663
Leu Ala Glu Ala Lys Met Trp Tyr Thr Gln Ala Leu Asn Leu Leu Gly			
1875	1880	1885	

gat gag cca caa gtc atg ctc tcc aca acc tgg gcc aac cca acc ttg Asp Glu Pro Gln Val Met Leu Ser Thr Thr Trp Ala Asn Pro Thr Leu 1890 1895 1900	5711
ggc aac gct gcc tcc aag acc aca caa cag gtc agg caa cag gtc ctc Gly Asn Ala Ala Ser Lys Thr Thr Gln Gln Val Arg Gln Gln Val Leu 1905 1910 1915	5759
acc caa ctc agg ctc aac tct aga gtc aag act cca ctc ttg ggc act Thr Gln Leu Arg Leu Asn Ser Arg Val Lys Thr Pro Leu Leu Gly Thr 1920 1925 1930 1935	5807
gcc aac tcc ctc act gct ctc ttc ctc cca caa gag aac tcc aaa ctt Ala Asn Ser Leu Thr Ala Leu Phe Leu Pro Gln Glu Asn Ser Lys Leu 1940 1945 1950	5855
aag ggt tac tgg agg acc ctt gct caa cgc atg ttc aac ctc agg cac Lys Gly Tyr Trp Arg Thr Leu Ala Gln Arg Met Phe Asn Leu Arg His 1955 1960 1965	5903
aac ctc tcc att gat ggt caa cca ctc tcc ttg cca ctc tac gct aag Asn Leu Ser Ile Asp Gly Gln Pro Leu Ser Leu Pro Leu Tyr Ala Lys 1970 1975 1980	5951
cca gct gac cca aag gct ctc ctt tcc gct gct gtc tcc gca tcc caa Pro Ala Asp Pro Lys Ala Leu Leu Ser Ala Ala Val Ser Ala Ser Gln 1985 1990 1995	5999
ggg ggt gct gac ctc cca aag gct cca ctc acc atc cac agg ttc cca Gly Gly Ala Asp Leu Pro Lys Ala Pro Leu Thr Ile His Arg Phe Pro 2000 2005 2010 2015	6047
caa atg ttg gag ggt gcc cgt ggt ctt gtc aac cag ctc atc caa ttc Gln Met Leu Glu Gly Ala Arg Gly Leu Val Asn Gln Leu Ile Gln Phe 2020 2025 2030	6095
ggg tcc tct ctc ctt ggt tac tct gag agg caa gat gct gag gcc atg Gly Ser Ser Leu Leu Gly Tyr Ser Glu Arg Gln Asp Ala Glu Ala Met 2035 2040 2045	6143
tcc caa ctc ttg caa acc cag gct tct gag ttg atc ctc acc tcc atc Ser Gln Leu Leu Gln Thr Gln Ala Ser Glu Leu Ile Leu Thr Ser Ile 2050 2055 2060	6191
agg atg caa gac aac cag ctt gct gag ttg gac tct gag aag act gct Arg Met Gln Asp Asn Gln Leu Ala Glu Leu Asp Ser Glu Lys Thr Ala 2065 2070 2075	6239
ctc caa gtc tcc ctt gct ggt gtc caa cag agg ttc gac agc tac tcc Leu Gln Val Ser Leu Ala Gly Val Gln Gln Arg Phe Asp Ser Tyr Ser 2080 2085 2090 2095	6287
caa ctc tac gag gag aac atc aac gct ggt gag caa agg gct ttg gct Gln Leu Tyr Glu Glu Asn Ile Asn Ala Gly Glu Gln Arg Ala Leu Ala 2100 2105 2110	6335
ctc agg tct gag tct gcc att gag tcc caa ggt gct caa atc tcc cgc Leu Arg Ser Glu Ser Ala Ile Glu Ser Gln Gly Ala Gln Ile Ser Arg 2115 2120 2125	6383

atg gct ggt gct ggc gtg gac atg gct cca aac atc ttc ggt ctt gct Met Ala Gly Ala Gly Val Asp Met Ala Pro Asn Ile Phe Gly Leu Ala 2130 2135 2140	6431
gat ggt ggc atg cac tac ggt gcc att gct tac gcc att gct gat ggc Asp Gly Gly Met His Tyr Gly Ala Ile Ala Tyr Ala Ile Ala Asp Gly 2145 2150 2155	6479
att gag ctt tct gct tct gcc aag atg gtt gat gct gag aag gtg gct Ile Glu Leu Ser Ala Ser Ala Lys Met Val Asp Ala Glu Lys Val Ala 2160 2165 2170 2175	6527
caa tct gaa atc tac cgt cgc aga cgc caa gaa tgg aag atc caa agg Gln Ser Glu Ile Tyr Arg Arg Arg Arg Gln Glu Trp Lys Ile Gln Arg 2180 2185 2190	6575
gac aac gct caa gct gag atc aac cag ctc aac gct caa ctt gag tcc Asp Asn Ala Gln Ala Glu Ile Asn Gln Leu Asn Ala Gln Leu Glu Ser 2195 2200 2205	6623
ctc agc atc agg cgt gag gct gct gag atg cag aag gag tac ctc aag Leu Ser Ile Arg Arg Glu Ala Ala Glu Met Gln Lys Glu Tyr Leu Lys 2210 2215 2220	6671
acc caa cag gct caa gct cag gct caa ctc acc ttc ctc agg tcc aag Thr Gln Gln Ala Gln Ala Gln Ala Gln Leu Thr Phe Leu Arg Ser Lys 2225 2230 2235	6719
ttc tcc aac cag gct ctc tac tcc tgg ctc aga ggc cgc ctc tct ggc Phe Ser Asn Gln Ala Leu Tyr Ser Trp Leu Arg Gly Arg Leu Ser Gly 2240 2245 2250 2255	6767
atc tac ttc caa ttc tac gac ttg gct gtc tcc cgc tgc ctc atg gct Ile Tyr Phe Gln Phe Tyr Asp Leu Ala Val Ser Arg Cys Leu Met Ala 2260 2265 2270	6815
gag caa tcc tac caa tgg gag gcc aac gac aac agc atc tcc ttc gtc Glu Gln Ser Tyr Gln Trp Glu Ala Asn Asp Asn Ser Ile Ser Phe Val 2275 2280 2285	6863
aag cca ggt gct tgg caa ggc acc tac gct ggt ctc ctt tgc ggt gag Lys Pro Gly Ala Trp Gln Gly Thr Tyr Ala Gly Leu Leu Cys Gly Glu 2290 2295 2300	6911
gct ctc atc cag aac ttg gct caa atg gag gag gct tac ctc aag tgg Ala Leu Ile Gln Asn Leu Ala Gln Met Glu Glu Ala Tyr Leu Lys Trp 2305 2310 2315	6959
gag tcc aga gct ttg gag gta gag agg act gtc tcc ctt gct gta gtc Glu Ser Arg Ala Leu Glu Val Glu Arg Thr Val Ser Leu Ala Val Val 2320 2325 2330 2335	7007
tac gac tcc ttg gag ggc aac gac agg ttc aac ctt gct gag caa atc Tyr Asp Ser Leu Glu Gly Asn Asp Arg Phe Asn Leu Ala Glu Gln Ile 2340 2345 2350	7055
cca gct ctc ttg gac aag ggt gag ggc act gct ggc acc aag gag aac Pro Ala Leu Leu Asp Lys Gly Glu Gly Thr Ala Gly Thr Lys Glu Asn 2355 2360 2365	7103
ggt ctc tcc ttg gcc aac gcc atc ctc tct gct tct gtc aag ctc tct	7151

Gly Leu Ser Leu Ala Asn Ala Ile Leu Ser Ala Ser Val Lys Leu Ser
 2370 2375 2380

gac ctc aag ttg ggt act gac tac cca gac tcc att gtg ggt tcc aac 7199
 Asp Leu Lys Leu Gly Thr Asp Tyr Pro Asp Ser Ile Val Gly Ser Asn
 2385 2390 2395

aag gtc aga agg atc aag caa atc tct gtc tcc ctc cca gct ttg gtg 7247
 Lys Val Arg Arg Ile Lys Gln Ile Ser Val Ser Leu Pro Ala Leu Val
 2400 2405 2410 2415

ggt cca tac caa gat gtc caa gcc atg ctc tcc tac ggt ggc tcc acc 7295
 Gly Pro Tyr Gln Asp Val Gln Ala Met Leu Ser Tyr Gly Gly Ser Thr
 2420 2425 2430

caa ctc cca aag ggt tgc tct gct ttg gct gtc tcc cac ggc acc aac 7343
 Gln Leu Pro Lys Gly Cys Ser Ala Leu Ala Val Ser His Gly Thr Asn
 2435 2440 2445

gac tct ggt caa ttc caa ctt gac ttc aac gat ggc aag tac ctc cca 7391
 Asp Ser Gly Gln Phe Gln Leu Asp Phe Asn Asp Gly Lys Tyr Leu Pro
 2450 2455 2460

ttc gaa ggc att gct ttg gat gac caa ggc acc ctc aac ctc caa ttc 7439
 Phe Glu Gly Ile Ala Leu Asp Asp Gln Gly Thr Leu Asn Leu Gln Phe
 2465 2470 2475

cca aac gcc act gac aag cag aag gcc atc ctc caa acc atg tct gac 7487
 Pro Asn Ala Thr Asp Lys Gln Lys Ala Ile Leu Gln Thr Met Ser Asp
 2480 2485 2490 2495

atc atc ctc cac atc agg tac acc atc agg tgagctcgag aggcctgcgg 7537
 Ile Ile Leu His Ile Arg Tyr Thr Ile Arg
 2500 2505

ccgc 7541

<210> 5
 <211> 63
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:hemicot sequence
 encoding ER signal from 15 kDa zein from Black
 Mexican Sweet maize

<220>
 <221> CDS
 <222> (1)..(63)

<400> 5
 atg gct aag atg gtc att gtg ctt gtg gtc tgc ttg gct ctc tct gct 48
 Met Ala Lys Met Val Ile Val Leu Val Val Cys Leu Ala Leu Ser Ala
 1 5 10 15

gcc tgt gct tca gcc 63
 Ala Cys Ala Ser Ala
 20

<210> 6

<211> 7621

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:hemicot tcdA
fused to the modified 15 kDa zein endoplasmic
reticulum signal peptide

<220>

<221> CDS

<222> (4)..(7614)

<400> 6

```

ncc atg gct aag atg gtc att gtg ctt gtg gtc tgc ttg gct ctc tct   48
  Met Ala Lys Met Val Ile Val Leu Val Val Cys Leu Ala Leu Ser
    1             5             10             15

gct gcc tgt gct tca gcc atg aac gag tcc gtc aag gag atc cca gac   96
Ala Ala Cys Ala Ser Ala Met Asn Glu Ser Val Lys Glu Ile Pro Asp
          20             25             30

gtc ctc aag tcc caa tgc ggt ttc aac tgc ctc act gac atc tcc cac   144
Val Leu Lys Ser Gln Cys Gly Phe Asn Cys Leu Thr Asp Ile Ser His
          35             40             45

agc tcc ttc aac gag ttc aga caa caa gtc tct gag cac ctc tcc tgg   192
Ser Ser Phe Asn Glu Phe Arg Gln Gln Val Ser Glu His Leu Ser Trp
          50             55             60

tcc gag acc cat gac ctc tac cat gac gct cag caa gct cag aag gac   240
Ser Glu Thr His Asp Leu Tyr His Asp Ala Gln Gln Ala Gln Lys Asp
          65             70             75

aac agg ctc tac gag gct agg atc ctc aag agg gct aac cca caa ctc   288
Asn Arg Leu Tyr Glu Ala Arg Ile Leu Lys Arg Ala Asn Pro Gln Leu
          80             85             90             95

cag aac gct gtc cac ctc gcc atc ttg gct cca aac gct gag ttg att   336
Gln Asn Ala Val His Leu Ala Ile Leu Ala Pro Asn Ala Glu Leu Ile
          100            105            110

ggt tac aac aac cag ttc tct ggc aga gct agc cag tac gtg gct cct   384
Gly Tyr Asn Asn Gln Phe Ser Gly Arg Ala Ser Gln Tyr Val Ala Pro
          115            120            125

ggt aca gtc tcc tcc atg ttc agc cca gcc gct tac ctc act gag ttg   432
Gly Thr Val Ser Ser Met Phe Ser Pro Ala Ala Tyr Leu Thr Glu Leu
          130            135            140

tac cgc gag gct agg aac ctt cat gct tct gac tcc gtc tac tac ttg   480
Tyr Arg Glu Ala Arg Asn Leu His Ala Ser Asp Ser Val Tyr Tyr Leu
          145            150            155

gac aca cgc aga cca gac ctc aag agc atg gcc ctc agc caa cag aac   528
Asp Thr Arg Arg Pro Asp Leu Lys Ser Met Ala Leu Ser Gln Gln Asn
          160            165            170            175

atg gac att gag ttg tcc acc ctc tcc ttg agc aac gag ctt ctc ttg   576

```

Met Asp Ile Glu Leu Ser Thr Leu Ser Leu Ser Asn Glu Leu Leu Leu	
180 185 190	
gag tcc atc aag act gag agc aag ttg gag aac tac acc aag gtc atg	624
Glu Ser Ile Lys Thr Glu Ser Lys Leu Glu Asn Tyr Thr Lys Val Met	
195 200 205	
gag atg ctc tcc acc ttc aga cca agc ggt gca act cca tac cat gat	672
Glu Met Leu Ser Thr Phe Arg Pro Ser Gly Ala Thr Pro Tyr His Asp	
210 215 220	
gcc tac gag aac gtc agg gag gtc atc caa ctt caa gac cct ggt ctt	720
Ala Tyr Glu Asn Val Arg Glu Val Ile Gln Leu Gln Asp Pro Gly Leu	
225 230 235	
gag caa ctc aac gct tct cca gcc att gct ggt ttg atg cac cag gca	768
Glu Gln Leu Asn Ala Ser Pro Ala Ile Ala Gly Leu Met His Gln Ala	
240 245 250 255	
tcc ttg ctc ggt atc aac gcc tcc atc tct cct gag ttg ttc aac atc	816
Ser Leu Leu Gly Ile Asn Ala Ser Ile Ser Pro Glu Leu Phe Asn Ile	
260 265 270	
ttg act gag gag atc act gag ggc aac gct gag gag ttg tac aag aag	864
Leu Thr Glu Glu Ile Thr Glu Gly Asn Ala Glu Glu Leu Tyr Lys Lys	
275 280 285	
aac ttc ggc aac att gag cca gcc tct ctt gca atg cct gag tac ctc	912
Asn Phe Gly Asn Ile Glu Pro Ala Ser Leu Ala Met Pro Glu Tyr Leu	
290 295 300	
aag agg tac tac aac ttg tct gat gag gag ctt tct caa ttc att ggc	960
Lys Arg Tyr Tyr Asn Leu Ser Asp Glu Glu Leu Ser Gln Phe Ile Gly	
305 310 315	
aag gct tcc aac ttc ggt caa cag gag tac agc aac aac cag ctc atc	1008
Lys Ala Ser Asn Phe Gly Gln Gln Glu Tyr Ser Asn Asn Gln Leu Ile	
320 325 330 335	
act cca gtt gtg aac tcc tct gat ggc act gtg aag gtc tac cgc atc	1056
Thr Pro Val Val Asn Ser Ser Asp Gly Thr Val Lys Val Tyr Arg Ile	
340 345 350	
aca cgt gag tac acc aca aac gcc tac caa atg gat gtt gag ttg ttc	1104
Thr Arg Glu Tyr Thr Thr Asn Ala Tyr Gln Met Asp Val Glu Leu Phe	
355 360 365	
cca ttc ggt ggt gag aac tac aga ctt gac tac aag ttc aag aac ttc	1152
Pro Phe Gly Gly Glu Asn Tyr Arg Leu Asp Tyr Lys Phe Lys Asn Phe	
370 375 380	
tac aac gcc tcc tac ctc tcc atc aag ttg aac gac aag agg gag ctt	1200
Tyr Asn Ala Ser Tyr Leu Ser Ile Lys Leu Asn Asp Lys Arg Glu Leu	
385 390 395	
gtc agg act gag ggt gct cct caa gtg aac att gag tac tct gcc aac	1248
Val Arg Thr Glu Gly Ala Pro Gln Val Asn Ile Glu Tyr Ser Ala Asn	
400 405 410 415	
atc acc ctc aac aca gct gac atc tct caa cca ttc gag att ggt ttg	1296
Ile Thr Leu Asn Thr Ala Asp Ile Ser Gln Pro Phe Glu Ile Gly Leu	

420										425										430										
acc	aga	gtc	ctt	ccc	tct	ggc	tcc	tgg	gcc	tac	gct	gca	gcc	aag	ttc		1344													
Thr	Arg	Val	Leu	Pro	Ser	Gly	Ser	Trp	Ala	Tyr	Ala	Ala	Ala	Lys	Phe															
			435					440					445																	
act	gtt	gag	gag	tac	aac	cag	tac	tct	ttc	ctc	ttg	aag	ctc	aac	aag		1392													
Thr	Val	Glu	Glu	Tyr	Asn	Gln	Tyr	Ser	Phe	Leu	Leu	Lys	Leu	Asn	Lys															
		450					455					460																		
gca	att	cgt	ctc	agc	aga	gcc	act	gag	ttg	tct	ccc	acc	atc	ttg	gag		1440													
Ala	Ile	Arg	Leu	Ser	Arg	Ala	Thr	Glu	Leu	Ser	Pro	Thr	Ile	Leu	Glu															
	465					470					475																			
ggc	att	gtg	agg	tct	gtc	aac	ctt	caa	ctt	gac	atc	aac	act	gat	gtg		1488													
Gly	Ile	Val	Arg	Ser	Val	Asn	Leu	Gln	Leu	Asp	Ile	Asn	Thr	Asp	Val															
480						485				490					495															
ctt	ggc	aag	gtc	ttc	ctc	acc	aag	tac	tac	atg	caa	cgc	tac	gcc	atc		1536													
Leu	Gly	Lys	Val	Phe	Leu	Thr	Lys	Tyr	Tyr	Met	Gln	Arg	Tyr	Ala	Ile															
				500				505						510																
cat	gct	gag	act	gca	ctc	atc	ctc	tgc	aac	gca	ccc	atc	tct	caa	cgc		1584													
His	Ala	Glu	Thr	Ala	Leu	Ile	Leu	Cys	Asn	Ala	Pro	Ile	Ser	Gln	Arg															
			515					520					525																	
tcc	tac	gac	aac	cag	cct	tcc	cag	ttc	gac	agg	ctc	ttc	aac	act	cct		1632													
Ser	Tyr	Asp	Asn	Gln	Pro	Ser	Gln	Phe	Asp	Arg	Leu	Phe	Asn	Thr	Pro															
		530					535					540																		
ctc	ttg	aac	ggc	cag	tac	ttc	tcc	act	ggt	gat	gag	gag	att	gac	ctc		1680													
Leu	Leu	Asn	Gly	Gln	Tyr	Phe	Ser	Thr	Gly	Asp	Glu	Glu	Ile	Asp	Leu															
	545					550					555																			
aac	tct	ggc	tcc	aca	ggt	gac	tgg	aga	aag	acc	atc	ttg	aag	agg	gcc		1728													
Asn	Ser	Gly	Ser	Thr	Gly	Asp	Trp	Arg	Lys	Thr	Ile	Leu	Lys	Arg	Ala															
560					565					570					575															
ttc	aac	att	gat	gat	gtc	tct	ctc	ttc	cgt	ctc	ttg	aag	atc	aca	gat		1776													
Phe	Asn	Ile	Asp	Asp	Val	Ser	Leu	Phe	Arg	Leu	Leu	Lys	Ile	Thr	Asp															
				580					585					590																
cac	gac	aac	aag	gat	ggc	aag	atc	aag	aac	aac	ttg	aag	aac	ctt	tcc		1824													
His	Asp	Asn	Lys	Asp	Gly	Lys	Ile	Lys	Asn	Asn	Leu	Lys	Asn	Leu	Ser															
			595					600					605																	
aac	ctc	tac	att	ggc	aag	ttg	ctt	gca	gac	atc	cac	caa	ctc	acc	att		1872													
Asn	Leu	Tyr	Ile	Gly	Lys	Leu	Leu	Ala	Asp	Ile	His	Gln	Leu	Thr	Ile															
		610					615					620																		
gat	gag	ttg	gac	ctc	ttg	ctc	att	gca	gtc	ggt	gag	ggc	aag	acc	aac		1920													
Asp	Glu	Leu	Asp	Leu	Leu	Ile	Ala	Val	Gly	Glu	Gly	Lys	Thr	Asn																
	625					630				635																				
ctc	tct	gca	atc	tct	gac	aag	cag	ttg	gca	acc	ctc	atc	agg	aag	ttg		1968													
Leu	Ser	Ala	Ile	Ser	Asp	Lys	Gln	Leu	Ala	Thr	Leu	Ile	Arg	Lys	Leu															
	640				645					650					655															
aac	acc	atc	acc	tcc	tgg	ctt	cac	acc	cag	aag	tgg	tct	gtc	ttc	caa		2016													
Asn	Thr	Ile	Thr	Ser	Trp	Leu	His	Thr	Gln	Lys	Trp	Ser	Val	Phe	Gln															
				660					665					670																

ctc ttc atc atg acc agc acc tcc tac aac aag acc ctc act cct gag	2064
Leu Phe Ile Met Thr Ser Thr Ser Tyr Asn Lys Thr Leu Thr Pro Glu	
675 680 685	
atc aag aac ctc ttg gac aca gtc tac cac ggt ctc caa ggc ttc gac	2112
Ile Lys Asn Leu Leu Asp Thr Val Tyr His Gly Leu Gln Gly Phe Asp	
690 695 700	
aag gac aag gct gac ttg ctt cat gtc atg gct ccc tac att gca gcc	2160
Lys Asp Lys Ala Asp Leu Leu His Val Met Ala Pro Tyr Ile Ala Ala	
705 710 715	
acc ctc caa ctc tcc tct gag aac gtg gct cac tct gtc ttg ctc tgg	2208
Thr Leu Gln Leu Ser Ser Glu Asn Val Ala His Ser Val Leu Leu Trp	
720 725 730 735	
gct gac aag ctc caa cct ggt gat ggt gcc atg act gct gag aag ttc	2256
Ala Asp Lys Leu Gln Pro Gly Asp Gly Ala Met Thr Ala Glu Lys Phe	
740 745 750	
tgg gac tgg ctc aac acc aag tac aca cca ggc tcc tct gag gct gtt	2304
Trp Asp Trp Leu Asn Thr Lys Tyr Thr Pro Gly Ser Ser Glu Ala Val	
755 760 765	
gag act caa gag cac att gtg caa tac tgc cag gct ctt gca cag ttg	2352
Glu Thr Gln Glu His Ile Val Gln Tyr Cys Gln Ala Leu Ala Gln Leu	
770 775 780	
gag atg gtc tac cac tcc act ggc atc aac gag aac gct ttc aga ctc	2400
Glu Met Val Tyr His Ser Thr Gly Ile Asn Glu Asn Ala Phe Arg Leu	
785 790 795	
ttc gtc acc aag cct gag atg ttc ggt gct gcc aca ggt gct gca cct	2448
Phe Val Thr Lys Pro Glu Met Phe Gly Ala Thr Gly Ala Ala Pro	
800 805 810 815	
gct cat gat gct ctc tcc ctc atc atg ttg acc agg ttc gct gac tgg	2496
Ala His Asp Ala Leu Ser Leu Ile Met Leu Thr Arg Phe Ala Asp Trp	
820 825 830	
gtc aac gct ctt ggt gag aag gct tcc tct gtc ttg gct gcc ttc gag	2544
Val Asn Ala Leu Gly Glu Lys Ala Ser Ser Val Leu Ala Ala Phe Glu	
835 840 845	
gcc aac tcc ctc act gct gag caa ctt gct gat gcc atg aac ctt gat	2592
Ala Asn Ser Leu Thr Ala Glu Gln Leu Ala Asp Ala Met Asn Leu Asp	
850 855 860	
gcc aac ctc ttg ctc caa gct tcc att caa gct cag aac cac caa cac	2640
Ala Asn Leu Leu Leu Gln Ala Ser Ile Gln Ala Gln Asn His Gln His	
865 870 875	
ctc cca cct gtc act cca gag aac gct ttc tcc tgc tgg acc tcc atc	2688
Leu Pro Pro Val Thr Pro Glu Asn Ala Phe Ser Cys Trp Thr Ser Ile	
880 885 890 895	
aac acc atc ctc caa tgg gtc aac gtg gct cag caa ctc aac gtg gct	2736
Asn Thr Ile Leu Gln Trp Val Asn Val Ala Gln Gln Leu Asn Val Ala	
900 905 910	

cca caa ggt gtc tct gct ttg gtc ggt ctt gac tac atc cag tcc atg	2784
Pro Gln Gly Val Ser Ala Leu Val Gly Leu Asp Tyr Ile Gln Ser Met	
915 920 925	
aag gag aca cca acc tac gct caa tgg gag aac gca gct ggt gtc ttg	2832
Lys Glu Thr Pro Thr Tyr Ala Gln Trp Glu Asn Ala Ala Gly Val Leu	
930 935 940	
act gct ggt ctc aac tcc caa cag gcc aac acc ctc cat gct ttc ttg	2880
Thr Ala Gly Leu Asn Ser Gln Gln Ala Asn Thr Leu His Ala Phe Leu	
945 950 955	
gat gag tct cgc tct gct gcc ctc tcc acc tac tac atc agg caa gtc	2928
Asp Glu Ser Arg Ser Ala Ala Leu Ser Thr Tyr Tyr Ile Arg Gln Val	
960 965 970 975	
gcc aag gca gct gct gcc atc aag tct cgc gat gac ctc tac caa tac	2976
Ala Lys Ala Ala Ala Ala Ile Lys Ser Arg Asp Asp Leu Tyr Gln Tyr	
980 985 990	
ctc ctc att gac aac cag gtc tct gct gcc atc aag acc acc agg atc	3024
Leu Leu Ile Asp Asn Gln Val Ser Ala Ala Ile Lys Thr Thr Arg Ile	
995 1000 1005	
gct gag gcc atc gct tcc atc caa ctc tac gtc aac cgc gct ctt gag	3072
Ala Glu Ala Ile Ala Ser Ile Gln Leu Tyr Val Asn Arg Ala Leu Glu	
1010 1015 1020	
aac gtt gag gag aac gcc aac tct ggt gtc atc tct cgc caa ttc ttc	3120
Asn Val Glu Glu Asn Ala Asn Ser Gly Val Ile Ser Arg Gln Phe Phe	
1025 1030 1035	
atc gac tgg gac aag tac aac aag agg tac tcc acc tgg gct ggt gtc	3168
Ile Asp Trp Asp Lys Tyr Asn Lys Arg Tyr Ser Thr Trp Ala Gly Val	
1040 1045 1050 1055	
tct caa ctt gtc tac tac cca gag aac tac att gac cca acc atg agg	3216
Ser Gln Leu Val Tyr Tyr Pro Glu Asn Tyr Ile Asp Pro Thr Met Arg	
1060 1065 1070	
att ggt cag acc aag atg atg gat gct ctc ttg caa tct gtc tcc caa	3264
Ile Gly Gln Thr Lys Met Met Asp Ala Leu Leu Gln Ser Val Ser Gln	
1075 1080 1085	
agc caa ctc aac gct gac act gtg gag gat gcc ttc atg agc tac ctc	3312
Ser Gln Leu Asn Ala Asp Thr Val Glu Asp Ala Phe Met Ser Tyr Leu	
1090 1095 1100	
acc tcc ttc gag caa gtt gcc aac ctc aag gtc atc tct gct tac cat	3360
Thr Ser Phe Glu Gln Val Ala Asn Leu Lys Val Ile Ser Ala Tyr His	
1105 1110 1115	
gac aac atc aac aac gac caa ggt ctc acc tac ttc att ggt ctc tct	3408
Asp Asn Ile Asn Asn Asp Gln Gly Leu Thr Tyr Phe Ile Gly Leu Ser	
1120 1125 1130 1135	
gag act gat gct ggt gag tac tac tgg aga tcc gtg gac cac agc aag	3456
Glu Thr Asp Ala Gly Glu Tyr Tyr Trp Arg Ser Val Asp His Ser Lys	
1140 1145 1150	
ttc aac gat ggc aag ttc gct gca aac gct tgg tct gag tgg cac aag	3504

Phe Asn Asp Gly Lys Phe Ala Ala Asn Ala Trp Ser Glu Trp His Lys	
1155 1160 1165	
att gac tgc cct atc aac cca tac aag tcc acc atc aga cct gtc atc	3552
Ile Asp Cys Pro Ile Asn Pro Tyr Lys Ser Thr Ile Arg Pro Val Ile	
1170 1175 1180	
tac aag agc cgc ctc tac ttg ctc tgg ctt gag cag aag gag atc acc	3600
Tyr Lys Ser Arg Leu Tyr Leu Leu Trp Leu Glu Gln Lys Glu Ile Thr	
1185 1190 1195	
aag caa act ggc aac tcc aag gat ggt tac caa act gag act gac tac	3648
Lys Gln Thr Gly Asn Ser Lys Asp Gly Tyr Gln Thr Glu Thr Asp Tyr	
1200 1205 1210 1215	
cgc tac gag ttg aag ttg gct cac atc cgc tac gat ggt acc tgg aac	3696
Arg Tyr Glu Leu Lys Leu Ala His Ile Arg Tyr Asp Gly Thr Trp Asn	
1220 1225 1230	
act cca atc acc ttc gat gtc aac aag aag atc agc gag ttg aag ttg	3744
Thr Pro Ile Thr Phe Asp Val Asn Lys Lys Ile Ser Glu Leu Lys Leu	
1235 1240 1245	
gag aag aac cgt gct cct ggt ctc tac tgc gct ggt tac caa ggt gag	3792
Glu Lys Asn Arg Ala Pro Gly Leu Tyr Cys Ala Gly Tyr Gln Gly Glu	
1250 1255 1260	
gac acc ctc ttg gtc atg ttc tac aac cag caa gac acc ctt gac tcc	3840
Asp Thr Leu Leu Val Met Phe Tyr Asn Gln Gln Asp Thr Leu Asp Ser	
1265 1270 1275	
tac aag aac gct tcc atg caa ggt ctc tac atc ttc gct gac atg gct	3888
Tyr Lys Asn Ala Ser Met Gln Gly Leu Tyr Ile Phe Ala Asp Met Ala	
1280 1285 1290 1295	
tcc aag gac atg act cca gag caa agc aac gtc tac cgt gac aac tcc	3936
Ser Lys Asp Met Thr Pro Glu Gln Ser Asn Val Tyr Arg Asp Asn Ser	
1300 1305 1310	
tac caa cag ttc gac acc aac aac gtc agg cgt gtc aac aac aga tac	3984
Tyr Gln Gln Phe Asp Thr Asn Asn Val Arg Arg Val Asn Asn Arg Tyr	
1315 1320 1325	
gct gag gac tac gag atc cca agc tct gtc agc tct cgc aag gac tac	4032
Ala Glu Asp Tyr Glu Ile Pro Ser Ser Val Ser Ser Arg Lys Asp Tyr	
1330 1335 1340	
ggc tgg ggt gac tac tac ctc agc atg gtg tac aac ggt gac atc cca	4080
Gly Trp Gly Asp Tyr Tyr Leu Ser Met Val Tyr Asn Gly Asp Ile Pro	
1345 1350 1355	
acc atc aac tac aag gct gcc tct tcc gac ctc aaa atc tac atc agc	4128
Thr Ile Asn Tyr Lys Ala Ala Ser Ser Asp Leu Lys Ile Tyr Ile Ser	
1360 1365 1370 1375	
cca aag ctc agg atc atc cac aac ggc tac gag ggt cag aag agg aac	4176
Pro Lys Leu Arg Ile Ile His Asn Gly Tyr Glu Gly Gln Lys Arg Asn	
1380 1385 1390	
cag tgc aac ttg atg aac aag tac ggc aag ttg ggt gac aag ttc att	4224
Gln Cys Asn Leu Met Asn Lys Tyr Gly Lys Leu Gly Asp Lys Phe Ile	

1395	1400	1405	
gtc tac acc tct ctt ggt gtc aac cca aac aac agc tcc aac aag ctc Val Tyr Thr Ser Leu Gly Val Asn Pro Asn Asn Ser Ser Asn Lys Leu 1410 1415 1420			4272
atg ttc tac cca gtc tac caa tac tct ggc aac acc tct ggt ctc aac Met Phe Tyr Pro Val Tyr Gln Tyr Ser Gly Asn Thr Ser Gly Leu Asn 1425 1430 1435			4320
cag ggt aga ctc ttg ttc cac agg gac acc acc tac cca agc aag gtg Gln Gly Arg Leu Leu Phe His Arg Asp Thr Thr Tyr Pro Ser Lys Val 1440 1445 1450 1455			4368
gag gct tgg att cct ggt gcc aag agg tcc ctc acc aac cag aac gct Glu Ala Trp Ile Pro Gly Ala Lys Arg Ser Leu Thr Asn Gln Asn Ala 1460 1465 1470			4416
gcc att ggt gat gac tac gcc aca gac tcc ctc aac aag cct gat gac Ala Ile Gly Asp Asp Tyr Ala Thr Asp Ser Leu Asn Lys Pro Asp Asp 1475 1480 1485			4464
ctc aag cag tac atc ttc atg act gac tcc aag ggc aca gcc act gat Leu Lys Gln Tyr Ile Phe Met Thr Asp Ser Lys Gly Thr Ala Thr Asp 1490 1495 1500			4512
gtc tct ggt cca gtg gag atc aac act gca atc agc cca gcc aag gtc Val Ser Gly Pro Val Glu Ile Asn Thr Ala Ile Ser Pro Ala Lys Val 1505 1510 1515			4560
caa atc att gtc aag gct ggt ggc aag gag caa acc ttc aca gct gac Gln Ile Ile Val Lys Ala Gly Gly Lys Glu Gln Thr Phe Thr Ala Asp 1520 1525 1530 1535			4608
aag gat gtc tcc atc cag cca agc cca tcc ttc gat gag atg aac tac Lys Asp Val Ser Ile Gln Pro Ser Pro Ser Phe Asp Glu Met Asn Tyr 1540 1545 1550			4656
caa ttc aac gct ctt gag att gat ggt tct ggc ctc aac ttc atc aac Gln Phe Asn Ala Leu Glu Ile Asp Gly Ser Gly Leu Asn Phe Ile Asn 1555 1560 1565			4704
aac tct gct tcc att gat gtc acc ttc act gcc ttc gct gag gat ggc Asn Ser Ala Ser Ile Asp Val Thr Phe Thr Ala Phe Ala Glu Asp Gly 1570 1575 1580			4752
cgc aag ttg ggt tac gag agc ttc tcc atc cca gtc acc ctt aag gtt Arg Lys Leu Gly Tyr Glu Ser Phe Ser Ile Pro Val Thr Leu Lys Val 1585 1590 1595			4800
tcc act gac aac gca ctc acc ctt cat cac aac gag aac ggt gct cag Ser Thr Asp Asn Ala Leu Thr Leu His His Asn Glu Asn Gly Ala Gln 1600 1605 1610 1615			4848
tac atg caa tgg caa agc tac cgc acc agg ttg aac acc ctc ttc gca Tyr Met Gln Trp Gln Ser Tyr Arg Thr Arg Leu Asn Thr Leu Phe Ala 1620 1625 1630			4896
agg caa ctt gtg gcc cgt gcc acc aca ggc att gac acc atc ctc agc Arg Gln Leu Val Ala Arg Ala Thr Thr Gly Ile Asp Thr Ile Leu Ser 1635 1640 1645			4944

atg gag acc cag aac atc caa gag cca cag ttg ggc aag ggt ttc tac	4992
Met Glu Thr Gln Asn Ile Gln Glu Pro Gln Leu Gly Lys Gly Phe Tyr	
1650 1655 1660	
gcc acc ttc gtc atc cca cct tac aac ctc agc act cat ggt gat gag	5040
Ala Thr Phe Val Ile Pro Pro Tyr Asn Leu Ser Thr His Gly Asp Glu	
1665 1670 1675	
agg tgg ttc aag ctc tac atc aag cac gtg gtt gac aac aac tcc cac	5088
Arg Trp Phe Lys Leu Tyr Ile Lys His Val Val Asp Asn Asn Ser His	
1680 1685 1690 1695	
atc atc tac tct ggt caa ctc act gac acc aac atc aac atc acc ctc	5136
Ile Ile Tyr Ser Gly Gln Leu Thr Asp Thr Asn Ile Asn Ile Thr Leu	
1700 1705 1710	
ttc atc cca ctt gac gat gtc cca ctc aac cag gac tac cat gcc aag	5184
Phe Ile Pro Leu Asp Asp Val Pro Leu Asn Gln Asp Tyr His Ala Lys	
1715 1720 1725	
gtc tac atg acc ttc aag aag tct cca tct gat ggc acc tgg tgg ggt	5232
Val Tyr Met Thr Phe Lys Lys Ser Pro Ser Asp Gly Thr Trp Trp Gly	
1730 1735 1740	
cca cac ttc gtc cgt gat gac aag ggc atc gtc acc atc aac cca aag	5280
Pro His Phe Val Arg Asp Asp Lys Gly Ile Val Thr Ile Asn Pro Lys	
1745 1750 1755	
tcc atc ctc acc cac ttc gag tct gtc aac gtt ctc aac aac atc tcc	5328
Ser Ile Leu Thr His Phe Glu Ser Val Asn Val Leu Asn Asn Ile Ser	
1760 1765 1770 1775	
tct gag cca atg gac ttc tct ggt gcc aac tcc ctc tac ttc tgg gag	5376
Ser Glu Pro Met Asp Phe Ser Gly Ala Asn Ser Leu Tyr Phe Trp Glu	
1780 1785 1790	
ttg ttc tac tac aca cca atg ctt gtg gct caa agg ttg ctc cat gag	5424
Leu Phe Tyr Tyr Thr Pro Met Leu Val Ala Gln Arg Leu Leu His Glu	
1795 1800 1805	
cag aac ttc gat gag gcc aac agg tgg ctc aag tac gtc tgg agc cca	5472
Gln Asn Phe Asp Glu Ala Asn Arg Trp Leu Lys Tyr Val Trp Ser Pro	
1810 1815 1820	
tct ggt tac att gtg cat ggt caa atc cag aac tac caa tgg aac gtc	5520
Ser Gly Tyr Ile Val His Gly Gln Ile Gln Asn Tyr Gln Trp Asn Val	
1825 1830 1835	
agg cca ttg ctt gag gac acc tcc tgg aac tct gac cca ctt gac tct	5568
Arg Pro Leu Leu Glu Asp Thr Ser Trp Asn Ser Asp Pro Leu Asp Ser	
1840 1845 1850 1855	
gtg gac cct gat gct gtg gct caa cat gac cca atg cac tac aag gtc	5616
Val Asp Pro Asp Ala Val Ala Gln His Asp Pro Met His Tyr Lys Val	
1860 1865 1870	
tcc acc ttc atg agg acc ttg gac ctc ttg att gcc aga ggt gac cat	5664
Ser Thr Phe Met Arg Thr Leu Asp Leu Leu Ile Ala Arg Gly Asp His	
1875 1880 1885	

gct tac cgc caa ttg gag agg gac acc ctc aac gag gca aag atg tgg 5712
 Ala Tyr Arg Gln Leu Glu Arg Asp Thr Leu Asn Glu Ala Lys Met Trp
 1890 1895 1900

tac atg caa gct ctc cac ctc ttg ggt gac aag cca tac ctc cca ctc 5760
 Tyr Met Gln Ala Leu His Leu Leu Gly Asp Lys Pro Tyr Leu Pro Leu
 1905 1910 1915

agc acc act tgg tcc gac cca agg ttg gac cgt gct gct gac atc acc 5808
 Ser Thr Thr Trp Ser Asp Pro Arg Leu Asp Arg Ala Ala Asp Ile Thr
 1920 1925 1930 1935

act cag aac gct cat gac tct gcc att gtt gct ctc agg cag aac atc 5856
 Thr Gln Asn Ala His Asp Ser Ala Ile Val Ala Leu Arg Gln Asn Ile
 1940 1945 1950

cca act cct gct cca ctc tcc ctc aga tct gct aac acc ctc act gac 5904
 Pro Thr Pro Ala Pro Leu Ser Leu Arg Ser Ala Asn Thr Leu Thr Asp
 1955 1960 1965

ttg ttc ctc cca cag atc aac gag gtc atg atg aac tac tgg caa acc 5952
 Leu Phe Leu Pro Gln Ile Asn Glu Val Met Met Asn Tyr Trp Gln Thr
 1970 1975 1980

ttg gct caa agg gtc tac aac ctc aga cac aac ctc tcc att gat ggt 6000
 Leu Ala Gln Arg Val Tyr Asn Leu Arg His Asn Leu Ser Ile Asp Gly
 1985 1990 1995

caa cca ctc tac ctc cca atc tac gcc aca cca gct gac cca aag gct 6048
 Gln Pro Leu Tyr Leu Pro Ile Tyr Ala Thr Pro Ala Asp Pro Lys Ala
 2000 2005 2010 2015

ctt ctc tct gct gct gtg gct acc agc caa ggt ggt ggc aag ctc cca 6096
 Leu Leu Ser Ala Ala Val Ala Thr Ser Gln Gly Gly Gly Lys Leu Pro
 2020 2025 2030

gag tcc ttc atg tcc ctc tgg agg ttc cca cac atg ttg gag aac gcc 6144
 Glu Ser Phe Met Ser Leu Trp Arg Phe Pro His Met Leu Glu Asn Ala
 2035 2040 2045

cgt ggc atg gtc tcc caa ctc acc cag ttc ggt tcc acc ctc cag aac 6192
 Arg Gly Met Val Ser Gln Leu Thr Gln Phe Gly Ser Thr Leu Gln Asn
 2050 2055 2060

atc att gag agg caa gat gct gag gct ctc aac gct ttg ctc cag aac 6240
 Ile Ile Glu Arg Gln Asp Ala Glu Ala Leu Asn Ala Leu Leu Gln Asn
 2065 2070 2075

cag gca gct gag ttg atc ctc acc aac ttg tcc atc caa gac aag acc 6288
 Gln Ala Ala Glu Leu Ile Leu Thr Asn Leu Ser Ile Gln Asp Lys Thr
 2080 2085 2090 2095

att gag gag ctt gat gct gag aag aca gtc ctt gag aag agc aag gct 6336
 Ile Glu Glu Leu Asp Ala Glu Lys Thr Val Leu Glu Lys Ser Lys Ala
 2100 2105 2110

ggt gcc caa tct cgc ttc gac tcc tac ggc aag ctc tac gat gag aac 6384
 Gly Ala Gln Ser Arg Phe Asp Ser Tyr Gly Lys Leu Tyr Asp Glu Asn
 2115 2120 2125

atc aac gct ggt gag aac cag gcc atg acc ctc agg gct tcc gca gct 6432

Ile Asn Ala Gly Glu Asn Gln Ala Met Thr Leu Arg Ala Ser Ala Ala	
2130 2135 2140	
ggt ctc acc act gct gtc caa gcc tct cgc ttg gct ggt gca gct gct	6480
Gly Leu Thr Thr Ala Val Gln Ala Ser Arg Leu Ala Gly Ala Ala Ala	
2145 2150 2155	
gac ctc gtt cca aac atc ttc ggt ttc gct ggt ggt ggc tcc aga tgg	6528
Asp Leu Val Pro Asn Ile Phe Gly Phe Ala Gly Gly Gly Ser Arg Trp	
2160 2165 2170 2175	
ggt gcc att gct gag gct acc ggt tac gtc atg gag ttc tct gcc aac	6576
Gly Ala Ile Ala Glu Ala Thr Gly Tyr Val Met Glu Phe Ser Ala Asn	
2180 2185 2190	
gtc atg aac act gag gct gac aag atc agc caa tct gag acc tac aga	6624
Val Met Asn Thr Glu Ala Asp Lys Ile Ser Gln Ser Glu Thr Tyr Arg	
2195 2200 2205	
agg cgc cgt caa gag tgg gag atc caa agg aac aac gct gag gca gag	6672
Arg Arg Arg Gln Glu Trp Glu Ile Gln Arg Asn Asn Ala Glu Ala Glu	
2210 2215 2220	
ttg aag caa atc gat gct caa ctc aag tcc ttg gct gtc aga agg gag	6720
Leu Lys Gln Ile Asp Ala Gln Leu Lys Ser Leu Ala Val Arg Arg Glu	
2225 2230 2235	
gct gct gtc ctc cag aag acc tcc ctc aag acc caa cag gag caa acc	6768
Ala Ala Val Leu Gln Lys Thr Ser Leu Lys Thr Gln Gln Glu Gln Thr	
2240 2245 2250 2255	
cag tcc cag ttg gct ttc ctc caa agg aag ttc tcc aac cag gct ctc	6816
Gln Ser Gln Leu Ala Phe Leu Gln Arg Lys Phe Ser Asn Gln Ala Leu	
2260 2265 2270	
tac aac tgg ctc aga ggc cgc ttg gct gcc atc tac ttc caa ttc tac	6864
Tyr Asn Trp Leu Arg Gly Arg Leu Ala Ala Ile Tyr Phe Gln Phe Tyr	
2275 2280 2285	
gac ctt gct gtg gcc agg tgc ctc atg gct gag caa gcc tac cgc tgg	6912
Asp Leu Ala Val Ala Arg Cys Leu Met Ala Glu Gln Ala Tyr Arg Trp	
2290 2295 2300	
gag ttg aac gat gac tcc gcc agg ttc atc aag cca ggt gct tgg caa	6960
Glu Leu Asn Asp Asp Ser Ala Arg Phe Ile Lys Pro Gly Ala Trp Gln	
2305 2310 2315	
ggc acc tac gct ggt ctc ctt gct ggt gag acc ctc atg ctc tcc ttg	7008
Gly Thr Tyr Ala Gly Leu Leu Ala Gly Glu Thr Leu Met Leu Ser Leu	
2320 2325 2330 2335	
gct caa atg gag gat gct cac ctc aag agg gac aag agg gct ttg gag	7056
Ala Gln Met Glu Asp Ala His Leu Lys Arg Asp Lys Arg Ala Leu Glu	
2340 2345 2350	
gtg gag agg aca gtc tcc ctt gct gag gtc tac gct ggt ctc cca aag	7104
Val Glu Arg Thr Val Ser Leu Ala Glu Val Tyr Ala Gly Leu Pro Lys	
2355 2360 2365	
gac aac ggt cca ttc tcc ctt gct caa gag att gac aag ttg gtc agc	7152
Asp Asn Gly Pro Phe Ser Leu Ala Gln Glu Ile Asp Lys Leu Val Ser	

2370	2375	2380	
caa ggt tct ggt tct gct ggt tct ggt aac aac aac ttg gct ttc ggc			7200
Gln Gly Ser Gly Ser Ala Gly Ser Gly Asn Asn Asn Leu Ala Phe Gly			
2385	2390	2395	
gct ggt act gac acc aag acc tcc ctc caa gcc tct gtc tcc ttc gct			7248
Ala Gly Thr Asp Thr Lys Thr Ser Leu Gln Ala Ser Val Ser Phe Ala			
2400	2405	2410	2415
gac ctc aag atc agg gag gac tac cca gct tcc ctt ggc aag atc agg			7296
Asp Leu Lys Ile Arg Glu Asp Tyr Pro Ala Ser Leu Gly Lys Ile Arg			
	2420	2425	2430
cgc atc aag caa atc tct gtc acc ctc cca gct ctc ttg ggt cca tac			7344
Arg Ile Lys Gln Ile Ser Val Thr Leu Pro Ala Leu Leu Gly Pro Tyr			
	2435	2440	2445
caa gat gtc caa gca atc ctc tcc tac ggt gac aag gct ggt ttg gcg			7392
Gln Asp Val Gln Ala Ile Leu Ser Tyr Gly Asp Lys Ala Gly Leu Ala			
	2450	2455	2460
aac ggt tgc gag gct ctt gct gtc tct cat ggc atg aac gac tct ggt			7440
Asn Gly Cys Glu Ala Leu Ala Val Ser His Gly Met Asn Asp Ser Gly			
	2465	2470	2475
caa ttc caa ctt gac ttc aac gat ggc aag ttc ctc cca ttc gag ggc			7488
Gln Phe Gln Leu Asp Phe Asn Asp Gly Lys Phe Leu Pro Phe Glu Gly			
	2480	2485	2490
att gcc att gac caa ggc acc ctc acc ctc tcc ttc cca aac gct tcc			7536
Ile Ala Ile Asp Gln Gly Thr Leu Thr Leu Ser Phe Pro Asn Ala Ser			
	2500	2505	2510
atg cca gag aag gga aag caa gcc acc atg ctc aag acc ctc aac gat			7584
Met Pro Glu Lys Gly Lys Gln Ala Thr Met Leu Lys Thr Leu Asn Asp			
	2515	2520	2525
atc atc ctc cac atc agg tac acc atc aag tgagctc			7621
Ile Ile Leu His Ile Arg Tyr Thr Ile Lys			
	2530	2535	

INTERNATIONAL SEARCH REPORT

 Interna pplication No
 PCT/US 00/22237

 A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 C12N9/52 C12N15/82 C07K14/24 C12N15/11

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 Minimum documentation searched (classification system followed by classification symbols)
 IPC 7 C12N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

STRAND, EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 08932 A (DOW AGROSCIENCES LLC ; WISCONSIN ALUMNI RES FOUND (US)) 5 March 1998 (1998-03-05) cited in the application SEQ ID NO:11 in this document is the unmodified version of SEQ ID NO:3 of the present application. SEQ ID NO:46 corresponds to SEQ ID NO:5. page 16, line 31 -page 19, line 35	1-7
A	WO 97 13402 A (DOWELANCO) 17 April 1997 (1997-04-17) the whole document	1-7

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

A document member of the same patent family

Date of the actual completion of the international search

1 December 2000

Date of mailing of the international search report

08/12/2000

 Name and mailing address of the ISA
 European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Sprinks, M

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internal application No

PCT/US 00/22237

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9808932 A	05-03-1998	AU 1050997 A	29-05-1997
		AU 2829997 A	19-03-1998
		BR 9606889 A	28-10-1997
		BR 9711441 A	24-10-2000
		CA 2209659 A	15-05-1997
		EP 0797659 A	01-10-1997
		EP 0970185 A	12-01-2000
		HU 9900768 A	28-06-1999
		PL 321212 A	24-11-1997
		PL 332033 A	16-08-1999
		SK 93197 A	06-05-1998
		WO 9717432 A	15-05-1997
WO 9713402 A	17-04-1997	AU 708256 B	29-07-1999
		AU 7446796 A	30-04-1997
		BR 9611000 A	28-12-1999
		CN 1199321 A	18-11-1998
		EP 0861021 A	02-09-1998
		JP 2000507808 T	27-06-2000